EXHIBIT 23
EQUIPMENT AND METHOD OF HIRE NATIONAL STANDARDS

EERAs and competitive I-BPAs shall use the method of hire (MOH) identified in this list. This list is not meant to be all-inclusive in equipment specifications and typing. Equipment must conform to the specificat developed by the equipment committee and adhere to any applicable agency policies including safety. Operator qualifications can be found in the **310-1 Wildland Fire Qualification System Guide** on the National Wildfire Coordinating Group website at: http://www.nwcg.gov/pms/docs/PMS310-1.pdf In circumstances where I-BPAs have been exhausted and an "at incident" EERA is necessary, the MOH identified below is th preferred MOH. Commercial practices should be used if they are deemed more appropriate except for equipment required to be solicited competitively. Each Geographic Area shall use these methods of hire when developing standard rates for non-competed equipment published in Chapter 20 supplements to the Interagency Incident Business Management Handbook.

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Ambulance	Emergency response vehicle with medical services team, equipment and supplies for patient transport and emergency medical care out of hospital	Type 1 - Advanced Life Support; Minimum 2 staff (paramedic and EMT); Transport 2 litter patients; Training and equipment meets or exceeds standards as addressed by EPA, OSHA and NFPA 471,472,473 and 29 CFR 1910, 120 ETA 3-11 to work in HazMat Level B and specific threat conditions; All immunized in accordance with CDC core adult immunizatio and specific threat as appropriate Type 2 - Advanced Life Support; Minimum 2 staff (paramedic and EMT); Transport 2 litter patients, nonHazMat response Type 3 - Basic Life Support; Minimum 2 staff (EMT and first responder); Transport 2 litter patients; Training and equipment meets or exceeds standards as addressed by EPA, OSHA and NFPA 471,472,473 and 29 CFR 1910, 120 ETA 3-11 to work in HazMat Level B and specific threat conditions; All immunized in accordance with CDC core adult immunizatio and specific threat as appropriate Type 4 - Basic Life Support operations; Minimum 2 personnel (EMT and first responder); Transport 2 litter patients Cost of transport should be included in daily rate. Incident will restock consumables	Daily Wet With 2 Operators (per single shift)	S/D	N	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Backhoe	Rubber-tired tractor with bucket		Daily Wet With operator	S	N	
Chainsaw Repair Unit	On-site chainsaw repair	Specify provisions for reimbursement of parts	Daily Wet With operator	S	N	
Chipper	Wood chipper	Type 1 – 18 inch minimum diameter capacity Type 2 – 13-17 inch diameter capacity Type 3 – 9-12 inch maximum diameter capacity All types must be equipped with an in-feed mechanism that operates in forward, reverse and stop modes. Specify: self-propelled or tow-behind Optional: Boom feed if required	Daily Wet With operator Rate includes service and/or tow vehicle	S/D	N	
Computer	Computer, associated equipment and networking	Categories: Laptop Network Equipment Other Computer Peripherals Printer Specify software requirements and compatibility	Weekly / Monthly	No	Y	
Copier	Paper copier, black and white or color.	May need: Collator/Sorter, Stapler	Weekly / Monthly Plus rate per copy	No	Y	
Crash Rescue (Aircraft)	Aircraft Rescue and Firefighting (ARFF) Apparatus	Refer to national solicitation template	Daily Wet With 3 operators	S/D	N	2012, 2013

EXHIBIT 23 – Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Dozer	Crawler Tractor with dozer blade	Type 1 – Min. 200 HP and greater Type 2 – Min. 100 HP – 199 HP Type 3 – Min. 50 HP – 99 HP Reference national solicitation template for minimum specifications.	Daily Wet With operator Rate includes service vehicle	S/D	N	2011, 2012
Engine		Type 3 - 150 GPM at 250 PSI, 500 + Gal Type 4 - 50 GPM at 100 PSI, 750 + Gal Type 5 - 50 GPM at 100 PSI, 400 + Gal Type 6 - 50 GPM at 100 PSI, 150 + Gal Type 7 - 10 GPM at 100 PSI, 50 + Gal Reference national solicitation template for minimum specifications. All NWCG standards must be met.	Daily Wet With operator NWCG standard is T3 = 3 operators T4 = 7 + 2 operators Additional operators may be ordered	S/D	N	2010, 2012
Excavator	Crawler mounted hydraulic excavators	Type 1 - 156 + HP Type 2 - 111-155 HP Type 3 - 81-110 HP Type 4 - 60-80 HP Reference national solicitation template for minimum specifications. Mandatory hydraulic thumb or clamshell.	Daily rate Wet - With operator Rate includes service vehicle	S/D	N	2011, 2012

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Faller Module	2 Faller Units (2 qualified fallers, saws, and transportation)	Min 67 cc saw w/ 30 in. bar; spark arrester, and chainbrake required per faller Refer to National solicitation template for faller qualifications	Daily Wet Rate includes vehicle	S	N	2011, 2014
Faller, Single	1 Faller Unit (qualified faller, saw, transportation)	Min 67 cc saw w/ 30 in. bar; spark arrester, and chainbrake required per faller Refer to National solicitation template for faller qualifications	Daily Wet Rate includes vehicle	S	N	2011, 2014
Feller Buncher	Machine to fall and cut trees	Type 1 - 226 HP and greater Type 2 - 160 HP to 225 HP Specify Tracked or Rubber Tired Reference national solicitation template for minimum specifications.	Daily Wet With operator	S	N	2012
Food Service, Mobile	For catered meals (mobile) under the minimum order on NIFC national contracts. These are other than the national contracts.	a.k.a. Mobile Field Kitchen	Per meal (breakfast, lunch, dinner) Plus mileage Plus relocation fee (only if appicable)	No	Y	
Forklift		Regular or All Terrain	Daily / Weekly Without Operator	No	Y	

EXHIBIT 23 – Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Forwarder	Like a truck. Off-road rubber tired, articulated machine with log bunks used to move logs	Type 1 - Minimum 14 ton Type 2 - Minimum 8 ton	Daily Wet With Operator	S	N	
Generator	Portable electricity generator	Specify minimum KW	Daily / Weekly / Monthly Dry Without Operator	No	Y	
Handwashing Station, Portable	Plastic sink units with foot pump	Single or multiple sink units	Daily / Weekly / Monthly Plus service charge and mileage	No	Y	2012, 201
Handwashing Station, Trailer Mounted	Self contained trailers with hot and cold water, soap and supplies	Minimum 6 sinks.	Daily / Weekly / Monthly With operator Rate includes servicing	No	Y	2012, 201
Laundry, Mobile	Complete laundry unit	Type 1 – Minimum production capability 2500 lbs per day Type 2 – Minimum production capability 1500 lbs per day Refer to national solicitation template for additional specifications	Daily Plus mileage for Mob/Demob Plus rate per pound Wet	N/A	N/A	2012, 201

EXHIBIT 23 – Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Masticator a.k.a. Mulcher or slash buster)	Machine for grinding vegetation	Tracked or Rubber tired mounted typing based on dozer HP Boom mounted typing based on excavator HP	Daily Wet With operator	S	N	
Medical Equipment, including EMT / Paramedic Kits	Equipment used by medical personnel	EERA should specify who will pay for restocking consumables used.	Daily / Weekly With operator	No	Y	2012, 2013
Office, Modular	Vacant job shack type trailer with air conditioner and steps	These are also available through GSA Schedules	Monthly Without operator	No	Y	
Pumper Cat	A crawler tractor with dozer blade, tank and pump	Type 1 - Minimum 200+ HP, 500+ gal Type 2 - Minimum 100-199 HP, 325-499 gal Type 3 - Minimum 60-99 HP, 200-324 gal All Types: Pump rating – 30 gpm @ 70 psi	Daily Plus mileage rate for Mob/Demob Wet With operator	S/D	N	2010, 2013
Road Grader	Used for road maintenance or rehabilitation		Daily Wet With operator Rate includes transportation	S	N	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Skidder	Used for moving logs	Type 1 - 176+ HP Type 2 - 100-175 HP Type 3 - 60-99 HP Can be ordered with different grapple configurations or with winch line Reference national solicitation template for minimum specifications.	Daily Wet With operator	S	N	
Skidgine	A rubber tired skidder with a tank and pump	Type 1 - 176+ HP, 50 gpm @ 100 psi, 1200 + gal Type 2 - 75-175 HP, 50 gpm @ 100 psi, 800-1199 gal Type 3 - 100 + HP, 30 gpm @ 70psi, 400-799 gal Type 4 - 60-99 HP, 30gpm @ 70psi, 200-399 gal All Types: Pump Capacity – 30 gpm @ 70 psi Reference national solicitation template for minimum specifications.	Daily Wet With operator	S/D	N	2010, 2011
Sleeper Unit, Mobile	Mobile unit to provide sleeping accomodations		Daily Wet With operator(s)	No	Y	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Skidder	Used for moving logs	Type 1 - 176+ HP Type 2 - 100-175 HP Type 3 - 60-99 HP Can be ordered with different grapple configurations or with winch line Reference national solicitation template for minimum specifications.	Daily Wet With operator	S	N	
Skidgine	A rubber tired skidder with a tank and pump	Type 1 - 176+ HP, 50 gpm @ 100 psi, 1200 + gal Type 2 - 75-175 HP, 50 gpm @ 100 psi, 800-1199 gal Type 3 - 100 + HP, 30 gpm @ 70psi, 400-799 gal Type 4 - 60-99 HP, 30gpm @ 70psi, 200-399 gal All Types: Pump Capacity – 30 gpm @ 70 psi Reference national solicitation template for minimum specifications.	Daily Wet With operator	S/D	N	2010, 2011
Sleeper Unit, Mobile	Mobile unit to provide sleeping accomodations		Daily Wet With operator(s)	No	Y	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Soft Track	A carrier equippped with tracks that conform to varying ground conditions and is equipped with a tank and pump	Type 1 (600+ Gal, min 170 HP) Pump Capacity: 30 gpm @ 70 psi 12 mph minimum speed on level ground	Daily Plus mileage rate for Mob/Demob Wet With operator	S/D	N	2010, 2011
Tank, Portable (Water Storage)	Self-standing storage tank, PUP, dip tank, etc.		Daily / Weekly / Monthly	No	Y	
Tender, Fuel	Fuel trcuk used as a fuel station at incidents	Categories: Gas - Unleaded/Diesel/Lubricant Vendor's fuel price should reflect all applicable taxes and rounded to the nearest whole cent. Vendor must accept credit cards at the incident.	Daily Rate Wet With operator	S/D	N	2011, 2012
Tender, Potable Water	Provides drinking water	Type 1 – 4000 + gal Type 2 – 2500-3999 gal Type 3 – 1000-2499 gal Type 4 – 400-999 gal Must meet state and local certification requirements Government may provide potable water or reimburse fees.	Daily Wet With operator	S/D	N	2012, 2013

EXHIBIT 23 – Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Tender, Water Support	Used in a support role as a fire engine refill unit or for dust abatement	Type 1 (4000 + gal / 300gpm @ 50 psi) Type 2 (2500-4999 gal / 200gpm @50 psi) Type 3 (1000-2499 gal / 200gpm @50 psi) With spray bars All NWCG standards must be met.	Daily Wet With operator	S/D	N	2010, 2011
Tender, Water Tactical	Used for direct fire suppression missions	Type 1 (2000+ gal / 250 gpm @150 psi) Type 2 (1000-1999 gal / 250 gpm @ 150 Operator must meet fireline qualifications	Daily Wet With operator	S/D	N	2010, 2011
Tent / Canopy	Type 1 & 2 are canopy type tents	Type 1 – 40'X40', 40'X60' or 40'X80' Type 2 – 20'X40' or 20'X60' Type 3 – 501-700 sq. ft. Type 4 – 200-500 sq. ft. A/C and generator optional	Daily / Weekly / Monthly Delivery/pickup charge Relocation charge	No	Y	2011, 2012
Toilet, Portable		Regular portable ADA compliant	Daily / Weekly / Monthly Additional fees for servicing and relocation	No	Y	2012, 2013

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Tractor – Plow		Type 2 - 100-199 HP Type 3 - 50-99 HP	Daily Wet With operator	S/D	N	
Trailer - Communications	Trailer equipped with programmable radios	Refer to national solicitation template	Daily Wet With operator	No	Y	2011, 2014
Trailer - GIS	Mobile unit for providing GIS services	Reference national solicitation template.	Daily Wet With operator	No	Y	2011, 2014
Trailer – Helicopter Support	Mobile unit to support helicopter operations	Refer to national solicitation template	Daily / Weekly / Monthly Wet With operator	No	Y	2011, 2014
Trailer, Clerical Support	Clerical support for copying, scanning, faxing, etc.	Includes photocopier, scanner, fax machine, printer, plotter, etc	Daily With operator Plus rate per copy	N/A	Y	2011, 2014
Transportation – Vehicle, All Terrain (ATV)		Categories: Single Seat (ATV) Side by Side with bed (UTV) Gator	Daily/Weekly/Monthly Dry Without Operator	No	Y	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Transportation, Boat		Must meet US Coast Guard and State requirements	Daily Wet With operator	S	N	
Transportation, Bus, Coach	Bus with comfortable seats for longer travel	47 person minimum capacity Compliant with state and federal DOT Contractor must have $5 million of liability insurance per CFR 49 Part 387.33 Driver and all operating supplies A/C	Mileage or daily guarantee, whichever is greater. With one operator Wet	S	N	2011, 2014
Transportation, Bus , Crew Carrier	School type bus	22 person minimum capacity + tools/equipment Compliant with state and federal DOT. Driver and all operating supplies Contractor must have $5 million of liability insurance per CFR 49 Part 387.33 Max age 1977 Refer to national solicitation template specifications.	Mileage or daily guarantee, whichever is greater. With one operator Wet Travel expenses to and from incidents are not paid	S	N	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Transportation, Bus, Shuttle	Van Chassis, 18-32 passenger	18 person capacity min A/C Compliant with state and federal DOT. Driver and all operating supplies Contractor must have $5 million of liability insurance per CFR 49 Part 387.33	Mileage or daily guarantee, whichever is greater with operator Wet Travel expenses to and from incident are not paid	S	N	
Transportation, Golf Cart	Small powered cart		Daily / Weekly / Monthly Dry Without operator	No	Y	
Transportation, Lowboy	Heavy equipment transport, including tra	Type 1 - rated at loads over 70,000 lbs Type 2 - rated at loads 35,001 to 69,999 Type 3 - rated at loads up to 35,000 lbs.	Mileage or minimum daily guarantee Wet With operator (Reduce rate to 65% if operator also operates the equipment being hauled)	S/D	N	2011, 2012
Transportation, Pack String	Horse or mule pack team	May require vendor to provide certified weed free hay for pack string.	Daily With packer/wrangler	S	N	

EXHIBIT 23 - Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive I-BPA
Transportation, Rental Vehicle	From a rental vehicle company Can also utilize GSA's RSVP or STR Programs	Categories: Automobile Truck, Flatbed Automobile Truck, Flatbed Pickup (4x4) Truck, Stakeside Pickup (4x2) Van, Box Sport Utility Vehicle Van, Passenger Specify 4X4 or 4X2	Daily Dry Without operator	No	Y	

EXHIBIT 23 – Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Transportation, Vehicle w/ Operator	From owner/operators	Categories: Automobile Pickup (4x4 or 4X2) Sport Utility Vehicle (4X4 or 4X2) Truck, Flatbed Truck, Stakeside Van, Passenger	Daily Plus mileage Wet With operator	S	N	2011 in CA
Truck, Gray Water		Type 1 – 4000+ gal Type 2 – 2500-3999 gal Type 3 – 1000-2499 gal Type 4 – 400-999 gal Must comply with state and local laws	Daily Wet With operator Contractor must pay own permit fees Contractor reimbursed for disposal fees unless the Government provides a disposal site	S	N	2012, 2013

EXHIBIT 23 – Continued

EQUIPMENT NAME	DESCRIPTION	EQUIPMENT SPECIFICATION AND TYPING	METHOD OF HIRE	SHIFT	24 HR Day	Competitive LBPA
Truck, Service, with Mechanic		Type 2 Light Automotive and Heavy Truck Type 1 Heavy Equipment Specify provisions for reimbursement of parts	Daily Wet With operator	S/D	N	2011, 2014
Truck/Trailer - Refrigeration	Refrigeration Truck	Categories: Refrigeration Truck Refrigeration Trailer Stairs Included Also available on GSA Schedule	Daily / Weekly / Monthly Plus mobilization cost No operator Dry	No	Y	2008
Weed Washing Units	Self-contained unit for washing vehicles	Type 1 – With Recycling Water System Type 2 – Without Recycling Water System Refer to national solicitation template for additional specifications	Daily Wet With operator(s)	S	N	2011, 201

EXHIBIT 24
RESOURCE ORDER FORM (ICS-259-9)

RESOURCE ORDER — EQUIPMENT

INCIDENT/PROJECT ORDER NUMBER: ID-BOF-080

1. INITIAL DATE/TIME
2. INCIDENT/PROJECT NAME: Bad Bear
3. INCIDENT/PROJECT ORDER NUMBER: ID-BOF-080
4. OFFICE REFERENCE NUMBER
5. DESCRIPTIVE LOCATION/RESPONSE AREA: Boise National Forest, 1918 Commerce, Boise ID 83705
6. SEC. / TWN / RNG / Bsm MDM
7. MAP REFERENCE
8. INCIDENT BASE/PHONE NUMBER: Boise Dispatch (208) 334-9800
9. JURISDICTION/AGENCY: FS
10. ORDERING OFFICE: BOF
11. AIRCRAFT INFORMATION — BEARING / DISTANCE / BASE OR OMNI / AIR CONTACT / FREQUENCY / LAT. / LONG. / Ground Contact / FREQUENCY / RELOAD BASE / OTHER AIRCRAFT/HAZARDS

12. Request Number	Ordered Date/Time	From/To	Q TY	RESOURCE REQUESTED	Needed Date/Time	Deliver To	From/To	Time	Agency ID	RESOURCE ASSIGNED	ETA/ETD	RELEASED Date	RELEASED To	Time
E-1	8-5 0427Z	Berry / Rick	1ea	Type II Dozer	8-5 0900	Incident Base	Jeri / Rick	0430Z	BOF	DoRight Construction Point of Hire Nampa, ID Duddley DoRight	0600 / 0830	8/7	Point of Hire	0900 / 1130
E-2	8-5 0600	Berry / Rick	1ea	1/2 T 4x4 Pickup	8-5 0800	Incident Base	Jeri / Rick	0615	BOF	D6C model 74A Dozer w/one operator Dodge 1/2 T 4x4 Pickup Lic No 4T6195B Point of Hire Nampa, ID DoRight Construction	0630 / 0800	8/7	Point of Hire	0500 / 0730
E-3	8-5 0700	Ron / Mary	1ea	Bus, 40 Passenger	8-5 0900	NIFC Crew Dispatch	Steve / Mary	0715	BOF	40 Pass Bus w/operator Lic No 4T6195B Point of Hire Nampa, ID DoRight Construction	0700 / 0715	8/9	NIFC Crew Dispatch	0800 / 1030
E-4	8-5 0700	Ron / Mary	1ea	Wildland Engine Type III	8-5 1100	Incident Base	Steve / Mary	0900	BOF	Type III Engine w/3 oper Lic No 4T59847 Point of hire Incident Base DoRight Construction	0700 / 0900	8/8	Lowman Complex	1600 / 1900
E-5	8-6 1300	Ron / Mary	1ea	Flatbed 30 Ton	8-7	Incident Base	Steve / Mary	1315	BOF	30T Flatbed 1992 Kenworth Point of Hire Nampa Id DoRight Construction	0700 / 0800	8/7	Point of Hire	0830 / 1130

ACTION TAKEN

13. ORDER RELAYED — Req. No. / Date / Time / To/From

ACTION TAKEN — Req. No. / Date / Time / To/From

NFES 2208(7/87)

EXHIBIT 24 - Continued

Report ID: R031 Version: 2.4.1-12
Session ID: 2098

RESOURCE ORDER	Initial Date/Time	2. Incident / Project Name	3. Incident / Project Order Number	Financial Codes
EQUIPMENT	06/08/07 0903	Bad Bear	**ID-BOF-000080**	
			4. Office Reference Number	

5. Descriptive Location	6. TWN	RNG	SEC	Base MDM	8. Incident Base / Phone Number	
Boise National Forest 1918 Commerce Boise, ID 8370	22N	11E	19	Boise, ID	ID-BDC (Dispatch) 208-384-3398	
	LAT. 45 13 52N					9. Jurisdiction / Agency Boise National Forest
	LONG. 115 09 14W					10. Ordering Office Boise Interagency Logistics Center

11. Aircraft Information

Bearing	Distance	VOR	Contact Name	Frequency Type	Assigned Frequency	Reload Base	Other Aircraft / Hazards (within 1 mile)
266	47	LKT		Flight Following	TX/RX: 173.7625 FS North/South 071.90	MYL	!Fixed Hazard N/A (See Documentat - 45 27 24 N 115 20 02 W
38	53	DNJ		Ground	TX/RX: 171.450 North Simplex 123.00	BOI	
113	100	MQG		Ground	TX/RX: 172.200 South Simplex 123.00		

12. Request Number	Ordered Date/Time	From	To	Qty	Resource Requested	Needed Date/Time	Deliver To	From Unit	To Unit	Assigned Date/Time	Resource Assigned Unit ID	Resource Assigned	M/D Ind	Estimated Time Of Departure	Estimated Time Of Arrival	Released Date	Released To
E-1	06/08/07 0916 MST	ID-BDC (Dispatch) 208-384-3398	ID-BDC	1	Dozer, Type 2	06/05/07 0900 MST	Incident Base	ID-BDC	ID-BDC	06/08/07 0922 MST	ID-BOD	Dozer Type II - DoRight Construction - D6C model 74A (ID-BDC)	D	06/07/07 0900 MST	06/07/07 1130 MST	06/07/07 0600 MST	Nampa (Nampa, ID)
Travel Mode			**Special Needs**				**Reporting Instructions**										
E-2	06/08/07 0917 MST	ID-BDC (Dispatch) 208-384-3398	ID-BDC	1	Transportation - Pickup	06/05/07 0900 MST	Incident Base	ID-BDC	ID-BDC	06/08/07 0923 MST	ID-BOD	Pickup - Doge 1/2 T 4x4 Pickup (Dodge Pickup 4T6195B) (ID-BDC)	D	06/07/07 0500 MST	06/07/07 0730 MST	06/07/07 0500 MST	Nampa (Nampa, ID)
Travel Mode			**Special Needs**				**Reporting Instructions**										
E-3	06/08/07 0917 MST	ID-BDC (Dispatch) 208-384-3398	ID-BDC	1	Transportation, Bus, Crew Carrier	06/05/07 0800 MST	Incident Base	ID-BDC	ID-BDC	06/08/07 0925 MST	ID-BOD	Bus, 40 Passenger - DoRight Construction (40 Passenger Bus 4T59847) (ID-BDC)	D	06/09/07 0800 MST	06/09/07 1030 MST	06/09/07 0800 MST	NIFC
Travel Mode			**Special Needs** 40 passenger bus w/ operator				**Reporting Instructions**										
E-4	06/08/07 0918 MST	ID-BDC (Dispatch) 208-384-3398	ID-BDC	1	Engine, Type 3	06/05/07 1100 MST	Incident Base	ID-BDC	ID-BDC	06/08/07 0926 MST	ID-BOD	Engine - Type III - DoRight Construction (DoRight Construction - Engine) (ID-BDC)	D	06/08/07 1600 MST	06/08/07 1900 MST	06/08/07 1435 MST	Lowman Complex
Travel Mode			**Special Needs**				**Reporting Instructions**										
E-5	06/08/07 0919 MST	ID-BDC (Dispatch) 208-384-3398	ID-BDC	1	Transportation - Truck, Flatbed	06/07/07 0800 MST	Incident Base	ID-BDC	ID-BDC	06/08/07 0927 MST	ID-BOD	Truck, Flatbed - 30T - DoRight Construction (30T Flatbed, DoRight Construction - 1992 Kenworth)	D	06/07/07 0830 MST	06/07/07 1130 MST	06/07/07 0735 MST	Nampa (Nampa, ID)

Bad Bear | ID-BOF-000080 | Run Date: 06/08/2007 1138 CST

EXHIBIT 24 – Continued

Sample Report from Automated Dispatch System

Request List

	Incident	*Incident Number*	*Host Unit*		
	Bad Bear	*ID-BOF-000080*	Boise Interagency Logistics Center		
	Resource Requested	*Assign Date*	*Resource Assigned*		*Release Date*
E-1	Dozer, Type 2	6/14/2006 4:02:27 PM	**Dozer, Type II - Doright Construction**	BLM	6/15/2006 4:00:00 PM
	Resource Requested	*Assign Date*	*Resource Assigned*		*Release Date*
E-2	Transportation - Pickup	6/12/2006 2:33:22 PM	**Pickup - Dodge 1/2 T 4x4** License 4T6195B	USFS	6/20/2006 3:47:01 PM
	Resource Requested	*Assign Date*	*Resource Assigned*		*Release Date*
E-3	Transportation, Bus, Crew Carrier	6/12/2006 12:55:18 PM	**Bus, 40 Passenger - DoRight Construction** License 4T59847	BLM	6/19/2006 6:40:00 PM
	Resource Requested	*Assign Date*	*Resource Assigned*		*Release Date*
E-4	Engine, Type 3	6/11/2006 5:03:36 PM	**Engine - Type III - DoRight Construction**	BLM	6/20/2006 12:00:00 PM
	Resource Requested	*Assign Date*	*Resource Assigned*		*Release Date*
E-5	Transportation - Truck, Flatbed	6/14/2006 4:02:27 PM	**Truck, Flatbed - 30T - DoRight Construction**	USFS	6/15/2006 4:00:00 PM