MAP MV – 4a
SOIL RESOURCES INVENTORY AND IMPACTS

RESOURCE INVENTORY

SOIL CHARACTERISTICS

- Prime farmland
- Not prime farmland
- High Water/High Wind Erosion Suscep ibility
- High Water/Low Wind Erosion Suscep ibility
- Moderate Water/Moderate Wind Erosion Suscep ibility
- Moderate Water/Low Wind Erosion Suscep ibility
- Low Water/High Wind Erosion Suscep ibility
- Low Water/Low Wind Erosion Suscep ibility
- No Water/High Wind Erosion Suscep ibility
- No Water/Low Wind Erosion Suscep ibility

IMPACT LEVELS

- High
- Moderate
- Low
- Not Identifiable

Note: Impact levels shown represent impacts remaining (residual) after the applica ion of mitigation measures.

GENERAL REFERENCE FEATURES

- Project Area
- Study Corridor
- Link Number
- Mile Tick
- Centerline
- Link Node
- Power Plant
- Substation
- 500kV +/- DC Transmission Line
- 345kV Transmission Line
- 230 to 287kV Transmission Line
- 138 to 161kV Transmission Line
- Pipeline
- County Boundary
- U.S. Forest Service Boundary
- Township Line
- Interstate Highway
- U.S. Highway
- State Highway
- Railroad
- Airport
- River or Stream
- Lake or Reservoir

SOURCES:

Resource Data:
Impact: EPG, 2010
Soils: SSURGO and STATSGO, NRCS, 2006, and USFS, 2001

Base Data:
Transmission Line: EPG, 2009; Roads, County Boundary: ESRI, 2008
U.S. Forest Service: USFS, 2006; Transportation: NTAD2008, U.S. Department of Transportation
Railroad: FRA, 2008; Airport: RITA/BTS, 2008; PLSS: BLM, 2006; Water, River, Stream: USGS, 2008
Hillshade: USGS, 1999; POWERmap, powermap.platts.com
© 2007 Platts, A Division of The McGraw-Hill Companies



May 2011

DRAFT EIS

SIGURD TO RED BUTTE NO. 2 345kV TRANSMISSION PROJECT

NATIONAL SYSTEM OF PUBLIC LANDS

MAP MV – 4b
SOIL RESOURCES INVENTORY AND IMPACTS

R13W R12W R11W R10W R9W R8W R7W R6W

T22S T23S T24S T25S T26S T27S T28S T29S

Black Rock
Millard County
Beaver County
Milford
Milford Municipal Airport
Blundell
Sulphurdale
Manderfield

365 360 350 330 320 66 345 305 380 450 386 385 68 75 381 455 349 460 470 155 390

RESOURCE INVENTORY

SOIL CHARACTERISTICS

- Prime farmland
- Not prime farmland
- High Water/High Wind Erosion Suscep ibility
- High Water/Low Wind Erosion Suscep ibility
- Moderate Water/Moderate Wind Erosion Suscep ibility
- Moderate Water/Low Wind Erosion Suscep ibility
- Low Water/High Wind Erosion Suscep ibility
- Low Water/Low Wind Erosion Suscep ibility
- No Water/High Wind Erosion Suscep ibility
- No Water/Low Wind Erosion Suscep ibility

IMPACT LEVELS

- High
- Moderate
- Low
- Not Identifiable

Note: Impact levels shown represent impacts remaining (residual) after the applica ion of mitigation measures.

GENERAL REFERENCE FEATURES

- Project Area
- Study Corridor
- Link Number
- Mile Tick
- Centerline
- Link Node
- Power Plant
- Substation
- 500kV +/- DC Transmission Line
- 345kV Transmission Line
- 230 to 287kV Transmission Line
- 138 to 161kV Transmission Line
- Pipeline
- County Boundary
- U.S. Forest Service Boundary
- Township Line
- Interstate Highway
- U.S. Highway
- State Highway
- Railroad
- Airport
- River or Stream
- Lake or Reservoir

SOURCES:

Resource Data:

Impact: EPG, 2010
Soils: SSURGO and STATSGO, NRCS, 2006, and USFS, 2001

Base Data:

Transmission Line: EPG, 2009; Roads, County Boundary: ESRI, 2008
U.S. Forest Service: USFS, 2006; Transportation: NTAD2008, U.S. Department of Transportation
Railroad: FRA, 2008; Airport: RITA/BTS, 2008; PLSS: BLM, 2006; Water, River, Stream: USGS, 2008
Hillshade: USGS, 1999; POWERmap, powermap.platts.com

© 2007 Platts, A Division of The McGraw-Hill Companies



May 2011

DRAFT EIS

SIGURD TO RED BUTTE NO. 2
345kV TRANSMISSION PROJECT

NATIONAL SYSTEM OF PUBLIC LANDS

Q:\RBA\DEIS\Appx\DEIS_SRB_Earth_Soil_Resources.mxd

MAP MV – 4c
SOIL RESOURCES INVENTORY AND IMPACTS

R16W R15W R14W R13W R12W R11W R10W R9W

T28S T29S T30S T31S T32S T33S T34S T35S

Beaver County

Latimer

Lund

Zane

Iron County

Minersville

155 160 163 165 220 390 470 475 480 490 395 396 397 430 435

RESOURCE INVENTORY

SOIL CHARACTERISTICS

- Prime farmland
- Not prime farmland
- High Water/High Wind Erosion Suscep ibility
- High Water/Low Wind Erosion Suscep ibility
- Moderate Water/Moderate Wind Erosion Suscep ibility
- Moderate Water/Low Wind Erosion Suscep ibility
- Low Water/High Wind Erosion Suscep ibility
- Low Water/Low Wind Erosion Suscep ibility
- No Water/High Wind Erosion Suscep ibility
- No Water/Low Wind Erosion Suscep ibility

IMPACT LEVELS

- High
- Moderate
- Low
- Not Identifiable

Note: Impact levels shown represent impacts remaining (residual) after the applica ion of mitigation measures.

GENERAL REFERENCE FEATURES

- Project Area
- Study Corridor
- Link Number
- Mile Tick
- Centerline
- Link Node
- Power Plant
- Substation
- 500kV +/- DC Transmission Line
- 345kV Transmission Line
- 230 to 287kV Transmission Line
- 138 to 161kV Transmission Line
- Pipeline
- County Boundary
- U.S. Forest Service Boundary
- Township Line
- Interstate Highway
- U.S. Highway
- State Highway
- Railroad
- Airport
- River or Stream
- Lake or Reservoir

SOURCES:

Resource Data:

Impact: EPG, 2010

Soils: SSURGO and STATSGO, NRCS, 2006, and USFS, 2001

Base Data:

Transmission Line: EPG, 2009; Roads, County Boundary: ESRI, 2008

U.S. Forest Service: USFS, 2006; Transportation: NTAD2008, U.S. Department of Transportation

Railroad: FRA, 2008; Airport: RITA/BTS, 2008; PLSS: BLM, 2006; Water, River, Stream: USGS, 2008

Hillshade: USGS, 1999; POWERmap, powermap.platts.com

© 2007 Platts, A Division of The McGraw-Hill Companies



May 2011

DRAFT EIS

SIGURD TO RED BUTTE NO. 2
345kV TRANSMISSION PROJECT

NATIONAL SYSTEM OF PUBLIC LANDS

MAP MV – 4d
SOIL RESOURCES INVENTORY AND IMPACTS

R18W R17W R16W R15W R14W R13W R12W R11W

T34S T35S T36S T37S T38S T39S T40S

Iron County

Washington County

Iron Springs

Newcastle

Newcastle Reservoir

Enterprise

Pinto

Mountain Meadows Massacre Site

Red Butte

Central

Pine Valley

Veyo

Gunlock

New Harmony

Kanarraville

Dixie National Forest

165 220 430 435 240 221 441 438 442 280 250 245 222 443 285 444 270 260 275 500 290

RESOURCE INVENTORY

SOIL CHARACTERISTICS

- Prime farmland
- Not prime farmland
- High Water/High Wind Erosion Suscep ibility
- High Water/Low Wind Erosion Suscep ibility
- Moderate Water/Moderate Wind Erosion Suscep ibility
- Moderate Water/Low Wind Erosion Suscep ibility
- Low Water/High Wind Erosion Suscep ibility
- Low Water/Low Wind Erosion Suscep ibility
- No Water/High Wind Erosion Suscep ibility
- No Water/Low Wind Erosion Suscep ibility

IMPACT LEVELS

- High
- Moderate
- Low
- Not Identifiable

Note: Impact levels shown represent impacts remaining (residual) after the applica ion of mitigation measures.

GENERAL REFERENCE FEATURES

- Project Area
- Study Corridor
- Link Number
- Mile Tick
- Centerline
- Link Node
- Power Plant
- Substation
- 500kV +/- DC Transmission Line
- 345kV Transmission Line
- 230 to 287kV Transmission Line
- 138 to 161kV Transmission Line
- Pipeline
- County Boundary
- U.S. Forest Service Boundary
- Township Line
- Interstate Highway
- U.S. Highway
- State Highway
- Railroad
- Airport
- River or Stream
- Lake or Reservoir

SOURCES:

Resource Data:

Impact: EPG, 2010

Soils: SSURGO and STATSGO, NRCS, 2006, and USFS, 2001

Base Data:

Transmission Line: EPG, 2009; Roads, County Boundary: ESRI, 2008

U.S. Forest Service: USFS, 2006; Transportation: NTAD2008, U.S. Department of Transportation

Railroad: FRA, 2008; Airport: RITA/BTS, 2008; PLSS: BLM, 2006; Water, River, Stream: USGS, 2008

Hillshade: USGS, 1999; POWERmap, powermap.platts.com

© 2007 Platts, A Division of The McGraw-Hill Companies



May 2011

DRAFT EIS

SIGURD TO RED BUTTE NO. 2 345kV TRANSMISSION PROJECT

NATIONAL SYSTEM OF PUBLIC LANDS

I:\SRB\MXD\ArcMap\DEIS_SRB_Earth_Soil_Resources.mxd