

Biological Assessment for Vegetation Treatments Using Aminopyralid, Fluroxypyr, and Rimsulfuron

on Bureau of Land Management Lands
in 17 Western States

April 2015




U.S. Department of the Interior
Bureau of Land Management

DOI-BLM-WO-WO2100-2012-0002-EIS




Public Lands Managed by the Bureau of Land Management

The BLM administers more than 245 million surface acres. The BLM also manages 700 million acres of subsurface mineral estate throughout the nation.



Bureau of Land Management
Forest, Rangeland, Riparian, and
Plant Conservation Division, WO-220
1849 C Street, NW, Room 2134 LM
Washington, DC 20240
202-912-7226

Website address: <http://blm.gov/3vkd>




Cover photos and photo credits:

1. Red Canyon near Lander, Wyoming. Photo by Aaron Thompson, BLM.
2. Aerial spraying of mesquite in New Mexico. Photo by Eddy Williams (retired), BLM.
3. Spraying herbicide on salt cedar near the Dolores River in Utah.
4. Aerial spraying of leafy spurge at Bennett Peak, Wyoming. Photo by Ken Henke, BLM.
5. Mule sprayer at Goose Creek, Utah. Photo by Gordon Edwards, High Country Sprayers.

Cover, spine, and CD label layout and design provided by the BLM National Operations Center, Information and Publishing Services Section.

**Biological Assessment for
Vegetation Treatments Using Aminopyralid,
Fluroxypyr, and Rimsulfuron
on Bureau of Land Management Lands in 17 Western States**



DOI-BLM-WO-WO2100-2012-0002-EIS

**DOI
BLM**

April
2015