

## APPENDIX 15—AIR QUALITY REGULATIONS

---

### AIR QUALITY REGULATIONS

The basic framework for controlling air pollutants in the United States is mandated by the 1970 Clean Air Act and its amendments, and the 1999 Regional Haze Regulations. The Clean Air Act addresses criteria air pollutants, state and national ambient air quality standards for criteria air pollutants, and the Prevention of Significant Deterioration (PSD) program. The Regional Haze Regulations address visibility impairment.

#### Pollutants

Criteria pollutants are those for which national standards of concentration have been established. Pollutant concentrations greater than these standards represent a risk to human health. Criteria pollutants include carbon monoxide (CO), nitrogen dioxide (NO<sub>2</sub>), ozone (O<sub>3</sub>), sulphur dioxide (SO<sub>2</sub>), particulate matter (PM-10, PM-2.5), and lead (Pb). Other pollutants of concern are hazardous air pollutants (HAPs), a broad class of several pollutants including benzene, toluene, asbestos, beryllium, and hydrogen sulfide (H<sub>2</sub>S).

CO is an odorless, colorless gas formed during any combustion process, such as operation of engines, fireplaces, and furnaces. High concentrations of CO affect the oxygen-carrying capacity of the blood and can lead to unconsciousness and asphyxiation.

NO<sub>2</sub> is a red-brown gas formed during operation of internal combustion engines. Such engines emit a mixture of nitrogen gases, collectively called nitrogen oxides (NO<sub>x</sub>). NO<sub>2</sub> can contribute to brown cloud conditions and can convert to ammonium nitrate particles and nitric acid, which can cause visibility impairment and acid rain.

O<sub>3</sub> is a faintly blue gas that is generally not emitted directly into the atmosphere but is formed from NO<sub>x</sub> and volatile organic compounds (VOC) emissions. As noted above, internal combustion engines are the main source of NO<sub>x</sub>. Sources of VOC include oil vapors and terpene mist. The faint acrid smell common after thunderstorms is due to ozone formation by lightning. O<sub>3</sub> is a strong oxidizing chemical that can burn the lungs and eyes and damage plants.

SO<sub>2</sub> forms during combustion from trace levels of sulphur in coal or diesel fuel. It can convert to ammonium sulfate and sulphuric acid, which can cause visibility impairment and acid rain.

Particulate matter (i.e., soil particles, hair, pollen, etc.) is essentially the small particles suspended in the air, which settle to the ground slowly and may be resuspended if disturbed. Separate allowable concentration levels for particulate matter are based on the relative size of the particle:

- PM-10, particles with diameters less than 10 micrometers, are small enough to be inhaled and can cause adverse health effects.
- PM-2.5, particles with diameters less than 2.5 micrometers are so small that they can be drawn deeply into the lungs and cause serious health problems. These particles are also the main cause of visibility impairment.

Before the wide use of unleaded fuel for automobiles, lead particles were emitted from tailpipes. Lead is not considered in this environmental impact statement (EIS) because no proposed projects are expected to emit lead.

There are a wide variety of HAPs that have no applicable air quality standards but are typically evaluated for potential cancer risks from long-duration exposures. Wyoming maintains a concentration standard for H<sub>2</sub>S.

## Wyoming and National Ambient Air Quality Standards

Wyoming Ambient Air Quality Standards (WAAQS) and National Ambient Air Quality Standards (NAAQS) set the absolute upper limits for criteria air pollutant concentrations at all locations to which the public has access. The WAAQS and NAAQS are legally enforceable standards. Concentrations above the WAAQS and NAAQS represent a risk to human health.

The Environmental Protection Agency (EPA) has developed standards for each criteria pollutant for a specific averaging time. Short averaging times (1, 3, and 24 hours) addresses short-term exposure, whereas annual standards address long-term exposure. Annual standards are set to lower allowable concentrations than are short-term standards to recognize the cumulative effects of long-term exposure.

**Table A15-1. National and Wyoming Ambient Air Quality Standards for Criteria Pollutants**

Pollutant	Averaging Time	NAAQS (µg/m <sup>3</sup> )	WAAQS (µg/m <sup>3</sup> )
Carbon Monoxide (CO)	8 hour	10,000	10,000
	1 hour	40,000	40,000
Nitrogen Dioxide (NO <sub>2</sub> )	Annual	100	100
Sulphur Dioxide (SO <sub>2</sub> )	Annual	80	60
	24 hour	365	260
	3 hour	1300	695
Ozone (O <sub>3</sub> )	8 hour	157	157
	1 hour	235	
Particulate Matter (PM <sub>10</sub> )	Annual	50	50
	24 hour	150	150
Fine Particulate Matter (PM <sub>2.5</sub> )	Annual	65	
	24 hour	15	

## Prevention of Significant Deterioration

The goal of the PSD program is to ensure that air quality in areas with clean air does not significantly deteriorate, while maintaining a margin for future industrial growth. Under PSD, each area in the United States is classified by the air quality in that region:

- PSD Class I Areas: Areas with pristine air quality, such as wilderness areas, national parks, and Indian reservations, are accorded the strictest protection. Only very small incremental increases in concentration are allowed to maintain the very clean air quality in these areas.

- PSD Class II Areas: Essentially, all areas that are not designated Class I are designated Class II. Moderate incremental increases in concentration are allowed, although the concentrations are not allowed to reach the concentrations set by Wyoming and federal standards (WAAQS and NAAQS).
- PSD Class III Areas: No areas have yet been designated Class III. Concentrations would be allowed to increase all the way up to the WAAQS and NAAQS.

**Table A15-2. PSD Increments**

Pollutant	Averaging Time	PSD Increment ( $\mu\text{g}/\text{m}^3$ )	
		Class I	Class II
Nitrogen Dioxide (NO <sub>2</sub> )	Annual	2.5	25
Sulphur Dioxide (SO <sub>2</sub> )	Annual	2	20
	24 hour	5	91
	3 hour	25	512
Particulate Matter (PM <sub>10</sub> )	Annual	4	17
	24 hour	8	30

In the Jack Morrow Hills region, there are four PSD Class I areas (Bridger, Fitzpatrick and Washakie Wilderness Areas, and Grand Teton National Park). There are also two special status Class II areas (Popo Agie Wilderness Area and the Wind River Roadless Area). The Jack Morrow Hills project area is also classified as PSD Class II.


Comparisons of potential NO<sub>2</sub> and SO<sub>2</sub> concentrations with PSD increments are intended only to evaluate a threshold of concern and do not represent a regulatory PSD Increment Consumption analysis. Consumption analyses are applied to large industrial sources and are solely the responsibility of the state and EPA.

## Regional Haze Regulations

Visibility impairment is an indicator of air pollution concentration. Visibility can be defined as the distance one can perceive color, contrast, and detail. Fine particulate matter (PM<sub>2.5</sub>) is the main cause of visibility impairment. Visual range, one of several ways to express visibility, is the farthest distance a person can see a landscape feature. Without human-caused visibility impairment, natural visual range would average about 150 miles in the Western United States and about 70 miles in the Eastern United States.

The Regional Haze Regulations were developed by EPA in response to the Clean Air Act Amendments of 1990. They are intended to maintain and improve visibility in PSD Class I areas across the United States so that visibility in these areas is returned to natural conditions. These regulations require states to demonstrate reasonable progress in maintaining or improving visibility in PSD Class I areas.

**Figure A15-1. Mean Annual Concentrations of Sulfur and Nitrogen Compounds in Pinedale, Wyoming**



**Figure A15-2. Mean Annual Ozone Concentration in Pinedale, Wyoming**




Figure A15-3. Visibility in Bridger Wilderness







Figure A15-4. Precipitation pH in Pinedale, Wyoming




**FigureA15-5. Wet Deposition of Sulfur and Nitrogen Compounds in Pinedale, Wyoming**




**Figure A15-6. Mean Annual Dry Deposition of Sulfur and Nitrogen Compounds in Pinedale, Wyoming**




**Figure A15-7. Total Nitrogen Deposition in Pinedale, Wyoming**



**Figure A15-8. Total Sulfur Deposition in Pinedale, Wyoming**



**Figure A15-9. Near-Field Concentrations of Criteria Pollutants from the Pinedale Anticline Project**



**Figure A15-10. Far-Field Concentrations of Criteria Pollutants from the Pinedale Anticline Project**

