

Environmental Assessment (EA) DOI-BLM-WY-070-EA14-197

Lease Renewal

**Black Stump Draw/#12230
Blake Tietjen LLC.
Lease # 4907367**

**Dixie Reece/#02270
Dixie L. Reece
Lease # 4907457**

**Green Draw/#12174
Russell K. Green
Lease # 4907282**

**Prong Spotted Horse/#12164
Duane D. and Mary K. Odegard
Lease # 4907262**

**S. Leiter/#22203
Little Ranch CO. INC.
Lease # 4907324**

**Scott Draw/#02353
Barbara E. Carlock
Lease # 4907594**

**SE of Buffalo Creek/#02276
Farmland Reserve INC.
Lease # 4907472**

Preparer: Dustin Kavitz BFO-BLM Rangeland Management Specialists

Bureau of Land Management
Buffalo Field Office
1425 Fort Street
Buffalo, WY 82834

March 2014



TABLE OF CONTENTS

1.0 INTRODUCTION.....1
1.1 BACKGROUND1
1.3 SCOPING AND ISSUES2
2.0 PROPOSED ACTION (PROPOSAL) AND ALTERNATIVES.....3
2.1 ALTERNATIVE I – PROPOSED ACTION/NO ACTION – RENEWAL OF LEASES WITHOUT MODIFICATION3
2.2 ALTERNATIVE II – NO GRAZING ALTERNATIVE5
2.3 ALTERNATIVES CONSIDERED BUT NOT ANALYZED IN DETAIL.....5
 2.3.1 Greater Sage-Grouse (GSG) Alternative.5
2.4 CONFORMANCE TO THE LAND USE PLAN, REGULATIONS, AND LAWS5
3.0 AFFECTED ENVIRONMENT5
3.1 INTRODUCTION5
3.2 LIVESTOCK GRAZING.....6
3.3 SOILS7
3.4 VEGETATION8
3.5 NOXIOUS WEEDS AND INVASIVE NON NATIVE PLANT SPECIES8
3.6 WATER RESOURCES.....8
3.7 WILDLIFE.....9
3.8 CULTURAL AND HISTORIC VALUES10
3.9 SOCIOECONOMICS.....10
4.0 ENVIRONMENTAL EFFECTS10
4.1 DIRECT, INDIRECT RESIDUAL EFFECTS, MITIGATION MEASURES, CUMULATIVE EFFECTS10
 4.1.1 Livestock Grazing.....10
 4.1.2 Soils.....12
 4.1.3 Vegetation12
 4.1.4 Noxious Weeds and Invasive Non Native Plant Species.....13
 4.1.5 Water Resources14
 4.1.6 Wildlife.....15
 4.1.7 Cultural, Historic Values & National Register of Historic Places (NRHP) Eligibility.....19
 4.1.8 Socioeconomics.....19
4.2 CUMULATIVE EFFECTS SUMMARY.....19
4.3. MITIGATION/RESIDUAL IMPACTS/MONITORING SUMMARY.....20
5.0 TRIBES, INDIVIDUALS, ORGANIZATIONS, OR AGENCIES CONSULTED.....21
6.0 LIST OF PREPARERS21
6.1 LIST OF REVIEWERS.....21
7.0 WORKS CITED AND REFERENCES21
8.0 ATTACHMENT 1. MAP.....25
9.0 APPENDIX 1. TABLES.26

The BLM’s multiple-use mission is to sustain the health and productivity of the public lands for the use and enjoyment of present and future generations. The Bureau accomplishes this by managing such activities as outdoor recreation, livestock grazing, mineral development, and energy production, and by conserving natural, historical, cultural, and other resources on public lands.

1.0 INTRODUCTION

1.1 Background

The Bureau of Land Management (BLM), Buffalo Field Office (BFO) proposes to renew 10 year grazing leases for the following 7 allotments: Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), and SE of Buffalo Creek (#02276). The allotments are in close proximity to one another in common watersheds in Sheridan and Campbell Counties, Wyoming - with the western boundary approximately 20 miles east of Sheridan, Wyoming. Elevations are from 3,580 feet to 4,667 feet on BLM lands. The allotments contain about 102,957 total acres of which 5.25% is BLM land, 3.86 % is state land, and 90.90 % is deeded land. The leases authorizing grazing on these allotments include a total of 5,404 acres of federal land and 685 animal unit months (AUMs) of forage. Grazing use authorized is for cattle, except the S. Leiter allotment which is for sheep. BLM is analyzing these allotments and their grazing leases on a watershed scale in order to evaluate the effects of the proposed action on the wider environment and to better capture cumulative impacts. The BLM parcels associated with each allotment are listed below and shown in Attachment 1:

- Black Stump Draw (#12230):
T54N R79W Sec. 3 Lot 3
T55N R79W Sec. 27 NW¹/₄NE¹/₄, Sec. 33 SE¹/₄NE¹/₄, Sec. 33 NE¹/₄SE¹/₄, and Sec. 34 NW¹/₄NE¹/₄
- Dixie Reece (#02270):
T55N R 77W Sec. 5 Lot 7-8; Sec. 6 Lot 9; Sec. 7 Lot 7-8 and E¹/₂E¹/₂SW¹/₂
T55N R78W Sec. 1 Lot 9; Sec. 12 Lot 1 and 3
- Green Draw (#12174):
T59N R77W Sec. 19 SE¹/₄NW¹/₄, SE¹/₄SE¹/₄
T57N R78W Sec. 13 SW¹/₄NE¹/₄; Sec. 24 NE¹/₄SE¹/₄
- Prong Spotted Horse (#12164):
T54N R75W Sec. 7 Lots 3, 7, 13-14, 16, 19-20; Sec. 8 Lots 8-13, NE¹/₄SE¹/₄, SW¹/₄SW¹/₄; Sec. 18 Lot 8
T54 R76W Sec. 1 Lot 20; Sec. 9 Lots 15-16; Sec. 12 Lots 9-10, 14, NE¹/₄SE¹/₄; Sec. 17 Lot 9
T55N R75W Sec. 5 Lot 10; Sec. 6 Lot 16; Sec. 7 Lots 6 and 11; Sec. 21 Lots 2-3
T55N R76W Sec. 7 Lots 17-18; Sec. 17 Lot 12; Sec. 18 Lots 5-6, 11, 14, and 20; Sec. 26 Lots 3 and 6
T55N R77W Sec. 9 Lots 1-2 and SW¹/₄NE¹/₄; Sec. 12 SW¹/₄SE¹/₄; Sec. 13 Lot 1 and W¹/₂ SE¹/₄; Sec. 12
Lots 2, and 4-5; Sec. 23 Lot 1, SE¹/₄NW¹/₄, NE¹/₄SW¹/₄, NW¹/₄SE¹/₄
T56N R73W Sec. 17 Lots 3 and 6
- S. Leiter (#22203):
T54N R78W Sec. 3 part of Lot 3, SW¹/₄NE¹/₄, SE¹/₄NW¹/₄, S¹/₂; Sec. 4 E¹/₂SE¹/₄; Sec. 6 Lots 5, 6,
SE¹/₄NE¹/₄, NE¹/₄SE¹/₄; Sec. 8 SW¹/₄NW¹/₄; Sec. 10 SE¹/₄NW¹/₄, E¹/₂SW¹/₄
T55N R78W Section 16 Lot 1; Section 17 Lots 5-6; Section 29 Lot 4, Section 30 Lots 5-6; Section 31
Lots 7-9 and 13-24; Section 32 Lots 2-3 and NW¹/₄SW¹/₄
- Scott Draw (#02353):
T55N R77W Sec. 7 Lots 11-12 and W¹/₂E¹/₂SW¹/₄
T55N R78W Sec. 2 S¹/₂SW¹/₄, SW¹/₄SE¹/₄; Sec. 11 Lots 1-3
- SE of Buffalo Creek (#02276):
T55N R78W Sec. 4 Lots 6-9 and 12-13; Sec. 5 Lots 5-12, NW¹/₄SW¹/₄
T55N R79W Sec. 6 Lot 2

T55N R78W Sec. 32 Lots 3-4
T56N R79W Sec. 5 NWSE; Sec. 13 Tract 51 Lot B; Sec. 17 Lot 1; Sec. 23 Lot 1; Sec. 26 Lot 1-2
T56N R80W Sec. 31 Lot 6

This EA, WY-070-EA14-197 analyzes the impacts of the proposed action on the environment in accordance with the National Environmental Policy Act (NEPA). The current grazing lessees own or control the base property associated with their allotment and currently holds the grazing authorization for that allotment. Leases #4907367 and #4907594 were last renewed per Section 416, Public Law 111-88 (Appropriations Act) on March 1st, 2010 and expire on February 28th, 2020. Lease #4907457 was last renewed per Section 150, Public Law 110-329 (Appropriations Act) on March 1st, 2009 and expires on February 28th, 2019. Leases #4907262, #4907324, and #4907472 were last renewed per Section 415, H.R. 2055 (Consolidated Appropriations Act, 2012) on March 1st, 2012 and expire on February 28, 2022. Lease #4907282 was approved under Section 416, Public Law 111-88 (Appropriations Act) on March 1st, 2011 and expires on March 31st, 2016. The leases issued under the Appropriations Act are not considered fully processed until NEPA analysis is complete.

The current lessees have each applied for renewal and/or issuance of the lease authorizing grazing on their allotment(s). Per 43 CFR 4110, the previous grazing lessees have preference in retaining the grazing privileges attached to each property. If the proposed action is implemented, a new term grazing lease will be offered to each lessee. Russell K. Green leases the base property associated with the Green Draw allotment from the landowners—Joan Black and Theresa Yuhas.

Formal Standards for Healthy Rangelands and Guidelines for Livestock Grazing Management for Public Lands Administered by the Bureau of Land Management in the State of Wyoming (S&G) assessments have been completed on all of the allotments. This EA is based on the findings of the Standard for Healthy Rangelands and Guidelines for Livestock Grazing Management for the Upper Powder River/Leiter Area. The assessments found that the majority of the allotments are meeting all the applicable standards. The BLM determined that the SE of Buffalo Creek allotment was not meeting standard 3 and 4 due to cheatgrass invasive from the result of a wild fire. The Prong Spotted Horse allotment is not meeting rangeland health standard 4 due to habitat fragmentation from local oil and gas development. BLM distributed the final S&G report to all interested persons, and it is available for review at the Buffalo Field Office.

1.2 Need for the Proposal

BLM's need for the proposal is to determine whether, how, and under what conditions to support the Buffalo Resource Management Plan's (RMP) goals, objectives, and management actions (1985, 2001, 2003, and 2011) with allowing livestock grazing on public lands managed by the BLM. Allotment information is an integral part of this EA, which BLM incorporates here by reference. Conditional livestock grazing finds support in the RMP, Taylor Grazing Act, FLPMA, and other laws and regulations.

Decision to be made: The BLM will decide whether or not to approve the proposed action, and if so, under what terms and conditions agreeing with the BLM's multiple use mandate, environmental protection, and RMP.

1.3 Scoping and Issues

The BLM conducts its decision-making per the requirements of the Council on Environmental Quality (CEQ) regulations implementing the NEPA, the Department of Interior (DOI), and BLM policies and procedures implementing NEPA. NEPA and the associated regulatory and policy framework require federal agencies use the scoping process in their decision-making. This EA received internal scoping, from interdisciplinary resource specialists in the BLM Buffalo Field Office. The identified issues are listed below and are incorporated in Sections 3 and 4 of this EA.

- How would the proposed action affect current livestock grazing management?
- How would the proposed action impact riparian areas/drainages?
- How would the proposed action impact invasive species?
- How would the proposed action impact sensitive soils?
- Would and how would the proposed action affect any special status species, particularly Greater Sage-Grouse (candidate species)?
- How would the proposal impact cultural resources or lands with wilderness characteristics?
- How can grazing impact native vegetation?
- Whether rangeland health assessment has been completed on the allotment

This EA was sent to interested parties of record and is posted on the Buffalo Field Office (BFO) website to solicit public and cooperating agency comments over a 30-day period: <http://www.blm.gov/wy/st/en/info/NEPA/documents/bfo.html>. The BLM received comments to assess whether the EA covers the issues raised and adequately addresses their significance. The BLM’s response consists of addressing public comments in the decision record or results in the preparation of a new EA.

2.0 PROPOSED ACTION (PROPOSAL) AND ALTERNATIVES

2.1 Alternative I – Proposed Action/No Action – Renewal of Leases without Modification

The BLM proposes to maintain and improve land health and enhance habitat conditions on public lands in the BFO stewardship area by maintaining and/or enhancing upland grassland health and sagebrush habitats (species composition and structure) and maintaining riparian, wetland, and aquatic habitats through existing livestock grazing management.

Since no changes are proposed, the Proposed Action Alternative and the No Action Alternative are the same (per BLM IM 2000-022, Change 1 (1999)). The proposed action is to offer a new 10 year term grazing for each of the following allotments: Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), and SE of Buffalo Creek (#02276). Each lease will have the same terms and conditions as the expiring/expired leases. Decisions will be written separately for each grazing lease. For ease in administration of allotments with base property leases, under this Alternative the leases will be for 10 year terms no matter the term of the base lease. If the base lease is canceled, the lease will be transferred back to the base property owner or the new base lessee for the remaining term of the BLM lease. Table 1 shows the current authorized use (mandatory terms and conditions) for each lease.

Table 1 Mandatory Terms and Conditions of the grazing leases affected by the proposed action

Authorization Number	Allotment Number	Allotment Name	Public Acres	% Public Land*	Livestock Number*	Livestock Kind	Season of Use	AUMs	Type of Use
4907367	12230	Black Stump Draw	200	7	60	Cattle	3/1 to 2/28	50	Active
4907457	02270	Dixie Reece	263	3	83	Cattle	3/1 to 2/28	30	Active
4907282	12174	Green Draw	160	9	50	Cattle	3/1 to 2/28	29	Active
4907262	12164	Prong Spotted Horse	2107	61	37	Cattle	3/1 to 2/28	271	Active
4907324	22203	S. Leiter	1457	5	1215	Sheep	3/1 to 2/28	146	Active
4907594	02353	Scott Draw	305	90	3	Cattle	3/1 to 2/28	32	Active
4907472	02276	SE of Buffalo Creek	911	2	530	Cattle	3/1 to 2/28	127	Active
			Total 5403				Total 685		

*Note: The Percent public land and livestock numbers will be changing from the existing leases. See table 2 describing the changes to the leases.

BLM identified boundary inaccuracies with the affected allotments so the percent public land and number of head will change on the grazing leases. Table 2 shows the adjustment to the grazing lease due to the administrative errors. The % public land and livestock number will replace the existing leases numbers. This is administrative correction is similar to an administrative maintenance action not needing any further analysis; see 43 CFR 1610.5-4. SE of Buffalo Creek has no changes. Acres are being used to calculate percent public land. The percent public land and livestock numbers are not indicative of the actual stocking rate because the percent public land is calculated on an acreages basis and not the available forage. BLM recognizes that the allotments consist primarily of non-federal lands. As such, BLM will not limit the season of use or number of livestock as long as grazing use is not to the detriment of the public lands. The lease schedule shown is primarily for billing purposes.

Table 2 Changes to % Public land (acres) and Livestock Number from the “Mandatory Terms and Conditions” of the existing Leases

Authorization Number	Allotment Number	Allotment Name	% Public Land	Livestock Number
4907367	12230	Black Stump Draw	3	139
4907457	02270	Dixie Reece	11	23
4907282	12174	Green Draw	14	17
4907262	12164	Prong Spotted Horse	7	323
4907324	22203	S. Leiter	9	676
4907594	02353	Scott Draw	11	267
4907472	02276	SE of Buffalo Creek	2	530

The “other terms and conditions” for each lease are listed below. These ensure the lease conforms to the goals and objectives of the Buffalo RMP Records of Decision (RODs).

- This authorization is subject to cancellation, suspension, or modification for any violation of the regulations at 43 CFR Part 4100, or of the terms and conditions of the authorization
- The terms and conditions of your lease may be modified if additional information indicates that revision is necessary to conform to 43 CFR 4180
- Lessee agrees to allow authorized officers of the USDI-BLM to enter the leased lands at any time for the purpose of inspection
- Please notify BLM if number/kind of livestock or dates of use change

In order to ensure that the BLM lease transfers back to the base property owner or new base property lessee upon cancellation or transfer of the base property lease, the following term will be included in BLM leases where the base property is leased to the BLM grazing lessee (#4907282):

- This lease will be terminated upon notification of cancelation or termination of the base property lease. Once canceled the BLM lease will be transferred to the base property owner or the new base property lessee for the remaining term of the BLM grazing lease.

The proposal will issue new 10 year term grazing leases to the grazing lease applicants. The applicants are in good standing with the BLM and meet all qualifications for obtaining a grazing lease under 43 CFR 4110.1 and 4110.2. Per 43 CFR 4130.2(a), “Grazing permits or leases shall be issued to qualified applicants to authorize use on the public lands and other lands under the administration of the [BLM] that are designated as available for livestock grazing through land use plans.” During the 10 year lease term or following the expiration of the lease, the lease may be modified if information indicates changes in management are needed to ensure the allotments are meeting or progressing towards achieving the S&Gs.

The applicants are not proposing any projects or other surface disturbing activities in connection to these lease issuances. The BLM will analyze any future range improvement projects associated with these allotments under separate, site-specific analysis.

2.2 Alternative II – No Grazing Alternative

Under this alternative the BLM will not permit livestock grazing on the Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), and SE of Buffalo Creek (#02276) allotments. Alternative II allows the BLM to place a no grazing provision on any or all of the allotments listed in Table 1, singularly or in any combination, in the most efficient, effective legal means. BLM would cancel the existing grazing leases per 43 CFR parts 4100 and 1600 to eliminate grazing on the allotments.

2.3 Alternatives Considered but not Analyzed in Detail

2.3.1 Greater Sage-Grouse (GSG) Alternative.

BLM IM WY-2012-019 (2012) requires the BLM to address a reasonable range of alternatives in livestock grazing EAs in order to assess the impacts of livestock grazing on GSG habitat and land health. The IM also stipulates that a deferred grazing system alternative should be considered if the size of the allotment warrants it. The size, continuity, and management opportunity of the public lands in these allotments make a BLM-administered deferred or rest-rotation grazing system an unreasonable alternative in these specific cases. Although the Dixie Reece, Prong Spotted Horse, Scott Draw, and the SE of Buffalo Creek allotments are in (GSG) Connectivity area, the management opportunity does not warrant a deferred grazing system because of the size and continuity of the allotments. Additionally, the Rangeland Health Assessment didn't find grazing to be a contributing factor to the Prong Spotted Horse and SE of Buffalo Creek allotments not meeting standard 4.

2.4 Conformance to the Land Use Plan, Regulations, and Laws

This proposal does not diverge from the goals and objectives in the Buffalo Resource Management Plan (RMP), 1985, 2001, 2003, 2011, and generally conforms to the terms and conditions of that land use plan, its amendments, and supporting FEISs, 1985, 2003.

3.0 AFFECTED ENVIRONMENT

3.1 Introduction

Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), SE of Buffalo Creek (#02276) allotments are located in Sheridan and Campbell Counties and are best approached by US Highway 16 and various county roads. There is limited to no legal public access to BLM land in the allotments. The allotments are in the Powder River Basin, Mesic Dissected Plains, and Pine Scoria Hills level IV ecoregions, which are unglaciated, irregular and dissected plains. Perennial streams in the area are of montane origin with sand, gravel, and cobble substrates. The area's ephemeral or intermittent streams have sand, sandy or silty substrates. The Pine Scoria Hills have rugged, broken land and stone rough hills covered by open ponderosa pine forest or savanna. The allotments lie within the 15-17" and 10-14" Northern Plains (NP) precipitation zone, Major Land Resource Area (MLRA) 58B. Mean temperatures in January are 0°F (low) and 36°F (high) and in July they are 52°F (low) and 88°F (high). (Chapman, et al., 2004)

In addition to the grazing leases, BLM authorizes other uses on the public lands in the allotments, see Section 4.2. Table 3 shows the authorized rangeland improvement projects in these allotments. Maintenance of these projects is the grazing lessee's responsibility.

Table 3. Rangeland Improvements on public lands

Allotment Name	Allotment #	Project Name (Project #)	
Black Stump Draw	12230	Miller Fence(#961733)	
Dixie Reece	02270	Reece Fence(#964191)	Karl Hepp Fence(#964705)
Green Draw	12174	McCauley Spring(#961739)	
Prong Spotted Horse	12164	Odegard Fence(#964099)	Odegard Fence(#960783)
		Odegard Pipeline(#965298)	Suranyi Fence(#960881)
		Kramer Reservoir(#966257)	Lester Fence(#961461)
		Odegard Fence(#961526)	Smith Fence(#960877)
S. Leiter	22203	Big Corral Draw Fence(#964824)	L/X Fence(#964133)
		Little Spring(#964197)	Little Stockwater Pipeline(#965679)
Scott Draw	02353	Warfield Fence(#964136)	Warfield Boundary Fence(#960735)
		Warfield Fence(#960485)	
SE of Buffalo Creek	02276	Roberts Fence(#961732)	

Livestock grazing, wildlife use, and oil and gas production are common area land uses. Recreation, primarily big game hunting, may also occur. The public lands in these allotments are clearly lacking in wilderness characteristics due to their small size (less than 5,000 acres).

The proposed action does not affect the following resources, which receive no further analysis:

Air Quality	Mineral Resources	Visual Resource Management
Areas of Critical Environmental Concern (ACEC)	Native American Religious Concerns	Water Quality and Prime or Sole Source of Drinking Water
Environmental Justice	Paleontology	Wetlands and Riparian Zones
Prime or Unique Farmlands	Recreation	Wild and Scenic Rivers
Flood Plains	Traditional Cultural Properties	Wilderness Values
Hazardous or Solid Wastes		

3.2 Livestock Grazing

In 1985, BLM established three categories for allotments to identify areas where management was potentially needed, as well as to prioritize workloads and the use of range improvement funds. The categories classify allotments as Improve Existing Resource Conditions (I), Maintain Existing Resource Conditions (M), or Custodial Management (C) (USDI 2008). The Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), SE of Buffalo Creek (#02276) allotments are category “C” allotments, meaning their management is minimal, due to the small amount of public land in the allotments. The BLM’s rationale for this classification is that there are no identified resource problems, and the size and continuity of the public land is not conducive to more intensive BLM management. The allotments have low potential for yielding a positive return on public investment in management or rangeland project development.

The allotments have been grazed for numerous years. Current livestock grazing season within all allotments is shown in Table 1. The total AUMs available for grazing on public lands within the allotments is 685 AUMs. The allotments consist primarily of private lands. Authorized range improvements include those shown above in Table 3. Table 4 describes the current breakdown of land ownership and AUMs.

Table 4-Land ownership and AUMs

Allotment #	Allotment Name	Surface Ownership*	Acres	Percent	AUMs
12230	Black Stump Draw	BLM	200	2.39	50
		Private	8,166	98.61	2,042
		State	0	0	0
		Total	8,366		2,092
02270	Dixie Reece	BLM	263	10.96	30
		Private	2,137	89.04	244
		State	0	0	0
		Total	2,400		274
12174	Green Draw	BLM	160	14.43	29
		Private	949	85.57	172
		State	0	0	0
		Total	1,109		201
12164	Prong Spotted Horse	BLM	2,107	7.05	271
		Private	25,961	86.81	3,338
		State	1,837	6.14	236
		Total	29,906		3,845
22203	S. Leiter	BLM	1,457	8.60	146
		Private	14,845	87.60	1,487
		State	644	3.80	65
		Total	16,946		1,698
02353	Scott Draw	BLM	305	11.31	32
		Private	2,398	88.68	251
		State	0	0	0
		Total	2,704		283
02276	SE of Buffalo Creek	BLM	911	2.19	127
		Private	39,128	94.23	5,455
		State	1,488	3.58	207
		Total	41,526		5,789
		Total (all allotments)	102,957		13,049
		BLM (all allotments)	5,404	5.25	685
		State (all allotments)	3,969	90.90	503
		Private (all allotments)	93,583	3.86	11,861

*Note: Data in this table were estimated by BLM and compiled using ArcGIS data, thus acreages and AUMs on private and state land are approximate.

3.3 Soils

Ardisols and Entisols are the most common soils in the allotments. Ardisols are mixed alluvium derived from andesite, limestone, and quartzite. Ardisols are typically well drained with a low runoff classification and an Ardic moisture regime. Entisols are derived from sandy elolian material and have an excessively drained drainage class. They have a slight hazard of erosion and are commonly used as native rangelands. According to the sensitive soils layer for the Buffalo Field Office, 8 highly erosive soil map units are present within the allotments.

The allotments have a variety of soil mapping units from the Soil Survey of Sheridan County and Soil Survey of Campbell County, Northern Part. Most often the mapping units are two or more soil types, forming complexes or associations. There are about 80 different mapping units on BLM lands in the assessment area. The 10 most common soils present have been placed in the following soil map units:

Soil Survey of Sheridan County

- 127-Cushman-Forkwood association, 3 to 15 percent slopes
- 255-Shingle-Haverdad, frequently flooded complex, 0 to 80 percent slopes
- 260-Shingle-Rock outcrop complex, 30 to 50 percent slopes (Highly Erosive)
- 261-Shingle, moist-Rock outcrop complex, 30 to 50 percent slopes (Highly Erosive)
- 268-Shingle-Theedle-Kishona association, 6 to 25 percent slopes
- 269-Shingle-Theedle-Kishona association, moist, 3 to 30 percent slopes

Soil Survey of Campbell County, Northern Part

- 206-Samday-Shingle-Badland complex, 10 to 45 percent slopes (Highly Erosive)
- 216-Theedle-Kishona loams, 6 to 20 percent slopes
- 225-Ucross-Iwait-Fairburn loams, 6 to 30 percent slopes
- 278-Fairburn-Mittenbutte-Badland complex, 3 to 60 percent slopes (Highly Erosive)

A description of these soils is found in the (Soil Survey Geographic (SSURGO) database for Campbell County, Wyoming, Northern Part, 2011), and (Soil Survey Geographic (SSURGO) database for Sheridan County Area, Wyoming, 2011) published by the US Department of Agriculture Natural Resources Conservation Service (NRCS).

3.4 Vegetation

Based on soil mapping units, the ecological sites present in the area are predominately Northern Plains Loamy 10-14" precipitation, Northern Plains Shallow Loamy 10-14" precipitation, Northern Plains Shallow Loamy 15-17" precipitation, Northern Plains Sandy 10-14" precipitation, Northern Plains Loamy 15-17" precipitation. Vegetation is predominantly sagebrush-mixed grass steppe intermixed with scattered mixed conifer wooded steppe. Western wheatgrass is the most common grass species. Wyoming big sagebrush is the most common species of sagebrush found in this area. Other shrubs, including greasewood, snakeweed, birdfoot sage, fringed sage, yucca, juniper, and winterfat also occur in the area. Perennial grasses that occur on the uplands include western wheatgrass, bluebunch wheatgrass, needle and thread grass, green needle-grass, Sandberg bluegrass, prairie Junegrass, blue grama, and threadleaf sedge. Common forb species include phlox, sego lily, buckwheat, yarrow, fleabane, aster, hawksbeard, onion, scarlet globemallow, and scurfpea. Most vegetation growth occurs in May and June. A complete description of the vegetation types can be found in each specific Ecological Site Description (ESD) (U.S. Department of Agriculture, Natural Resources Conservation Service, 2012).

Currently BLM authorizes 685 total AUMs in the allotments. BLM calculated the AUMs using light-to-moderate stocking rates, per the Land Planning and Classification Report of the Public Domain Lands in the Powder and Missouri River Basin (U.S. Department Interior- Bureau of Land Management, 1956).

3.5 Noxious Weeds and Invasive Non Native Plant Species

Cheatgrass (downy brome) and Japanese brome are an invasive species that are common in all ecological sites in the BFO area. Cheatgrass is present on almost every allotment. The amounts range from 0-42% cover. Cheatgrass is present primarily in isolated areas and areas where a recent fire had occurred. The BLM lands in the allotments are relatively free of noxious weeds except along travel corridors, in drainage bottoms and in areas with a history of heavy disturbance. The two most common noxious weeds are leafy spurge and Canada thistle. These weeds are a minor component of the plant species present in the allotments.

3.6 Water Resources

The allotments are located primarily within the Upper Powder and Clear Creek level 8 sub-watersheds identified by the United States Geological Survey (USGS) (Subcommittee on Spatial Water Data, 2000).

The area occupied by the allotments has 3 principal drainages. Buffalo Creek runs through the SE of Buffalo Creek Allotment; Clear Creek runs through the S. Leiter, Dixie Reece, and Scott Draw allotments; and the Powder River runs through Prong Spotted Horse allotment. The creeks and river are primarily on private lands except for a small portion of Clear Creek on the Scott Draw allotment and the Powder River on the Prong Spotted Horse allotment. All other drainages on BLM land in the allotments are ephemeral or intermittent. This means that water flow generally occurs during the wet season (50% of the year or less) so water typically only flows in these channels during times such as spring runoff. Water ceases to flow in these channels during drier periods but may still continue to run underground. As such, there may or may not be riparian vegetation associated with intermittent stream channels. Also, they are not a reliable source of water for livestock or wildlife.

3.7 Wildlife

3.7.1 Migratory Birds, Special Status Species, Threatened and Endangered Species, and Small Mammals

BLM conducted wildlife evaluations including comparison of past and current aerial imagery and review of wildlife geospatial datasets (available at BFO). They assessed the occurrence of selected wildlife species and their habitats, and evaluated the anticipated effects associated with issuing these grazing leases on the Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), SE of Buffalo Creek (#02276) allotments. The evaluations included selected individual species or species groupings that are ecologically, economically, or socially important. Tables A.1 and A.2 in the appendix summarize the affected environment for selected wildlife.

3.7.2 Candidate Species

This EA discusses GSG in detail because they are a candidate species, currently warranted for listing under the Endangered Species Act (U.S. Fish and Wildlife Service(USFWS), 2010)and are of heightened management concern in the BFO. GSG are also a Wyoming BLM sensitive species and a Wyoming Game & Fish Department (WGFD) Species of Greatest Conservation Need (SGCN). GSG habitat is present on BLM lands in the Black Stump Draw (#12230), Dixie Reece (#02270), Green Draw (#12174), Prong Spotted Horse (#12164), S. Leiter (#22203), Scott Draw (#02353), and the SE of Buffalo Creek (#02276) allotments. Habitat models indicate that BLM lands in all allotments have various amounts (30% to 70%) of high quality winter habitat and high quality nesting habitat for GSG. The models depict seven leks within all of the allotments; two leks (Badger creek-south fork and PK) are located on the SE of Buffalo Creek allotment, two leks (Sheridan ranches and 41 Jacobs) are located on the S. Leiter allotment, three leks (Carey Draw, Barton North, and Lester leks) are located on the Prong Spotted Horse allotment. The PK, Sheridan ranches, and 41-Jacobs leks are within the Connectivity area.

3.7.3 Big Game

Big game species occurring in the EA area include pronghorn, white-tailed deer, and mule deer. No crucial big game ranges exist in the allotments. As of the most recent available report, populations of white-tailed deer in their respective hunt areas are above WGFD objectives (Wyoming Game and Fish Department(WGFD), 2011b). Populations of mule deer and pronghorns are below their WGFD objective.

3.7.4 Raptors

Raptors prey upon small mammals, reptiles, and fish. Their survival and reproductive success depends on the availability and abundance of these food sources. Raptors use all of the allotments for breeding, foraging, wintering, or migration. Common raptor species frequenting the allotments include golden eagle, northern harrier, red-tailed hawk, Swainson's hawk, American kestrel, short-eared, and great-horned owls. Less common species that may use area habitats include bald eagle, rough-legged hawk, and merlin. Bald eagles occasionally roost in the winter and forage in the area.

3.8 Cultural and Historic Values

Class III inventory for cultural resources has not occurred on the majority of the allotments, although the Wyoming Cultural Records Office database revealed that inventories related primarily to oil and gas development have discovered cultural sites. The Green Draw Allotment contains no known cultural sites. The Prong Spotted Horse Allotment contains 55 known cultural sites, 7 of which are eligible for the National Register of Historic Places, 9 are unevaluated and 39 are not eligible. The S. Leiter Allotment contains 3 known cultural sites, 2 of which are eligible for the National Register of Historic Places and 1 is not eligible. The Scott Draw Allotment contains no known cultural sites. The SE of Buffalo Creek Allotment contains 19 known cultural sites, 1 of which is eligible for the National Register of Historic Places, 16 are unevaluated and 2 are not eligible. The Black Stump Draw Allotment contains 1 known cultural site which is eligible for the National Register of Historic Places. The Dixie Reese Allotment contains no known cultural sites. There may be many more unrecorded cultural sites, some which may be eligible for listing on the National Register, within the allotment.

3.9 Socioeconomics

Ranching is a strong component of local society and has a historical value, as grazing has occurred in northeast Wyoming since the late 1800s. According to the U.S. Department of Agriculture Agricultural Census (U.S. Department of Agriculture, 2010), Wyoming ranked 24th in the nation in the value of sale of cattle and calves, and 4th for value of sale of sheep and lambs. Within Wyoming, sales of cattle and calves ranked first in market value of agricultural products sold, with sheep and goat sales ranking 5th. These statistics show that ranching is a key component in both Wyoming and the nation's agricultural industry. The sale of livestock is linked to the commodity value of public rangelands. Public lands are an essential part of many ranch operations in the Buffalo Field Office, as they are intermingled with and grazed in conjunction with private and state lands. The BLM grazing lease helps maintain the successful functioning of the ranch operation and support the cultural lifestyle of the lessee.

Public land grazing contributes to the State of Wyoming's revenue through "payment in lieu of taxes" by the Federal government. All of the grazing allotments managed by the Buffalo Field Office were established according to provisions of Section 15 of the Taylor Grazing Act. Receipts from grazing on Section 15 lands are distributed as follows: 50% goes to the federal government for range betterment projects, and 50% is returned to the state government. The grazing fee is \$1.35 per animal unit month (AUM) on public land, \$5.13/AUM on Wyoming State Lands, and an average of \$17.60/AUM on private lands. The grazing leases analyzed in this EA generate approximately \$924.75 in federal grazing fees each year.

4.0 ENVIRONMENTAL EFFECTS

4.1 Direct, Indirect Residual Effects, Mitigation Measures, Cumulative Effects

4.1.1 Livestock Grazing

Alternative I-Proposed Action/No Action Alternative

The direct, indirect, and residual impacts associated with livestock grazing include nutrient cycling, physical damage to vegetation, trailing along fences, trampling and heavier grazing use at salted areas. These impacts are likely to continue upon issuing new leases. The proposed action would allow for the grazing lessees to continue grazing on their respective grazing allotments. Livestock would continue to use up to 685 public AUMs annually; see Table 1. Range vegetation inventory (DOI BLM, 1956) data, along with monitoring data from 2013 indicate adequate forage is available in the allotments to support the proposed number of livestock, as well as provide for wildlife use, while withstanding the effects of that use. The new grazing leases authorize the same number and kind of livestock and season of use relative to each BLM parcel as the previous leases. This action is not proposing any changes to grazing

management. The BLM does not expect the issuances of the grazing leases to have any effect on range management.

BLM has identified the scope of the proposed action and alternatives as well as the cumulative effects affected area (CEAA) for livestock grazing as the area within the allotment boundaries. BLM anticipates the direct impacts to last for the life of the grazing lease (10 years), while the indirect and long term impacts may persist.

Cumulative Incremental Effect from the Proposal: The incremental loss of forage available for livestock will occur with the addition of grazing to the past, present, and reasonably foreseeable actions. As long as mitigation and monitoring techniques are implemented to ensure new roads and trails from recreationists and hunters are not made, and fires are suppressed, the loss of vegetation available for livestock should be negligible. Additionally, oil and gas development and rights-of-way may be permitted, thus decreasing the amount of forage available for grazing. However, with best management practices (BMPs) being implemented, their effects should be negligible.

Alternative II-No Grazing Alternative

FLPMA requires the BLM to manage public lands and resources by the principles of multiple use and sustained yield and recognizes the Nation's need for domestic sources of minerals, food, timber, and fiber. FLPMA also requires the BLM, except in emergencies, to give 2 years' notification when cancelling, in whole or in part, an authorization for domestic livestock grazing to devote the associated lands to another public purpose, including disposal. The Buffalo RMP resource management decision reads that livestock grazing is allowed on all area BLM lands except on about 6,000 acres where it is incompatible with other resource uses or values.

There are no fences or natural barriers separating BLM and non-BLM lands. At this time, fencing out the public lands is not practical or cost effective. If extraordinary circumstances arise, such as the identification of an endangered plant or damageable cultural resource on the site, fencing may be a greater priority, and the BLM will address the matter in a separate analysis. If the public lands are not leased, and subsequently not fenced, any livestock use occurring thereon is unauthorized. Selecting this alternative will affect how the adjacent private and state lands are grazed because the lessee must keep livestock off public lands through herding or fencing, or else be in violation of federal grazing regulations. The mixed ownership pattern in the BFO resource area makes herding difficult, in addition to the fact that herding does not ensure that public lands are not grazed. A rider needs to remain with livestock at all times. Because it is not economically feasible for the BLM to fence all its land parcels, fences will likely be on private land, fragmenting the area and making BLM unable to stipulate wire spacing to facilitate wildlife movement. Most four-strand fences on private land have a top wire of 46-48 inches with 10-12 inch wire spacing and all wires are barbed. In the absence of fences, the BLM must constantly supervise the public lands to assure they are not grazed.

BLM identified no adverse direct, indirect, or residual impacts resulting from BMP livestock grazing which would warrant cancellation of all grazing on these allotments. The Buffalo RMP allows for adjustment of forage allocation as needed, based on evaluation of monitoring, field observations, or other data. Additionally, changes in grazing practices can be effective in mitigating impacts without a corresponding reduction in forage allocation.

Cumulative Incremental Effect from the No Grazing Alternative: Reduced surface disturbance would occur with the removal of grazing. The incremental impacts would be less than those expected under the proposed action.

4.1.2 Soils

Alternative I-Proposed Action/No Action Alternative

Grazing can exert both beneficial and detrimental direct, indirect, and residual effects on a soil resource. The main effects that grazing has on the soil resource is removal of aboveground vegetation and hoof action, potentially leading to increased erosion, increased runoff, reduced infiltration rates and increased bulk density (soil compaction) (Holechek, Pieper, & Herbel, 2004, p. 379). Most of the compaction and erosion will occur where cattle tend to congregate which may include areas along trails, fences and near watering locations. This compaction leads to lowered rates of water infiltration thus leading to high rates of surface runoff and greater soil erosion.

From a positive standpoint, large quantities of dung and urine are deposited in the allotments adding nutrients and organic matter to the soil (McNaughton, 1979). Hoof action benefits the soil resource by improving nutrient cycling by incorporating mulch into soil surface where it can be broken down more quickly by soil organisms (Holechek, Pieper, & Herbel, 2004, p. 379). Livestock grazing can loosen the soil surface during drying periods, remove excess vegetation that may negatively affect net carbohydrate fixation and increase water transpiration rates, and speed up the development of humus in the soil (Holechek, 1981). Because no changes in the current management are being implemented under the proposal, impacts to the soil resource would remain the same and BLM expects no changes from the current state of the resource.

The CEAA for soils is the area inside the grazing allotment boundaries, selected by BLM due to the scope of the proposed action and alternatives. BLM anticipates the direct impacts last for the life of the grazing lease (10 years), while the indirect and long term impacts may last longer.

Cumulative Incremental Effect from the Proposal: The effects of the proposed action, when added to the reasonably foreseeable actions, should be minimal because range health objectives are used in livestock grazing management, hunters and recreationists will be monitored for land abuse, fire suppression will mitigate the severity of fire impacts, and BMPs will be used for new oil, gas and ROW activities. The incremental effects may include soil erosion and soil compaction along new trails made from livestock, roads and trails used by hunting and recreationists, new oil and gas roads, and areas where fires occur. Severity of these impacts would be dependent on the amount of hunter and recreationist use on the allotments, number of oil/gas/ROWs permitted, and the intensity/size of the wildfires.

Alternative II-No Grazing Alternative

With the removal of grazing from the allotments, forage would not be removed by livestock. Standing vegetation and litter would increase. The increase in cover may reduce runoff and erosion. With the removal of livestock from the allotment a decrease in compaction and increase infiltration is anticipated (Pluhar, Knight, & Heitschmidt, 1987). The allotment's nutrient cycle would likely change. Cattle increase soil nutrients by depositing excrement on the soil surface. However, with improper management, they may decrease nutrients by consuming and permanently removing plants that put nutrients into the soil system.

Cumulative Incremental Effect from the No Grazing Alternative: Reduced surface disturbance would occur with the removal of grazing. The incremental impacts would be less than those expected under the proposed action.

4.1.3 Vegetation

Alternative I-Proposed Action/No Action Alternative

The direct, indirect, and residual effects grazing has on vegetation varies greatly depending on many factors including but not limited to: resistance to grazing, genetic potential, growth promoting features, grazing intensity, life stage of plant, and environmental constraints (Holechek, Pieper, & Herbel, 2004,

pp. 123-142)). Livestock grazing can have both beneficial and detrimental effects on vegetation depending on the various factors described by Holechek et al. Beneficial impacts may include, but are not limited to: growth stimulation from grazing ruminants saliva (McNaughton, 1979), trampling of seed into the ground (Holechek, 1981), reducing excess accumulation of standing dead vegetation and litter that may chemically and physically inhibit new plant growth (Holechek, 1981), and reducing transpiration losses (Holechek, Baker, Boren, & Galt, 2006). Some detrimental impacts livestock grazing may have on vegetation include, but are not limited to: changes in species composition in upland areas (Brock & Green, 2003), reduced tillering (Belsky, 1986), modified plant growth form caused by consumption of terminal buds, thus promoting lateral branching (Fleischner, 1994), and disruption of ecological succession (Fleischner, 1994).

Under the proposed action, livestock will annually remove approximately 685 AUMs of forage from BLM land in the allotments. Most studies show that light to moderate stocking rates do not compromise rangeland health. BLM authorizes the AUMs based on a light to moderate stocking rate. Therefore, as long as the total number of permitted AUMs consumed does not exceed the allotments' authorized use; the impacts from renewing the grazing leases should not have an undesirable effect on vegetation.

BLM has determined the CEAA for vegetation, noxious weeds, and invasive plants to be the area within the grazing allotment boundaries and the area within one-half mile of those boundaries, in accordance with the scope of the proposed action and alternatives. BLM anticipates the direct impacts to last for the life of the grazing lease, while the indirect and long term impacts may last longer.

Cumulative Incremental Effect from the Proposal: The effects of the proposed action, when added to the reasonably foreseeable actions, should be minimal because rangeland health assessment is used to inform livestock grazing management, hunters and recreationists will be monitored for land abuse, fire suppression will mitigate the severity of fire impacts, and BMPs will be used for new oil, gas and ROW activities. Incremental effects of the proposed action may include forage loss and introduction of non-native species along new trails made by livestock, roads used for hunting and recreation, new oil and gas roads, and in areas where fires occur. The severity of these impacts would depend on the amount of hunter and recreationist use on the allotments, number of oil/gas/ROWs permitted, and the intensity/size of the wildfires.

Alternative II-No Grazing Alternative

The no grazing alternative would eliminate both the beneficial and detrimental impacts associated with grazing. It is likely with the removal of grazing that litter would increase, thus increasing fire potential in the allotments. More vegetation would be available for wildlife and ecosystem function. However, Patton et al., (2007) found that production does not increase with the removal of grazing. Other studies found that removal of grazing can lead to an increase in shrub cover and a decrease in species richness and plant diversity (Manier & Hobbs, 2007).

Cumulative Incremental Effect from the No Grazing Alternative: Reduced surface disturbance would occur with the removal of grazing. The incremental impacts would be reduced compared to those expected under the proposed action.

4.1.4 Noxious Weeds and Invasive Non Native Plant Species

Alternative I-Proposed Action/No Action Alternative

Livestock can transport noxious weeds and invasive nonnative plant species on their coats, feet, and in their digestive tract. Livestock may carry undesirable plants that exist within the allotments or bring them into the allotment from other pastures they have inhabited during their lifetime. Livestock grazing can increase the presence of noxious weeds by over-grazing (DiTomaso, 2000); this is the primary cause of unwanted species invasion (Holechek, Pieper, & Herbel, 2004, p. 508).

Since many roads and trails are present in the allotments, and recreation opportunities exist in the area, new weed introductions are likely to regularly occur. BLM, the county weed and pest agencies, and the grazing lessee monitor these infestations to determine if management changes are needed to control the infestations. Because current and proposed management does not exceed recommended grazing levels and no grazing management concerns occur at this time, BLM anticipates that there will be no increase in noxious weeds or invasive non-native plant species under the proposed action.

Alternative II-No Grazing Alternative

Removing livestock grazing from the public land can promote growth and potential overgrowth of perennial grasses and forbs, thus crowding out or reducing the potential for invasion of noxious and/or invasive species. However the overgrowth of vegetation increases the availability of fine fuels, which also increases the wildfire risk. If fires occurred, they would likely be more intense, allowing opportunistic noxious and invasive species to colonize the public lands. Cooperative weed control efforts could discourage vegetation overgrowth and decrease the fire return interval.

[Cumulative effects for this affected resource are addressed in 4.1.3, Vegetation.]

4.1.5 Water Resources

Alternative I-Proposed Action/No Action Alternative

Riparian areas attract livestock due to environmental and nutritional factors and they may use riparian vegetation disproportionately more than adjacent uplands (Gillen, Krueger, & Miller, 1985) (Howery, Provenza, Banner, & Scott, 1996). This attraction can lead to higher use in riparian areas, thus decreasing streambank stability and cover while increasing soil erosion of the uncovered/unstable streambank (McInnis & McLver, 2001), removal of wood vegetation, soil compaction, and reduced water quality (Parsons, Momont, Delcurto, McInnis, & Porath, 2003). Although uncontrolled livestock grazing can result in watershed destruction in certain areas, controlled grazing is not detrimental to water quality and may increase water quantity (Holechek, 1981). No major degradation problems existed under the past and current management of livestock in these allotments. BLM expects direct, indirect, and residual impacts to water resources to remain unchanged.

The CEAA for water resources is the area within the grazing allotment boundaries and areas extending up and downstream from the allotments, as selected by BLM due to the scope of the proposed action and alternatives. The direct impacts are anticipated to last for the life of the grazing lease (10 years), while the indirect and long term impacts may last longer.

Cumulative Incremental Effect from the Proposed Action: Implementation of the proposed action in combination with any past, present, and reasonably foreseeable actions may increase the possibility for decreased water quality and quantity. This could result from soil erosion into riparian areas. The incremental impacts should be minimal as BLM uses range health objectives in livestock grazing management, and monitors hunters and recreationists for land abuse. Fire suppression will mitigate fire impact severity and BLM uses BMPs for oil, gas, and ROWs.

Alternative II-No Grazing Alternative

The removal of grazing would improve and/or maintain riparian health. Use of riparian plants will decrease, thus reducing trampling and hoof shearing along the green line of riparian areas. Total vascular vegetation, shrub, and graminoid canopy cover would increase with the exclusion of livestock (Schulz & Leininger, 1990).

Cumulative Incremental Effect from the No Grazing Alternative: Reduced surface disturbance would occur with the removal of grazing. The incremental impacts would be less than those expected under the proposed action.

4.1.6 Wildlife

4.1.6.1 Migratory Birds, Special Status Species, Threatened and Endangered Species, and Small Mammals

Alternative I-Proposed Action/No Action Alternative

(See Tables A.1 and A.2 in the appendix)

Geographic Scope and Timeframe for Migratory Birds, Special Status Species, Threatened and Endangered Species, and Small Mammals: The CEAA is the local Upper Powder River and Clear Creek watershed boundary. Many of the species in the watershed are contained therein. Migratory species may travel outside the boundary but most of the life cycle likely occurs in the CEAA. BLM anticipates the direct impacts to last for the life of the grazing lease (10 years), while the indirect and long term impacts may last longer.

Geographic Scope and Timeframe for Big Game and/or Raptors: The CEAA for is the entire range the species may utilize in their life cycle within the vicinity of the allotments. The direct impacts are anticipated to last for the life of the grazing lease (10 years). While the indirect and long term impacts may last longer.

Cumulative Incremental Effect from the Proposal on Wildlife (Migratory Birds, Special Status Species, Threatened and Endangered Species, Small Mammals, Big Game, Raptors): Incremental impacts from the proposal when added to the past, present and reasonably foreseeable actions may result in disruption of species habitat through the loss of vegetation and habitat fragmentation. Loss of vegetation would occur from livestock grazing, new roads (recreation/hunting/oil and gas/ROWs), and wild fire. Habitat fragmentation would result from vertical intrusions associated with development and new roads associated with oil, gas, ROWs, and recreation activities. Additionally, the spread of noxious and invasive weeds from the actions may impact habitat quality by changing the native plant community, plant production, plant diversity, and ecological health. The incremental impacts should be minimal as BLM uses S&Gs in livestock grazing management, monitors hunters and recreationists for land abuse, uses fire suppression will mitigate the severity of its impacts, and uses BMPs for new oil, gas and ROWs.

Alternative II-No Grazing Alternative

Cumulative Incremental Effect from the No Grazing Alternative on Wildlife (Migratory Birds, Special Status Species, Threatened and Endangered Species, Small Mammals, Big Game, Raptors): Reduced surface disturbance would occur with the removal of grazing. The incremental impacts would be less than those expected under the proposed action.

4.1.6.2 Candidate Species – Greater Sage-Grouse (GSG)

Alternative I-Proposed Action/No Action Alternative

As noted in BLM WY-IM-2012-019 (2012), domestic livestock grazing has occurred in and around these allotments and “within the range of [GSG] for over 150 years and is the most common and widespread use of rangelands in the western United States. Livestock grazing practices may affect herbaceous composition, cover, and height and has a potential to impact Wyoming Big Sagebrush habitats. WY BLM has standards and guidelines to ensure proper livestock grazing management on public lands which can help maintain healthy rangeland conditions and provide functional habitat for [GSG]. However, poor livestock grazing practices can have long-term negative impacts on [GSG] habitat by degrading sagebrush, meadow, and riparian communities (Bohne, Rinke, & Kilpatrick, 2007).”

The proposal's direct, indirect, and residual effects will impact GSG habitat. Livestock grazing can benefit or degrade GSG habitat, depending on the timing, stocking rate, and habitat affected. Fall grazing may favor upland forb production, and ranchers may use spring grazing to remove herbaceous cover and make forbs more accessible (Smith, Malechek, & Fulgham, 1979), (Fulgham, Smith, & Malechek, 1982). Spring and early summer grazing may help control weeds and remove woody plants, thereby decreasing the risk of wildfire that could remove large areas of habitat (Mosley, 1996), (Olson & Wallander, 2001), (Merritt, Prosser, Sedivec, & Bangsund, 2001), (Riggs & Urness, 1989).

Excessive or poorly managed grazing causes degradation of sagebrush ecosystems and thus GSG habitat (BLM, 2002). Inappropriate grazing management in uplands can reduce perennial grasses and forbs while favoring annual grasses and increasing sagebrush cover (Branson, 1985), (Tisdale, 1994), (Beck & Mitchell, 2000), (Bork, West, & Walker, 1998). This may impact GSG, because they rely on perennial grasses for escape cover and residual herbaceous cover for screening cover in nesting habitat. Forbs are positively associated with survival and recruitment of GSG chicks. Inappropriate grazing that damages meadows and riparian areas can harm GSG, because these areas are critical for GSG in late summer. Livestock may occasionally trample GSG nests or cause GSG to abandon their nests (Call, 1979), (Patterson, 1952).

Livestock grazing historically occurred on these allotments and the BLM expects no additional impacts, other than those that occurred as a result of long-term use, from implementation of the proposed action. Continuing to manage for the Wyoming Standards for Rangeland Health may facilitate GSG habitat viability.

SE of Buffalo Creek failed standards 3 and 4 due to the density of cheat grass in a fire scar. Continued yearlong grazing may increase cheat grass in this allotment. BLM manages only 2% of this allotment, and does not consider fencing the BLM surface a reasonable action.

The CEAA for GSG is any area within a 4 mile radius of GSG leks in an allotment and leks that have a 4 mile buffer within an allotment. The direct impacts are anticipated to last for the life of the grazing lease (10 years). While the indirect and long term impacts may last longer.

Cumulative Incremental Effect from the Proposal: Incremental impacts from the proposed action when added to the past, present and reasonably foreseeable action may result in habitat alteration of GSG. These impacts include loss of forage, cover, and habitat. The actions may also disturb mating and brood rearing that is vital to any special status species known to occur in the area. Loss of vegetation would occur from livestock grazing, new roads (recreation/hunting/oil and gas/ROWS), and wild fire. Habitat fragmentation would result from vertical intrusions associated with development and new roads associated with oil, gas, ROWs, and recreation activities.

The GSG population within northeast Wyoming is exhibiting a steady long term downward trend (U.S. Fish and Wildlife Service(USFWS), 2010), (Wyoming Game and Fish Department (WGFD) , 2011a). The figure below illustrates a ten-year cycle of periodic highs and lows. Each subsequent population peak is lower than the previous peak. Long-term harvest trends are similar to that of leks attendance (Wyoming Game and Fish Department(WGFD), 2011b). Habitat fragmentation (resulting from oil and gas development) and West Nile virus are the primary contributors to this decline (Taylor, Naugle, & Mills, 2012), (U.S. Fish and Wildlife Service(USFWS), 2010).




Figure 1. Average peak number of male Greater Sage-Grouse / active leks: BFO 1967-2009

Additionally, the spread of noxious and invasive weeds from the actions may impact habitat quality by changing the native plant community, plant production, plant diversity, and ecological health. The incremental impacts should be minimal as BLM uses Rangeland Health objectives in livestock grazing management, monitors hunters and recreationalist for land abuse, uses fire suppression to mitigate the severity of its impacts, and uses BMPs for new oil, gas and ROWs.

Alternative II-No Grazing Alternative

Under the no grazing alternative, no benefits to GSG habitat as a result of grazing management would occur. Excluding livestock does not necessarily cause an area to return to its pre-grazing condition or guarantee improvements in species richness, diversity, or vegetation production (Manier & Hobbs, 2007). Some habitats reach a threshold where livestock exclusion does not affect the current trend (Wambolt & Payne, 1986), (Sanders & Both, 1983). Other research shows that rest from grazing in Wyoming big sagebrush habitats may improve understory production while decreasing sagebrush cover (Wambolt & Payne, 1986). On Wyoming big sagebrush sites with dense sagebrush and annual grass understory, eliminating grazing can increase fire risk which results in habitat degradation (Peters & Bunting, 1994), (West, 1999).

Cumulative Incremental Effect from the No Grazing Alternative: Less surface disturbance would occur with grazing's removal. Incremental impacts when compared to the proposal will be less.

4.1.6.3 Big Game

Alternative I-Proposed Action/No Action Alternative

By managing land to meet Rangeland Health Standards and improving overall rangeland condition, forage for deer and pronghorn will improve. Forage resources on winter ranges typically limit mule deer populations (Clements & Young, 1997). Livestock grazing tends to favor shrubs over grasses, and thus may provide more desirable winter browse conditions on the allotments (Austin & Urness, 1998), (Austin, Urness, & Riggs, 1986), (Smith A. D., 1949). Livestock grazing may enhance big game forage by reducing unpalatable standing dead material (Short & Knight, 2003). Big game and cattle may compete for forage on a minor level. There is very little dietary overlap between cattle, pronghorn, and deer during spring and early summer, since cattle feed primarily on grasses while pronghorn and deer select mostly forbs and some grasses. Cattle begin to use more forbs in late summer and fall, potentially

increasing competition. Pronghorn and deer increase the amount of shrubs in their diet in fall and winter, thus reducing competition during those seasons (Anderson & McCuiston, 2008). Proper grazing management can improve winter forage conditions for big game (Anderson & Scherzinger, 1975). Livestock grazing historically occurred on these allotments and the BLM expects no additional impacts from implementation of the proposal.

The fences on the allotment pose a hazard to deer and pronghorn. In the BFO resource area, fences have caught and trapped deer and antelope. Modifying fence in areas used by cattle to a more wildlife “safe” design with height under 48 inches and the bottom wire 16 inches from the ground may reduce this hazard. Fences in this allotment are primarily on private land and are not subject to BLM management.

Moderate grazing by sheep in late summer has been shown to have no effect on vegetative composition or production in sagebrush-grass range (Harniss & Wright, 1982). Therefore, BLM expects no impact to pronghorn or deer on the allotments with appropriate sheep management.

[BLM addressed cumulative effects for these alternatives, above, in Wildlife, Migratory Birds.]

Alternative II-No Grazing Alternative

Under the no grazing alternative, winter browse conditions for big game would not improve. Encroaching herbaceous species may ultimately out-compete shrub species, resulting in a reduction in quality of big game winter range (Smith A. D., 1949). Additionally, livestock would not remove unpalatable standing dead material, resulting in unimproved forage.

4.1.6.4 Raptors

Alternative I-Proposed Action/No Action Alternative

Results from research and monitoring studies suggest that livestock grazing is likely to impact some species of raptors while favoring others (Bock, Saab, Rich, & Dobkin, 1993). Livestock grazing may cause the direct impacts of nest and egg destruction of ground-nesting species due to trampling by livestock, or nest abandonment by birds intolerant of disturbance. Grazing management practices can change vegetation composition, leading to the indirect impacts of changing prey composition and availability. Continued livestock grazing will favor those species that benefit from the alterations in habitat that occur in response to grazing (Bock, Saab, Rich, & Dobkin, 1993). A recent study to assess the impacts of rotational cattle grazing on rodents and raptors suggests that raptor use and prey availability can be affected by livestock grazing. In comparisons between grazed and ungrazed areas, raptor use declined by 15% in the grazed area, but increased by 63% on the ungrazed area. Rodent abundance declined and remained lower in the grazed area for the duration of the study (Johnson & Horn, 2008).

Livestock grazing historically occurred on this allotment and the BLM expects no additional impacts, other than those that occurred as a result of long-term use, from implementation of the proposal. Good grazing management could maintain or improve nesting habitats for ground-nesting raptor species, improve prey abundance, and availability by enhancing habitat conditions.

[BLM addressed cumulative effects for these alternatives, above, in Wildlife, Migratory Birds.]

Alternative II-No Grazing Alternative

Under the no-grazing alternative, occasional trampling of nests by livestock would not occur. Livestock grazing would not alter habitats, thus benefitting some raptor species while negatively affecting others (Bock, Saab, Rich, & Dobkin, 1993).

4.1.7 Cultural, Historic Values & National Register of Historic Places (NRHP) Eligibility Alternative I-Proposed Action/No Action Alternative

Any activity that removes vegetation or leads to soil erosion can cause impacts to cultural resources. Livestock concentration areas (such as those that form near water sources, supplemental feeding areas, fence corners, etc.) and livestock trail formation may result in impacts to cultural resources. However, according to the State Protocol Agreement between the Wyoming BLM and the Wyoming SHPO, grazing lease renewals that do not include seasonal grazing changes or changes in livestock types are exempt from case-by-case review. As per Appendix B item #27 and following section IV (A) (3) of the Wyoming State Protocol, on 03/28/14 the Bureau electronically notified the Wyoming State Historic Preservation Office (SHPO) of this grazing lease renewal.

Cumulative Incremental Effect from the Proposal: No new effects are anticipated.

Alternative II-No Grazing Alternative

The absence of grazing will not result in impacts to cultural resources.

Cumulative Incremental Effect from the No Grazing Alternative: Reduced surface disturbance would occur with the removal of grazing. The incremental impacts would be less than those expected under the proposed action.

4.1.8 Socioeconomics

Alternative I-Proposed Action/No Action Alternative

The proposed action would allow the grazing lessees to continue their ranch operations. They will continue to contribute to the state economy, benefiting Wyoming, Campbell and Sheridan Counties and local governments. The federal government would continue to collect grazing fees from the lessees and this use would continue to generate revenue for the Wyoming state government and provide funds for the BLM to construct range improvement projects.

The CEAA for socioeconomics includes the Wyoming economy and BLM revenue. The direct impacts are anticipated to last for the life of the grazing lease (10 years), while the indirect and long term impacts may last longer.

Cumulative Incremental Effect from the Proposal: The most significant incremental impact to socioeconomics would be the continued revenue generated from grazing receipts and other permitted actions.

Alternative II-No Grazing Alternative

The removal of grazing would increase financial stress on both the BLM and adjacent landowners as the federal land would have to be fenced off from private land to ensure no unauthorized grazing occurs on federal land. The landowners rely on the public lands for their livestock operation; the removal of federal grazing would mean they would need to adjust their operating plan, either through sale of livestock or renting expensive private grazing lands.

Cumulative Incremental Effect from the No Grazing Alternative: The loss of livestock grazing would reduce the income generated from permitted activities on BLM lands. This would impact the Wyoming economy negatively, as livestock grazing and the funds it generates are a large part of the Wyoming economy.

4.2 Cumulative Effects Summary

Cumulative effects are “the impact[s] on the environment which result from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what

agency (federal or non-federal) or person undertakes such actions” (40 CFR 1508.7). BLM anticipates that implementation of any of the alternatives in combination with the past, present and reasonably foreseeable actions would not result in any measurable cumulative impacts.

Past, Present, and Reasonably Foreseeable Actions

Past, present and reasonably foreseeable actions in all CEAs that may contribute to cumulative effects on various resources include livestock grazing, hunting, recreational activities, fire, oil/ gas activities, and ROWs. The results of the impacts of past and present actions are described in Sections 3 and 4 above. Livestock grazing has occurred in the area for over 100 years. Approximately 685 total AUMs are authorized annually on these allotments. BLM anticipates no changes to authorized AUMs, season of use, and kind/number of livestock in the allotments. Livestock grazing will likely continue unless resources conditions or rangeland health assessments indicate otherwise. Additional activities associated with livestock grazing include: off-high way vehicle (OHV) travel, feeding of mineral and protein supplements, and hauling and trailing livestock. Hunting and recreational activities have occurred in the allotments for many years and are still a significant area land use. BLM expects these land uses to continue, with no material changes in these uses.

Fire has occurred in the area over many years. Fire regime is the role fire plays across the land scape. The project area is in a Fire Regime Class II, in which the fire frequency is high severity (stand replacement of greater than 75% of the dominant overstory vegetation being replaced). The fire regime condition classes (FRCC) indicate how similar a landscape is to its natural or historical regime. The project area is in the FRCC of 2 which defines the area as having similar key ecosystem components to its historic state, including vegetation and disturbances such as fire. Wildfires are likely to occur in future.

The BLM permits federal mineral development (coalbed natural gas, conventional oil, and coal) in the Powder River Basin (PRB). This includes federal minerals below federal and/or private (split estate) surface. The BLM prepares NEPA analyses prior to federal mineral development. Generally, companies submit proposals, often as plans of development (PODs) consisting of 1 to 200 wells. Mineral development is common in the area and numerous PODs are present. Although permitting of oil and gas wells has decreased in the PRB, it is likely this activity will continue. There are various allotments that have BLM lands that are within the boundaries of approved PODs, and have numerous oil and gas wells. A POD-specific analysis evaluated the environmental impacts from federal mineral development, and this EA incorporates those by reference to update the current situation and to aggregate the cumulative effects; see Table A.3 for a listing of allotments impacted by PODs. Rights-of-way (ROWs) exist in the allotments and more be approved in the future. These ROWs may include water pipelines, power lines, roads, and other federal ROWs. Maintenance and construction of these ROWs will create some surface disturbance that would contribute to the cumulative impacts on various resources.

4.3. Mitigation/Residual Impacts/Monitoring Summary

BLM does not require additional mitigation measures for this proposed action. The BLM incorporated all measures needed to mitigate the proposals’ impacts as design features. BLM analyzed the impacts of any mitigation measures in Section 4, above. Per 40 CFR 1505.2(c), monitoring to ensure the success of the proposed action and any design/mitigation features will occur. This monitoring will follow BLM policy and management guidelines that may include use supervisions and trend monitoring when time and priorities permit.

5.0 TRIBES, INDIVIDUALS, ORGANIZATIONS, or AGENCIES CONSULTED

Blake Tietjen LLC.	Lessee, Black Stump Draw Allotment	Dixie Reece	Lessee, Dixie Reece Allotment
Russell K. Green	Lessee, Green Draw Allotment	Duane & Mary Odegard	Lessee, Prong Spotted Horse Allotment
Little Ranch CO. INC.	Lessee, S. Leiter Allotment	Barbara E. Carlock	Lessee, Scott Draw Allotment
Farmland Reserve INC.	Lessee, SE of Buffalo Creek Allotment	Wyoming State Agencies	

6.0 LIST OF PREPARERS

Dustin Kavitz, Rangeland Management Specialist, BLM, Buffalo Field Office

6.1 List of Reviewers

Name	Title	Duty	Name	Title	Duty
Kay Medders	Range Management	Range, Soils	Darci Stafford	Wildlife Biologist	Wildlife
	Archeologist	Cultural Resources	Charlotte Darling	Range Management	Vegetation, Soils
Chris Durham	Asst. Field Manager	Resources	John Kelley	Coordinator	NEPA Planning

7.0 WORKS CITED and REFERENCES

- 43 CFR § 4100 Grazing Administration-Exclusive of Alaska . (n.d.).
- Anderson, A., & McCuiston, K. C. (2008). Evaluating Strategies for Ranching in the 21st Century: Successfully Managing Rangeland for Wildlife and Livestock. *Rangelands*, 30(2), 8-14.
- Anderson, E., & Scherzinger, R. J. (1975). Improving Quality of Winter Forage for Elk by Cattle Grazing. *Journal of Range Management*, 28(2), 120-125.
- Austin, D. D., & Urness, P. I. (1998). Vegetal Change on a Northern Utah Foothill Range in the Absence of Livestock Grazing Between 1948 and 1982. *Great Basin Naturalist*, 58, 188-191.
- Austin, D. D., Urness, P. J., & Riggs, R. A. (1986). Vegetal Change in the Absence of Livestock Grazing, Mountain Brush Zone, Utah. *Journal of Rangeland Management*, 39(6), 514-517.
- Beck, J. L., & Mitchell, D. L. (2000). Influences of Livestock Grazing on Sage Grouse Habitat. *Wildlife Society Bulletin*, 28(4), 993-1002.
- Belsky, A. J. (1986). Does Herbivory Benefit Plants? A Review of the Evidence. *The American Naturalist*, 127(6), 870-892.
- BLM Instruction Memorandum No. WY-2010-012, Greater Sage-Grouse Habitat Management Policy on Wyoming BLM Administered Public Lands including the Federal Mineral Estate (Maintained into the Buffalo RMP). (n.d.).
- Bock, C. D., Saab, V. A., Rich, T. D., & Dobkin, D. S. (1993). Effects of Livestock Grazing on Neotropical Migratory Landbirds in Western North America. In D. M. Finch, & W. Stangel, *Status and Management of Neotropical Migratory Birds (General Technical Report RM-229)* (pp. 296-309). Denver: U.S. Department of Agriculture Forest Service.
- Bohne, J., Rinkes, T., & Kilpatrick, S. (2007). *Sage-Grouse Habitat Management Guidelines for Wyoming*. Cheyenne: Wyoming Game and Fish Department.
- Bork, E. W., West, N. E., & Walker, J. W. (1998). Cover Components on Long-Term Seasonal Sheep Grazing Treatments in Three-Tip Sagebrush Steppe. *Journal of Range Management*, 51(3), 293-300.

- Branson, F. A. (1985). *Vegetation Changes on Western Slopes*(Range Monograph Number 2). Denver: The Society for Range Management.
- Brock, J. H., & Green, D. M. (2003). Impacts of Livestock Grazing, Mining, Recreation, Roads, and Other Land Uses on Watershed Resources. *Journal of the Arizona-Nevada Academy of Science*, 35(1), 11-22.
- Bureau of Land Management. (1999). *Instruction Memorandum 2000-022, Change 1 Compliance with the National Environmental Policy Act(NEPA) -- Addressing Alternatives for Livestock Grazing Permit Renewals*. Washington D.C.: Bureau of Land Management .
- Bureau of Land Management. (2009). *Instruction Memorandum BLM-WY-IM-2010-12 Greater Sage-Grouse Habitat Management Policy on Wyoming BLM Administered Public Lands including the Federal Mineral Estate*. Cheyenne: Bureau of Land Management Wyoming State Office.
- Bureau of Land Management. (2012). *Instruction Memorandum WY-IM-2012-019 Greater Sage Grouse Habitat Management Policy on Wyoming BLM Administered Public Land Including Mineral Estate*. Cheyenne: Bureau of Land Management Wyoming State Office.
- Call, M. W. (1979). *Habitat Requirements and Management Recommendation for Sage-grouse*(Technical Note 330). Denver: U.S. Department of Interior-Bureau of Land Management Denver Service Center.
- Chapman, S. S., Bryce, S. A., Omernik, J. M., Despain, D. G., ZumBerge, J., & Conrad, M. (2004). *Ecoregions of Wyoming (color poster with map, descriptive text, summary tables, and photographs)*(Map Scale 1;1,400,000). Reston, Virginia: U.S. Geological Survey.
- Clean Water Act Section 303d. (n.d.).
- Clements, C. D., & Young, J. A. (1997). A Viewpoint: Rangeland Health and Mule Deer Habitat. *Journal of Range Management*, 50(2), 129-138.
- DiTomaso, J. M. (2000). Invasive Weeds in Rangelands: Species, Impacts, and Management. *Weed Science*, 48(2), 255-265.
- DOI Secretarial Order No.3310—Protecting Wilderness Characteristics on Lands Managed by the BLM, Dec. 2010. (n.d.). *Standards for Healthy Rangelands and Guidelines for Livestock Grazing Management for the Public Lands Administered by the BLM in the State of Wyoming, December 2004* .
- Endangered Species Act of 1973 (ESA), as amended (16 U.S.C. 1531 et seq.). (n.d.).
- Executive Order 13186 – Responsibilities of Federal Agencies to Protect Migratory Birds. (n.d.).
- Fish and Wildlife Improvement Act of 1978. (n.d.).
- Fleischner, T. L. (1994). Ecological Costs of Livestock Grazing in Western North America. *Conservation Biology*, 8(3), 629-644.
- FLPMA of 1976, as amended (Pub. L. 940579); 90 Stat.2743; 43 U.S.C. 1701 et seq.). (n.d.).
- Fulgham, K. O., Smith, M. A., & Malechek, J. C. (1982). A Compatible Grazing Relationship Can Exist Between Domestic Sheep and Mule Deer. In J. M. Peek, & P. D. Dalke, *Proceedings of the Wildlife-Livestock Relationships Symposium* (pp. 458-478). Moscow: Wildlife and Range Experiment Station University of Idaho.
- Gillen, R. L., Krueger, W. C., & Miller, R. F. (1985). Cattle Use of Riparian Meadows in the Blue Mountains of Northeastern Oregon. *Journal of Range Management*, 38(3), 205-209.
- Grazing Regulations as codified in 43 CFR § 4100 as amended in 2005 . (n.d.).
- Harniss, R. O., & Wright, H. A. (1982). Summer Grazing of Sagebrush-Grass Range by Sheep. *Journal of Range Management*, 35, 13-17.
- Holechek, J. L. (1981). Livestock Grazing on Public Lands: A Viewpoint. *Journal of Range Management*, 34(3), 251-254.
- Holechek, J. L., Baker, T. T., Boren, J. C., & Galt, D. (2006). Grazing Impacts on Rangeland Vegetation: What We Have Learned. *Rangelands*, 28(1), 7-13.
- Holechek, J. L., Pieper, R. D., & Herbel, C. H. (2004). *Range Management: Principles and Practices* (5th ed.). Upper Saddle River, New Jersey: Prentice-Hall.

- Howery, L. D., Provenza, F. D., Banner, R. E., & Scott, C. B. (1996). Differences in Home Range Habitat Use Among Individuals in a Cattle Herd. *Applied Animal Behaviour Science*, 49(3), 305-302.
- Interagency Cooperation Regulations (50 CFR 402). (n.d.).
- Johnson, M. D., & Horn, C. M. (2008). Effects of Rotational Grazing on Rodent and Raptors on Coastal Grassland. *Western North American Naturalist*, 68, 444-462.
- Manier, D. J., & Hobbs, N. (2007). Large Herbivores in Sagebrush Steppe Ecosystems: Livestock and Wild Ungulates Influence Structure and Function. *Oecologia*, 152(4), 739-750.
- McInnis, M. L., & McLver, J. (2001). Influence of Off-Stream Supplements on Streambanks of Riparian Pastures. *Journal of Range Managements*, 54(6), 648-652.
- McNaughton, S. J. (1979). Grazing as an Optimization Process: Grass-Ungulate Relationships in the Serengeti. *The American Naturalist*, 113(5), 691-703.
- Merritt, S., Prosser, K., Sedivec, K., & Bangsund, D. (2001). *Multi-species Grazing and Leafy Spurge*. Sidney, MT: U.S. Department of Agriculture, Agricultural Research Station Team Leafy Spurge.
- Mosley, J. C. (1996). Prescribed Sheep Grazing to Suppress Cheatgrass: A Review. *Sheep and Goat Research Journal*, 12, 74-81.
- National Environmental Policy Act (NEPA) of 1969. (n.d.). (*Pub. L 91-190; 42 U.S.C. 4321 et seq.*).
- National Historic Preservation Act of 1966 Section 106. (n.d.).
- Olson, B. E., & Wallander, R. T. (2001). Sheep Grazing Spotted Knapweed and Infested Idaho Fescue. *Journal of Range Management*, 54(5), 25-30.
- Parsons, C. T., Momont, P. A., Delcurto, T., McInnis, M., & Porath, M. L. (2003). Cattle Distribution Patterns and Vegetation Use in Mountain Riparian Areas. *Journal of Range Management*, 56(4), 334-341.
- Patterson, R. L. (1952). *Sage Grouse in Wyoming* (1st ed.). Denver, CO: Sage Books.
- Patton, B. D., Dong, X., Nyren, P. E., & Nyren, A. (2007). Effect of Grazing Intensity, Precipitation, and Temperature on Forage Production. *Rangeland Ecology & Management*, 60(6), 656-665.
- Peters, E. F., & Bunting, S. C. (1994). Fire Conditions Pre- and Post- Occurrence of Annual Grasses on the Snake River Plain. In S. B. Monsen, & S. G. Kitchen, *Proceedings-Ecology and Management of Annual Rangelands* (Vols. General Technical Report INT-GTR-313, pp. 31-36). Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Pluhar, J. J., Knight, R. W., & Heitschmidt, R. K. (1987). Infiltration Rates and Sediment Production as Influenced by Grazing Systems in the Texas Rolling Plains. *Journal of Range Management*, 40(3), 240-243.
- Riggs, R. A., & Urness, P. J. (1989). Effects of Goat Browsing on Gambel Oak Communities in Northern Utah. *Journal of Range Management*, 42(5), 354-360.
- Sanders, K. D., & Both, A. S. (1983). Ecological Changes of Grazed and Ungrazed Plant Communities. In S. B. Monsen, & N. Shaw, *Managing intermountain Rangelands-Improvement of Range and Wildlife Habitats* (Vols. General Technical Report INT-GTR-157, pp. 176-179). Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Schulz, T. T., & Leininger, W. C. (1990). Differences in Riparian Vegetation Structure between Grazed Areas and Enclosures. *Journal of Range Management*, 43(4), 295-299.
- Short, J. J., & Knight, J. E. (2003). Fall Grazing Affects Big Game Forage on Rough Fescue Grasslands. *Journal of Range Management*, 56(3), 213-217.
- Sikes Act of 1969 (Habitat Improvement on Public Land). (n.d.).
- Smith, A. D. (1949). Effects of Mule Deer and Livestock upon a Foothill Range in Northern Utah. *The Journal of Wildlife Management*, 13(4), 317-338.
- Smith, M. A., Malechek, J. C., & Fulgham, K. O. (1979). Forage Selection by Mule Deer on Winter Range Grazed by Sheep in Spring. *Journal of Range Management*, 32(1), 40-45.
- Subcommittee on Spatial Water Data, 2. (2000, September 12). Federal standards for delineation of hydrologic unit boundaries, draft.
- Taylor Grazing Act of June 28, 1934, as amended (43 U.S.C. 315 through 315r). (n.d.).

- Taylor, R. L., Naugle, D. E., & Mills, S. L. (2012). *Viability Analyses for Conservation of Sage-Grouse Populations: Buffalo Field Office, Wyoming Final Report*. Missoula: Wildlife Biology Program University of Montana.
- The Public Rangelands Improvement Act of 1978 (43 U.S.C. 1901, et seq.). (n.d.).
- Tisdale, E. W. (1994). Great Basin Region: Sagebrush Types. In T. N. Shiflet, *Rangeland Cover Types* (pp. 40-46). Denver, CO: Society for Range Management.
- U.S. Department Interior- Bureau of Land Management. (1956). *Land Planning and Classification Report of the Public Domain Lands In the Powder River Basin(Montana-Wyoming Missouri River Basin Investigation Area III)*. Denver: U.S. Department Interior- Bureau of Land Management.
- U.S. Department of Agriculture. (2010). *Wyoming National Agricultural Statistics* . United States: U.S. Department of Agriculture, National Agricultural Statistics Service .
- U.S. Department of Agriculture, N. R. (2011). *Soil Survey Geographic (SSURGO) database for Campbell County, Wyoming, Northern Part*. Fort Worth: U.S. Department of Agriculture, Natural Resources Conservation Service.
- U.S. Department of Agriculture, Natural Resources Conservation Service . (2011). *Soil Survey Geographic (SSURGO) database for Sheridan County Area, Wyoming* . Fort Worth: U.S. Department of Agriculture, Natural Resources Conservation Service .
- U.S. Department of Agriculture, Natural Resources Conservation Service. (2011, September 15). *Ecological Site Description*. Retrieved from Ecological Site Description (ESD) System for Rangeland and Forestland Data:
<http://esis.sc.egov.usda.gov/Welcome/pgReportLocation.aspx?type=ESD>
- U.S. Department of Agriculture, Natural Resources Conservation Service. (2012). *Ecological Site Description*. Retrieved from Ecological Site Description (ESD) System for Rangeland and Forestland Data: <http://esis.sc.egov.usda.gov/Welcome/pgReportLocation.aspx?type=ESD>
- U.S. Fish and Wildlife Service(USFWS). (2010). *Endangered and Threatened Wildlife and Plants; 12-Month Findings for Petitions to List the Greater Sage-Grouse (Centrocercus urophasianus) as Threatened or Endangered*. Denver: United States Federal Register.
- United States Department of Interior-Bureau of Land Management. (1997). *Standards for Healthy Rangelands and Guidelines for Livestock Grazing Management for Public Lands Administered by the Bureau of Land Management in the State of Wyoming*. Wyoming: United States Department of Interior-Bureau of Land Management.
- Wambolt, C. L., & Payne, G. F. (1986). An 18-Year Comparison of Control Methods for Wyoming Big Sagebrush in Southwestern Montana. *Journal of Rangeland Management*, 39(4), 314-319.
- West , N. E. (1999). Managing for Biodiversity. In W. W. Collins , & C. O. Qualset, *Biodiversity in Agrosystems* (pp. 101-126). Boca Raton, FL: CRC Press.
- Wyoming Game and Fish Department (WGFD) . (2011a). *Sheridan Region Lek Monitoring Results*. Sheridan: Wyoming Game and Fish Department (WGFD) .
- Wyoming Game and Fish Department(WGFD). (2011b). *Sheridan Region Wyoming Game and Fish Department: Annual Big Game Herd Unit Reports*. Sheridan: Wyoming Game and Fish Department.

9.0 Appendix 1. Tables.

Table A.1. Summary of Threatened and Endangered Species Habitat and Project Effects

Common Name (scientific name)	Habitat	Presence	Project Effects	Rationale
Proposed				
Northern Long-eared Bat	Conifer and deciduous forest, caves and mines	NP	NE	The project area is outside the species' range, and the species is not expected to occur. Only known to occur in extreme Northeast WY (mainly Crook and Weston counties, very limited in northern Campbell county.)
Candidate				
Greater Sage-grouse	Basin-prairie shrub, mountain-foothill shrub	K	MIIH	Habitat may be altered.
Presence K - Known, documented observation within project area. S - Habitat suitable and species suspected, to occur within the project area. NS - Habitat suitable but species is not suspected to occur within the project area. NP - Habitat not present and species unlikely to occur within the project area. Project Effects		Project Effects LAA - Likely to adversely affect NE - No Effect NLAA - May Affect, not likely to adversely affect individuals or habitat. NLJ - Not likely to jeopardize the continued existence of the species MIIH - May impact individuals and habitat NP - Habitat not present and species unlikely to occur within the project area.		

Table A.2. Summary of Sensitive Species Habitat and Project Effects

Common Name (scientific name)	Habitat	Presence	Project Effects	Rationale
Amphibians				
Northern leopard frog (<i>Rana pipiens</i>)	Beaver ponds and cattail marshes from plains to montane zones.	K	NI	Habitat not present.
Columbia spotted frog (<i>Rana pretiosa</i>)	Confined to headwaters of the S Tongue R drainage and tributaries.	NP	NI	The project area is outside the species' range, and the species is not expected to occur.
Fish				
Yellowstone cutthroat trout (<i>Oncorhynchus clarki bouvieri</i>)	Cold-water rivers, creeks, beaver ponds, and large lakes in the Upper Tongue sub-watershed	NP	NI	The project area is outside the species' range, and the species is not expected to occur.
Birds				
Baird's sparrow (<i>Ammodramus bairdii</i>)	Shortgrass prairie and basin-prairie shrubland habitats; plowed and stubble fields.	NP	NI	Habitat not present.
Bald eagle (<i>Haliaeetus leucocephalus</i>)	Mature forest cover often within one mile of large water body with reliable prey source nearby.	P	MIIH	Roosting eagles may be flushed by human activity.
Brewer's sparrow (<i>Spizella breweri</i>)	Sagebrush shrubland	P	MIIH	Nests may be disturbed.
Ferruginous hawk (<i>Buteo regalis</i>)	Basin-prairie shrub, grasslands, rock outcrops	P	MIIH	Nests may be disturbed.
Loggerhead shrike (<i>Lanius ludovicianus</i>)	Basin-prairie shrub, mountain-foothill shrub	P	MIIH	Nests may be disturbed.

Common Name (scientific name)	Habitat	Presence	Project Effects	Rationale
Long-billed curlew (<i>Numenius americanus</i>)	Grasslands, plains, foothills, wet meadows	NP	NI	Habitat not present.
Mountain Plover	Short-grass prairie with slopes < 5%	S	MIIH	Nests may be disturbed.
Northern goshawk (<i>Accipiter gentilis</i>)	Conifer and deciduous forests	NP	NI	Habitat not present.
Peregrine falcon (<i>Falco peregrinus</i>)	Cliffs	NP	NI	Habitat not present.
Sage sparrow (<i>Amphispiza billneata</i>)	Basin-prairie shrub, mountain-foothill shrub	NP	NI	Habitat not present.
Sage thrasher (<i>Oreoscoptes montanus</i>)	Basin-prairie shrub, mountain-foothill shrub	P	MIIH	Nests may be disturbed.
Trumpeter swan (<i>Cygnus buccinator</i>)	Lakes, ponds, rivers	NP	NI	Habitat not present.
Western Burrowing owl (<i>Athene cunicularia</i>)	Grasslands, basin-prairie shrub	P	MIIH	Prairie dogs towns may be poisoned to promote better grass.
White-faced ibis (<i>Plegadis chihi</i>)	Marshes, wet meadows	NP	NI	Habitat not present.
Yellow-billed cuckoo (<i>Coccyzus americanus</i>)	Open woodlands, streamside willow and alder groves	NP	NI	Habitat not present.
Mammals				
Black-tailed prairie dog (<i>Cynomys ludovicianus</i>)	Prairie habitats with deep, firm soils and slopes less than 10 degrees.	K	MIIH	Prairie dogs towns may be poisoned to promote better grass.
Fringed myotis (<i>Myotis thysanodes</i>)	Conifer forests, woodland chaparral, caves and mines	S	MIIH	Suitable roosting habitat present. No impact anticipated.
Long-eared myotis (<i>Myotis evotis</i>)	Conifer and deciduous forest, caves and mines	S	MIIH	Suitable roosting habitat present. No impact anticipated.
Spotted Bat (<i>Euderma maculatum</i>)	Prominent rock features in extreme, low desert habitats to high elevation forests.	NP	NI	Habitat not present.
Swift fox (<i>Vulpes velox</i>)	Grasslands	P	NI	Suitable roosting habitat present. No impact anticipated.
Townsend's big-eared bat (<i>Corynorhinus townsendii</i>)	Caves and mines.	NP	NI	Construction may impact foraging areas and alter habitat conditions.
Plants				
Limber Pine (<i>Pinus flexilis</i>)	Mountains, associated with high elevation conifer species	NP	NI	Habitat not present.
Porter's sagebrush (<i>Artemisia porteri</i>)	Sparsely vegetated badlands of ashy or tufaceous mudstone and clay slopes 5300-6500 ft.	NP	NI	Habitat not present.
William's wafer parsnip (<i>Cymopterus williamsii</i>)	Open ridgetops and upper slopes with exposed limestone outcrops or rockslides, 6000-8300 ft.	NP	NI	Project area outside of species' range.

Common Name (scientific name)	Habitat	Presence	Project Effects	Rationale
<p>Presence K - Known, documented observation within project area. S - Habitat suitable and species suspected, to occur within the project area. NS - Habitat suitable but species is not suspected to occur within the project area. NP - Habitat not present and species unlikely to occur within the project area.</p> <p>Project Effects NI - No Impact. MIH - May Impact Individuals or Habitat, but will not likely contribute to a trend towards Federal listing or a loss of viability to the population or species. WIPV - Will Impact Individuals or Habitat with a consequence that the action may contribute to a trend towards Federal listing or cause a loss of viability to the population or species. BI - Beneficial Impact</p>				

Table A.3. This EA Incorporates by Reference the Following NEPA Analysis from the Analysis Area of the Proposed Allotments

#	Allotment	NEPA Document #	Operator / Project Name	Approval
1	Green Draw	WY-070-EA08-176	Pinnacle/Cabin Creek Phase 5	9/22/2008
2	Prong Spotted Horse	WY-070-EA10-234	JM Huber/Westway	7/30/2010
		WY-070-EA04-200	Devon/North Wildhorse 1	9/30/2004
		WY-070-EA01-212	Marathon/Hank Williams	9/5/2001
		WY-070-EA02-104	Marathon/Hank Williams 2	6/13/2002
		WY-070-EA05-029	Pennaco/Middle Prong	3/24/2005
		WY-070-EA08-178	Comet/Linn Draw	9/22/2008
		WY-070-EA04-071	Yates/UCross	3/4/2004
		WY-070-EA05-076	Lance/Spotted Horse Rev	4/1/2005