

DECISION RECORD

**Environmental Assessment (EA), WY-070-EA14-278, Application for Permit to Drill (APD)
Peak Powder River Resources, LLC, Atwood-Laur Fed 1 Plan Of Development (POD)
Bureau of Land Management, Buffalo Field Office, Wyoming**

DECISION. The BLM approves Peak Powder River Resources, LLC (Peak) Atwood-Laur Fed 1 POD oil and gas well applications for permit to drill (APDs) described in Alternative B of the environmental assessment (EA), WY-070-EA14-278, incorporated here by reference. This approval includes the well’s support facilities.

Compliance. This decision complies with or supports:

- Federal Land Policy and Management Act of 1976 (FLPMA) (43 USC 1701); DOI Order 3310.
- Mineral Leasing Act of 1920 (MLA) (30 U.S.C. 181); including the Onshore Oil and Gas Orders.
- National Environmental Policy Act of 1969 (NEPA) (42 USC 4321).
- National Historic Preservation Act of 1966 (NHPA) (16 USC 470).
- Powder River Basin Oil and Gas Project Final Environmental Impact Statement (FEIS), 2003.
- Buffalo Resource Management Plan (RMP) 1985 and Amendments (2001, 2003, 2011).

Well Site. BLM approves 6 APDs and support facilities (SHL-surface hole lease, BHL-bottom hole lease):

Name and #	Twp	Rng	Sec	Qtr	SHL	BHL
Atwood-Laur Fed 1-19H	43N	74W	19	SWSE	FEE	WYW145132
Atwood-Laur Fed 1-19NH	43N	74W	19	SWSE	FEE	WYW145132
Atwood-Laur Fed 1-19TH	43N	74W	19	SWSE	FEE	WYW145132
Atwood-Laur Fed 2-19H	43N	74W	19	SESW	FEE	WYW145132
Atwood-Laur Fed 2-19NH	43N	74W	19	SESW	FEE	WYW145132
Atwood-Laur Fed 2-19TH	43N	74W	19	SESW	FEE	WYW145132

Limitations. There are no denials or deferrals. Also see the conditions of approval (COAs).

THE FINDING OF NO SIGNIFICANT IMPACT (FONSI). Analysis of Alternative B of the EA, WY-070-EA14-278 and the FONSI (all incorporated here by reference) found Peak’s proposal for the Atwood-Laur Fed 1 POD oil wells will have no significant impacts on the human environment beyond those described in the PRB FEIS. There is no requirement for an EIS.

COMMENT OR NEW INFORMATION SUMMARY. BLM publically posted the APD for 30 days, received no comments, and then internally scoped them. BLM received no new policy clarifications after receiving these APDs.

DECISION RATIONALE. BLM bases the decision authorizing the selected project on:

1. BLM and Peak included mitigation measures to reduce environmental impacts while meeting the BLM’s need. For a complete description of all site-specific COAs, see the COAs (Appendix A). The PRB FEIS analyzed and predicted that the PRB oil and gas development would have significant impacts to the region’s Greater Sage-Grouse (GSG) population. The impact of this development cumulatively contributes to the potential for local GSG extirpation yet its effect is acceptable because it is outside priority habitats and is within the parameters of the PRB FEIS and ROD and current BLM and Wyoming GSG conservation strategies.

2. Peak will conduct operations to minimize adverse effects to surface and subsurface resources, prevent unnecessary surface disturbance, and conform to currently available technology and practice.
3. The selected alternative will help meet the nation's energy needs, and help stimulate local economies by maintaining workforce stability.
4. The operator committed to:
 - Comply with the approved APD, applicable laws, regulations, orders, and notices to lessees.
 - Obtain necessary permits from agencies.
 - That they had offered water well agreements to the owners of record for permitted wells within 0.5 miles of the proposed well.
 - Incorporate several measures to alleviate resource impacts into their submitted surface use plan and drilling plan.
5. The operator certified it has a surface access agreement.
6. The project is clearly lacking in wilderness characteristics as there is no federal surface.
7. These APDs are pursuant to the Mineral Leasing Act for developing oil or gas and do not satisfy the categorical exclusion directive of the Energy Policy Act of 2005, Section 390 because the site-specific analyses covering the project area required updating.

ADMINISTRATIVE REVIEW AND APPEAL. This decision is subject to administrative review according to 43 CFR 3165. Request for administrative review of this decision must include information required under 43 CFR 3165.3(b) (State Director Review), including all supporting documentation. Such a request must be filed in writing with the State Director, Bureau of Land Management, P.O. Box 1828, Cheyenne, Wyoming 82003, no later than 20 business days after this Decision Record is received or considered to have been received. Parties adversely affected by the State Director's decision may appeal that decision to the Interior Board of Land Appeals, as provided in 43 CFR 3165.4.

Field Manager: /s/ Duane W. Spencer

Date: 11/18/14

FINDING OF NO SIGNIFICANT IMPACT
Environmental Assessment (EA), WY-070-EA14-278, Application for Permit to Drill (APD)
Peak Powder River Resources, LLC, Atwood-Laur Fed 1 Plan Of Development (POD)
Bureau of Land Management, Buffalo Field Office, Wyoming

FINDING OF NO SIGNIFICANT IMPACT (FONSI). Based on the information in the EA, WY-070-EA14-278, which BLM incorporates here by reference; I find that: (1) the implementation of Alternative B will not have significant environmental impacts beyond those addressed in the Powder River Basin (PRB) Final Environmental Impact Statement (FEIS), 2003, to which the EA tiers; (2) Alternative B conforms to the Buffalo Field Office (BFO) Resource Management Plan (RMP) (1985) and amendments (2001, 2003, 2011); and (3) Alternative B does not constitute a major federal action having a significant effect on the human environment. Thus an EIS is not required. I base this finding on consideration of the Council on Environmental Quality's (CEQ) criteria for significance (40 CFR 1508.27), with regard to the context and to the intensity of the impacts described in the EA, and Interior Department Order 3310.

CONTEXT. Mineral development is a common PRB land use, sourcing over 42% of the nation's coal. The PRB FEIS foreseeable development analyzed the development of 54,200 wells. The additional development analyzed in Alternative B is insignificant in the national, regional, and local context.

INTENSITY. The implementation of Alternative B will result in beneficial effects in the forms of energy and revenue production however; there will also be adverse effects to the environment. Design features and mitigation measures included in Alternative B will minimize adverse environmental effects. The preferred alternative does not pose a significant risk to public health and safety. The geographic area of project does not contain unique characteristics identified in the 1985 RMP, 2003 PRB FEIS, or other legislative or regulatory processes. BLM used relevant scientific literature and professional expertise in preparing the EA. The scientific community is reasonably consistent with their conclusions on environmental effects relative to oil and gas development. Research findings on the nature of the environmental effects have minor controversy, are not highly uncertain, or do not involve unique or proven risks. The PRB FEIS predicted and analyzed oil development of the nature proposed with this project and similar projects. The selected alternative does not establish a precedent for future actions with significant effects. The proposal may relate to the PRB Greater Sage-Grouse and its habitat decline having cumulative significant impacts; yet the size of this project is within the parameters of the impacts in the PRB FEIS. There are no cultural or historical resources present that will be adversely affected by the selected alternative. The project area is clearly lacking in wilderness characteristics as there is no federal surface. No species listed under the Endangered Species Act or their designated critical habitat will be adversely affected. The selected alternative will not have any anticipated effects that would threaten a violation of federal, state, or local law or requirements imposed for the protection of the environment.

ADMINISTRATIVE REVIEW AND APPEAL. This finding is subject to administrative review according to 43 CFR 3165. Request for administrative review of this finding must include information required under 43 CFR 3165.3(b) (State Director Review), including all supporting documentation. Such a request must be filed in writing with the State Director, Bureau of Land Management, P.O. Box 1828, Cheyenne, Wyoming 82003, no later than 20 business days after this FONSI is received or considered to have been received. Parties adversely affected by the State Director's finding may appeal that finding to the Interior Board of Land Appeals, as provided in 43 CFR 3165.4.

Field Manager: /s/ Duane W. Spencer

Date: 11/18/14

Environmental Assessment (EA), WY-070-EA14-278
Applications for Permit to Drill (APDs)
Peak Powder River Resources, LLC, Atwood-Laur Fed 1 Plan Of Development (POD)
Bureau of Land Management, Buffalo Field Office, Wyoming

1. INTRODUCTION

BLM provides an EA for Peak Powder River Resources, LLC, (Peak) Atwood-Laur Fed 1 Plan of Development (POD) oil and gas well applications for permit to drill (APDs). BLM’s jurisdiction for this proposal is fee (non-federal) surface – overlying fee minerals draining federal minerals in the horizontal. This site-specific analysis tiers into and incorporates by reference the information and analysis in the Final Environmental Impact Statement and Plan Amendment for the Powder River Basin Oil and Gas Project (PRB FEIS), WY-070-02-065, 2003, and the PRB FEIS Record of Decision (ROD) per 40 CFR 1508.28 and 1502.21. One may review these documents at the BLM Buffalo Field Office (BFO) and on our website:

http://www.blm.gov/wy/st/en/field_offices/Bufalo.html.

Table 1.1. Proposed Wells

Name and #	Twp	Rng	Sec	Qtr	SHL	BHL
Atwood-Laur Fed 1-19H	43N	74W	19	SWSE	FEE	WYW145132
Atwood-Laur Fed 1-19NH	43N	74W	19	SWSE	FEE	WYW145132
Atwood-Laur Fed 1-19TH	43N	74W	19	SWSE	FEE	WYW145132
Atwood-Laur Fed 2-19H	43N	74W	19	SESW	FEE	WYW145132
Atwood-Laur Fed 2-19NH	43N	74W	19	SESW	FEE	WYW145132
Atwood-Laur Fed 2-19TH	43N	74W	19	SESW	FEE	WYW145132

1.1. Background

BLM received the notice of staking (NOS) on November 18, 2013 and conducted the on-site on February 28, 2014. BLM received the APDs on April 2, 2014. The project post APD deficiency letter was sent out on July 22, 2014. No deficiencies for the Atwood-Laur Fed 1 POD were noted in that letter.

1.2. Need for the Proposed Project

BLM’s need for this project is to determine whether, how, and under what conditions to support the Buffalo Resource Management Plan’s (RMP) goals, objectives, and management actions with allowing the exercise of the operator’s conditional lease rights to develop fluid minerals on federal leases. BLM incorporates by reference here, the APD information (40 CFR 1502.21). Conditional fluid mineral development supports the RMP and the Mineral Leasing Act of 1920, the Federal Land Policy Management Act (FLPMA), and other laws and regulations.

1.3. Decision to be Made

The BLM will decide whether or not to approve the proposed development, and if so, under what terms and conditions agreeing with the Bureau’s multiple use mandate, environmental protection, and RMP.

1.4. Scoping and Issues

BLM posted the proposed APDs for 30 days and will timely publish the EA, any finding, and decision on the BFO website. This project is similar in scope to other fluid mineral development the BFO analyzed. External scoping is unlikely to identify new issues, as verified with recent fluid mineral EAs that BLM externally scoped. External scoping of the horizontal drilling in Crazy Cat East EA, WY-070-EA13-028, 2013, in the PRB area received 3 comments, revealing no new issues.

The BFO interdisciplinary team (ID team) conducted internal scoping by reviewing the proposal to identify potentially affected resources, land uses, resource issues, regulations, and site-specific circumstances. The APDs and associated plans as well as the administrative record (AR) are available for review at the BFO. This EA will not discuss resources and land uses that are not present, unlikely to receive material affects, or that the PRB FEIS or other analyses adequately addressed. This EA addresses the project's site-specific impacts that were unknown and unavailable for review at the time of the PRB FEIS analysis to help the decision maker come to a reasoned decision. The project area is clearly lacking wilderness characteristics as it lacks public surface.

2. PROPOSED PROJECT AND ALTERNATIVES

2.1. Alternative A – No Action

The no action alternative would deny these APDs requiring the operator to resubmit APDs that complied with statutes and the reasonable measures in the Powder River Basin Oil and Gas Project Final Environmental Impact Statement Record of Decision (PRB FEIS ROD) in order to lawfully exercise conditional lease rights. The PRB Final Environmental Impact Statement (FEIS) considered a no action alternative, pp. 2-54 to 2-62.

2.2. Alternative B Proposed Action (Proposal)

Overview. Peak requests BLM's approval for 6 APDs from 2 pads and supporting infrastructure; see Table 1.1. The proposal is to explore for, and possibly develop oil and gas reserves in the Shannon, Niobrara and Turner Formations at 9,871, 11,050 and 11,559 feet total vertical depth (TVD) respectively. These wells will run horizontally to the north-northeast approximately 4,625 feet from pad one and 4,360 feet from pad two. The project area is 12 miles south-southwest of Wright, Campbell County, Wyoming. Project elevation is 5,334 feet at pad one and 5,372 at pad two. The topography has gently sloped draws rising to mixed sagebrush and grassland uplands. Ephemeral tributaries of the Upper Belle Fourche River drain the area. The area climate is semi-arid, averaging 10-14 inches annual precipitation, about 60% of which occurs between April and September.

Drilling, Construction & Production design features include:

Access

- Access is primarily via Hwy 50.
- Peak proposes 0.26 miles of improved access road. The running surface will be 20 feet with a disturbance width of about 70 feet. The access road will be a template crown and ditch road.
- All roads will be maintained to meet BLM standards during the entire life of the project area.
- During interim reclamation the ditches will be seeded with a BLM approved seed mix to prevent erosion and maintain topsoil viability.
- Multiple culverts will be installed on the newly constructed access road.

Well Locations

- The pads will have 2:1 slopes during interim reclamation.
- These wells will use a lined pit at the pads to hold the cuttings.
- Up to 15 x 400 bbl tanks for oil and water will be placed on location.
- No staging areas, man camps/housing facilities are anticipated to be used off-site. Working trailers and sleeping trailers will be placed on the well pads during the drilling and completion of the wells.
- If the wells become producers, production facilities will be located at the well sites and will include pumping units, storage tanks, buildings, oil-water separators (heater-treaters). There will be no pits at these producing well locations.
- Dikes will be constructed completely around production facilities, i.e. production tanks, water tanks, and heater treaters. The dikes will be constructed of corrugated steel, approximately 3 feet high, and

hold the capacity of the largest tank plus 10%. The load-out line will be outside of the dike areas. A drip barrel or “Getty-Box” will be installed under the end of all load-out lines.

Drilling and Completion Operations

- Hydraulic fracturing (HF) operations are planned as a ‘plug and perf’ operation done in stages. All fresh water will be contained in one 40,000 bbl HF tank per pad. No additional well pad disturbance is anticipated for HF operations. Completion flowback water will be held in tanks on location and trucked to a disposal facility permitted by Wyoming Department of Environmental Quality (WDEQ). See the AR for water sources.
- During drilling the average daily truck traffic is estimated to be 25 trucks per day.
- During production the average daily truck traffic is estimated to be 1-3 trucks per day.
- Well completion will be conducted within approximately 21 days including mobilization of well completion fleet trucks carrying water and sand with peak truck traffic estimated to be 12 trucks per day.
- Completion activities will require approximately 15,000 bbls water per well.
- Completion activities will require approximately 60,000 bbls of water per well.
- A detailed completion operations plan is outlined in the surface use plan (SUP).

Table 2.1. Anticipated Drilling and Completion Sequence and Timing (per well, per pad)

Drilling and Completion Step	Approximate Duration
Build Location (roads, pad, and other initial infrastructure)	30 days
Mob Rig	5 days ¹
Drilling (24/7)	30 days
Schedule/logistics	30 days
Completion (setup, completion, demobilization)	7-21 days
¹ Depending on distance and need to add supplemental drilling equipment, such as skidding plates.	

Table 2.2. Disturbance Summary Atwood-Laur Fed 1 POD:

Activity	Length (feet)	Width (feet)	Acres of Disturbance	Interim Disturbance
Atwood-Laur Fed 1 POD Pad 1 constructed pad with cuts/fills and topsoil/spoil disturbances.	665	504	7.69	3.25
Above Ground Power Lines (preliminary estimate)	3,491	15	1.20	1.20
Total Disturbance for this location			8.89	4.45

Activity	Length (feet)	Width (feet)	Acres of Disturbance	Interim Disturbance
Atwood-Laur Fed 1 POD Pad 2 constructed pad with cuts/fills and topsoil/spoil disturbances.	662	500	7.60	3.27
Newly Constructed Access Roads	1,373	70	2.21	0.63
Total Disturbance for this location			9.81	3.90

Total Disturbance for the project			18.70	8.35
--	--	--	--------------	-------------

Plan of Operations.

The proposal conforms to all Bureau standards and incorporates appropriate best management practices, required and designed mitigation measures determined to reduce the effects on the environment. BLM reviewed and approved a surface use plan of operations describing all proposed surface-disturbing activities pursuant to Section 17 of the Mineral Leasing Act, as amended. This analysis also incorporates

and analyzes the implementation of committed mitigation measures in the SUP, drilling plan, and the standard conditions of approval (COAs) found in the PRB FEIS ROD, Appendix A.

Reasonably Foreseeable Activity.

The reasonably foreseeable activity (RFA) for this and adjacent areas includes oil/gas exploration on 640 acre spacing and possible 320 acre spacing for horizontal wells and 80 acre spacing for vertical wells. (This does not preclude the RFA spacing analysis in the PRB FEIS or applying to drill multiple wells from this pad further reducing the surface disturbance per well.) The RFA in this project analysis area consists of 113 proposed notices of staking (NOSs) and APDs. The project analysis area is the area within 5 miles of these proposed wells. Potential APD submittals or reasonably foreseeable activity included in this analysis could consist of multiple wells on an existing pad or tie into existing supporting infrastructure; tank batteries, pipelines, power lines, and transportation networks.

2.3. Conformance to the Land use Plan and Other Environmental Assessments

This proposal does not diverge from the goals and objectives in the Buffalo Resource Management Plan (RMP) (1985), and generally conforms to the terms and conditions of that land use plan, its amendments, (2001, 2003, 2011), and laws including the Clean Air Act, 42 USC 7401-7671q (2006), the Clean Water Act, 33 USC 1251 et seq. (1972), etc.

3. AFFECTED ENVIRONMENT

This section briefly describes the physical and regulatory environment that may be affected by the alternatives in Section 2, or where changes in circumstances or regulations occurred since the approval of analyses to which this EA incorporates by reference. The PRB FEIS considered a no action alternative (pp. 2-54 to 2-62) in evaluating a development of up to 54,200 fluid mineral wells. Nearly all of the PRB’s coalbed natural gas (CBNG) wells and over 60% of the deep oil and gas wells are hydraulically fractured; BLM and Goolsby 2012. The BLM uses the aggregated effects analysis approach incorporating by reference the circumstances and developments approved via the subsequent NEPA analyses for adjacent and intermingled developments coincident to proposal area to retain currency in the no action alternative. 615 F. 3d 1122 (9th Cir. 2010). The total number of conventional wells in the Buffalo planning area is 1313, which includes 783 horizontal wells (federal, fee, and state) (as of April 2013). This represents 41% of the projected 3,200 in the 2003 PRB ROD. This agrees with the PRB FEIS which analyzed the reasonably foreseeable development rolling across the PRB of 51,000 CBNG and 3,200 natural gas and oil wells.

Table 3.1. Overlapping NEPA Analyses Which BLM Incorporates by Reference either as similar drilling analyses or as substantially similar analyses in the semi-arid sagebrush, short grass prairie

#	POD / Well Name	Operator	NEPA Analysis #	# / Type Wells	Approved Mo/Yr/Update
1 ^a	Mufasa Fed 11-31H	Lance	WY-070-EA12-062	1 Oil	3/2012
2 ^b	Crazy Cat East	Anadarko	WY-070-EA13-028	24+/- Oil Pads	2/2013
3	Sahara POD	Lance	WY-070-EA13-72	21Oil	3/2013

See also: SDR WY-2013-005, particularly noting pp. 2-3, incorporating the entirety here by reference.

- a. While not overlapping, incorporate those sections describing and analyzing hydraulic fracturing, its supporting analysis, and the Greater Sage-grouse Section 3.7.12 and 4.8.2.
- b. While not overlapping, incorporate those sections describing and analyzing hydraulic fracturing and its supporting analysis to include but not limited to traffic, water, and air quality.

3.1. Air Quality

Refer to the PRB FEIS pp. 3-291 to 3-299, for a 2003-era description of the air quality conditions. BLM incorporates by reference, Update of Task 3A Report for the Powder River Basin Coal Review

Cumulative Air Quality Effects for 2020, BLM (AECOM), 2009, (Cumulative Air Quality Effects, 2009) as it captures the cumulative air quality effects of present and projected PRB fluid and solid mineral development. PRB coal review documents are available at: http://www.blm.gov/wy/st/en/programs/energy/Coal_Resources/PRB_Coal/prbdocs.html.

The Environmental Protection Agency (EPA) established ozone standards in 2011. Existing air quality in the PRB is “unclassified/attainment” with all ambient air quality standards. It is also in an area that is in prevention of significant deterioration zone. PRB air quality is a rising concern due to ozone in the oil and gas producing Upper Green River Basin that became one of the nation’s 40 “nonattainment” zones for ozone in 2012; in addition to PRB-area air quality alerts issued in 2011-2014 for particulate matter (PM), attributed to coal dust. Four sites monitor the air quality in the PRB: Cloud Peak in the Bighorn Mountains, Thunder Basin northeast of Gillette, Campbell County south of Gillette, and Gillette. In addition, the Wyoming Air Resource Monitoring System (WARMS) measures meteorological parameters from 9 sites throughout the State, and particulate concentrations from 5 of those sites, monitors speciated aerosol (3 locations), and evapotranspiration rates (1 location). The sites monitoring air quality for the Powder River Basin are located at Sheridan, South Coal Reservoir, Buffalo, Fortification Creek, and Newcastle. The northeast Wyoming visibility study is ongoing by the Wyoming Department of Environmental Quality (WDEQ). Sites adjacent to the Wyoming PRB-area are at Birney on the Tongue River 24 miles north of the Wyoming-Montana border, Broadus on the Powder River in Montana, and Devils Tower. Adgate, et al. (2014) advanced a hypothesis that air and water quality effects from HF may negatively impact human health but concluded that there were “major uncertainties” and a “paucity of baseline data” after drilling 153,260 wells since 2004. They called for more research funding.

Existing air pollutant emission sources in the region include:

- Exhaust emissions (primarily CO and nitrogen oxides (NOx)) from existing natural gas fired compressor engines used in production of natural gas and CBNG; and, gasoline and diesel vehicle tailpipe emissions of combustion pollutants;
- Particulate matter (PM), dust, generated by vehicle travel on unpaved roads, windblown dust from neighboring areas, road sanding during the winter months, coal mines, and trains;
- Transport of air pollutants from emission sources located outside the region;
- NOx, PM, and other emissions from diesel trains and,
- SO2 and NOx from power plants.

3.2. Soils, Ecological Sites, and Vegetation

Project area soils developed in alluvium and residuum weathered from sandstone and shale. Lithology consists of light to dark yellow and tan siltstone and sandstones with minor coal seams resulting in a wide variety of surface and subsurface textures. The project area soil depths are approximately 6”. Reclamation potential of soils varies in the project area. The main soil limitations include: depth to bedrock, low organic matter content, and high erosion potential especially in areas of steep slopes.

The Campbell County Survey Area, Wyoming Soil Survey Geographic (SSURGO) Database WY605, provide detailed soils identification and data. NRCS performed the soil survey according to National Cooperative Soil Survey standards. The BLM uses county soil survey information to predict soil behavior, limitations, or suitability for a given activity or action. The agency’s long term goal for soil resource management is to maintain, improve, or restore soil health and productivity, and to prevent or minimize soil erosion and compaction. Soil management objectives are to ensure that adequate soil protection is consistent with the resource capabilities. Soils and landforms of this area may present distinct challenges for development, and/or eventual site reclamation. Dominant/Important Soils/Ecological sites in the affected area are loamy soils. The major ecological site for the project is loamy.

Table 3.2. Dominant Soils by Map Unit Symbol (MUS) in the Proposal Area

Well Location	MUS	Map Unit Name	Ecological Site
4374-19-1-19	126	Cushman-Theedle loams, 0 to 6% slopes	Loamy
4374-19-2-19	146	Forkwood-Cushman loams, 0 to 6% slopes	Loamy

NOTE: area of analysis includes access (proposed, new disturbance) to well location

3.3 Ecological Sites and Vegetation

The elevation is 5,334 feet at pad one and 5,372 feet at pad two. Livestock grazing is the predominant land use in the area as well as oil and gas development. The project area is comprised primarily of a Loamy ecological site and the major plant community identified in the project area is Mixed Sagebrush/Grass Plant Community. This site occurs on uplands and hills on uplands. The parent material consists of alluvium and over residuum deposits derived from sandstone and shale. Depth to a root restrictive layer is 20 to 40 inches. The natural drainage class is well drained. Shrink swell potential is moderate at pad one and low at pad two. The main soil limitations include: low organic matter (2%) content and soil droughtiness. The low annual precipitation should be considered when planning a seeding.

Mixed Sagebrush/Grass Plant Community

This mixed sagebrush/grass community is under moderate, season-long livestock grazing in the absence of fire or brush management. Wyoming big sagebrush is a significant component of this plant community. Cool-season grasses make up the majority of the understory with the balance made up of short warm-season grasses, annual cool-season grasses, and miscellaneous forbs. Dominant grasses may include needle-and-thread, western wheatgrass, and green needlegrass. Grasses of secondary importance include blue grama, prairie junegrass, and Sandberg bluegrass. Forbs commonly found in this plant community include plains wallflower, hairy goldaster, slimflower scurfpea, and scarlet globemallow. Sagebrush canopy ranges from 20% to 30%. Fringed sagewort is commonly found. Plains pricklypear also occurs.

When compared to the Historic Climax Plant Community, sagebrush and blue grama have increased. Production of cool-season grasses, particularly green needlegrass, has been reduced. The sagebrush canopy protects the cool-season mid-grasses, but this protection makes them unavailable for grazing. Cheatgrass (downy brome) has invaded the site. The overstory of sagebrush and understory of grass and forbs provide a diverse plant community that will support domestic livestock and wildlife such as mule deer and antelope. This plant community is resistant to change. A significant reduction of big sagebrush can only be accomplished through fire or brush management. The herbaceous species present are well adapted to grazing; however, species composition can be altered through long-term overgrazing. If the herbaceous component is intact, it tends to be resilient if the disturbance is not long-term.

3.4. Water Resources

WDEQ regulates Wyoming's water quality with EPA oversight. The Wyoming State Engineer's Office (WSEO) has authority for regulating water rights issues and permitting impoundments for the State's surface waters.

3.4.1. Groundwater

A search of the WSEO Ground Water Rights Database showed 9 registered stock and domestic water wells within 1 mile of the proposed wells with depths from 116 to 610 feet. Refer to the PRB FEIS for additional information on groundwater, pp. 3-1 to 3-36. In the PRB, the Fox Hills formation is the deepest fresh water aquifer which merits specific attention. In this area, the depth to the Fox Hills is 7,131 feet at pad one and 7,136 feet at pad two.

3.4.2. Surface Water

The project area is drained by tributaries to the Belle Fourche River. Most of the area drainages are ephemeral (flowing only in response to a precipitation event or snow melt) to intermittent (flowing only at certain times of the year when it receives water from alluvial groundwater, springs, or other surface source – PRB FEIS, Glossary). The channels are primarily well vegetated grassy swales, without defined bed and bank. See the PRB FEIS for a surface water quality discussion, pp. 3-48 to 3-49.

3.5. Wetlands/Riparian

Atwood-Laur Fed 1 POD, is located on an upland site and accessed by existing roads also located in uplands. No wetland or riparian habitats are impacted by this project.

3.6. Invasive or Noxious Species

Cheatgrass (*Bromus tectorum*) and to a lesser extent, Japanese brome (*B. japonicus*) exist in the affected environment. These species are found in high densities and numerous locations throughout NE Wyoming. Balch, 2013, linked the proliferation of cheatgrass in semi-arid environments to the increased frequency and severity of wildfire. Both species were noted in the project area in low densities. A thorough records review and onsite inspection revealed no additional invasive or noxious weeds present in the project area.

3.7. Wildlife

The PRB FEIS identified wildlife species occurring in the PRB, pp. 3-113 to 3-206. BLM performed a habitat assessment in the project area on February 28, 2014. The biologist evaluated impacts to wildlife resources and recommended project modifications where wildlife issues arose. BLM wildlife biologists also consulted databases compiled and managed by BLM BFO wildlife staff, the PRB FEIS, WY Game and Fish Department (WGFD) datasets, and the Wyoming Natural Diversity Database (WYNDD) to evaluate the affected environment for wildlife species that may occur in the area. A wildlife survey and habitat report was submitted by the operator which was performed by Grouse Mountain Environmental Consultants during the 2014 survey season (see AR). Site specific information is described below for known species suspected to occur and become impacted beyond the analysis of the PRD EIS 2003. Rationale for species not discussed in detail below can be referenced in the administrative record ((Table W.1.(Summary of Sensitive Species Habitat and Project Effects) and Table W.2. (Summary of Threatened and Endangered Species Habitat and Project Effects)).

Land uses and other disturbances occurring within the proposed project area include, livestock grazing, ranching operations, overhead power lines, conventional oil and gas, and improved and unimproved roads. Habitats within the proposal are comprised of sagebrush grassland and mixed-grass prairie. Habitats within the proposal are comprised of sagebrush grassland and mixed-grass prairie. The dominant vegetation is Wyoming big sagebrush and the understory is a mix of pasture grasses (needleandthread, prairie junegrass, blue gramma, Sandberg bluegrass, threadleaf sedge, and cheatgrass). The habitat is similar in nature to the habitats (sagebrush obligate migratory birds and Greater sage-grouse habitat) discussed in the Sahara POD EA, WY-070-EA13-72, incorporated here by reference.

The proposal is located on fee surface above fee minerals. The Bottom hole location for the proposal is associated with a federal leases WYW145132. Therefore, BLM's Instruction Memorandum No. 2009-078 entitled Processing Oil and Gas Applications for Permit to Drill for Directional Drilling into Federal Mineral Estate from Multiple-Well Pads on Non-Federal Surface and Mineral Estate Locations will apply to the proposal (COA's are only recommended).

3.7.1. Threatened, Endangered, Candidate, Special Status (Sensitive) Species (SSS)

3.7.1.1. Candidate Species – Greater Sage-Grouse (GSG)

Nesting GSG habitat exists within the proposal area. The majority of the sagebrush stands have been fragmented by oil and gas development. No leks are within two miles of the proposal. The affected environment for this proposal is similar to a recent approved project (Sahara POD) BLM analyzed. Therefore, the Sahara POD EA, WY-070-EA13-72 analysis is incorporated here by reference: Affected Environment (Section 3.7.4.1, p.18-19). The BLM IM WY-2012-019 establishes interim management policies for proposed activities on BLM-administered lands, including federal mineral estate, until RMP updates are complete.

3.7.1.2. Migratory Birds

The PRB FEIS discussed the affected environment for migratory birds, pp. 3-150 to 3-153. The Lance Sahara POD EA, WY-070-EA13-72, Section 3.7.2.2, p.16 is incorporated here by reference due to similar habitats and proposed action. Habitats occurring near the proposed well location include sagebrush steppe grasslands, mixed grass prairie, and mature deciduous trees. Many species that are of high management concern use these areas for their primary breeding habitats (Saab and Rich 1997). Sensitive species that have the potential to occur in the project area are: Brewer's sparrow, sage thrasher, loggerhead shrike, and grasshopper sparrow.

3.8. Cultural

In accordance with section 106 of the National Historic Preservation Act, BLM must consider impacts to historic properties (sites that are eligible for or listed on the National Register of Historic Places (NRHP)). For an overview of cultural resources that are generally found within BFO the reader is referred to the *Draft Cultural Class I Regional Overview, Buffalo Field Office* (BLM, 2010). A Class III (intensive) cultural resource inventory (BFO project no. 70140060) was performed in order to locate specific historic properties which may be impacted by the proposed project. No cultural resources are located in the proposed project area.

4. ENVIRONMENTAL EFFECTS

No Action Alternative. BLM analyzed the no action alternative as Alternative 3 in the PRB FEIS and it subsequently received augmentation of the effects analysis in this EA through the analysis of mineral projects, their approval, and construction; and through the analysis and approval of other projects. This updated the no action alternative and cumulative effects. The project area has surface disturbance from existing roads, well pads, and oil and gas facilities. Under the no action alternative, on-going well field operations would continue as would the development of fee wells. The production and the drilling and completion of these new wells would result in noise and human presence that could affect resources in the project area; these effects could include the disruption of wildlife, the dispersal of noxious and invasive weed species, and dust effects from traffic on unpaved roads. Present fluid mineral development in the PRB is under half of that envisioned and analyzed in the PRB FEIS. There is only a remote potential for significant effects above those identified in the PRB FEIS to resource issues as a result of implementing the no action alternative.

Alternative B, Proposed Action (Proposal)

4.1. Air Quality

In the project area, air quality impacts would occur during construction (due to surface disturbance by earth-moving equipment, vehicle traffic fugitive dust, well testing, as well as drilling rig and vehicle engine exhaust) and production (including well production equipment, booster and pipeline compression engine exhaust). The amount of air pollutant emissions during construction would be controlled by watering disturbed soils, and by air pollutant emission limitations imposed by applicable air quality regulatory agencies. BLM incorporates by reference the air quality direct, indirect, cumulative, and

residual effects from the analyses in Table 3.1, above as they are materially similar to those for these proposals. BLM incorporates by reference the analysis found in the August 2012 Lease Sale EA, WY-070-EA12-44, pp. 45-51 (air quality, greenhouse gas emissions, and visibility). Air quality impacts modeled in the PRB FEIS and Cumulative Air Quality Effects, 2009 concluded that PRB projected fluid and solid development would not violate state, or federal air quality standards and this project is within the development parameters.

4.2. Soils, Ecological Sites, and Vegetation

4.2.1. Soils and Vegetation

4.2.1.1. Direct and Indirect Effects

The PRB FEIS analyzed direct and indirect impacts to soils associated with fluid mineral development. For these effects refer to p. 4-134-149 of the PRB EIS.

Construction Activities

The greatest impacts to the soil resources associated with this project would occur with the construction of the well pad and road upgrades. Construction of these requires grading and leveling, with the greatest level of effort required on more steeply sloping areas. These impacts would begin immediately as the soils would be subjected to grading and construction activities and impacts would continue for the term of operations. The duration and intensity of these impacts would vary according to the type of construction activity to be completed and the inherent characteristics of the soils to be impacted.

The proposed APD requires 18.70 acres total disturbance to safely drill the proposed wells. During the construction and drilling phase of the project, the operator plans to maintain cut and fill slopes at 1½:1(67%), 2:1(50%) slopes. These constructed slopes will be bare ground void of vegetation thus identified as highly erosive due to water erosion, and the total 18.70 acres are classified as highly erosive for wind erosion. The predicted construction cut depth exceeds the identified soil depth, thus impacting soil horizons described as “little affected by pedogenic processes”, or unaltered parent material. The physical and chemical properties of this material may be variable and limiting in its potential to support plant growth, variable in erosion potential and suitability for construction material. The 15.29 acre engineered pad areas are defined as a Low Reclamation Potential (LRP) areas per Wyoming Reclamation Policy, and p. 4-143 and 4-149 of the PRB-EIS.

The well pads will be reduced to 6.52 acres of disturbance at interim reclamation for the production phase. See Exhibit IX for an illustration of the well pad reduction as per Onshore Oil and Gas Order Number 1 Surface Use Plan of Operations. Cut slopes and fill slopes will be maintained at 2:1 and 3:1 respectively as per standard conditions of approval. Road running surface is 20 feet with the remaining right-of-way (ROW) to be re-contoured and seeded. The operator committed measures and attached mitigation measures listed below this section reduce the potential impacts to the soil resource to levels described in the PRB-FEIS.

Changes in soil productivity would depend on the success of the stabilization and interim reclamation efforts. The replaced soil could support stable and productive vegetation adequate in quantity and kind to support the post disturbance land uses- wildlife habitat and rangeland. After reclamation (interim and final), the soils would be unlike the pre-disturbance soils in structure, horizon, bulk density, and chemical composition. The new soils would be more uniform in type, thickness and texture than the pre-disturbance soils. The soil-forming processes would be disturbed, resulting in the alteration of soil characteristics and, consequently, the taxonomic classification of the soils. Productivity capabilities, biologic activity, and nutrient content also would be affected.

4.2.1.2. Cumulative Effects

The PRB FEIS defined the duration of disturbance, pp. 4-1 and 4-15. The impacts to the soil resource described in the direct and indirect effects section could be minimized by reducing initial surface disturbance, successful site stabilization and maximum interim reclamation, as committed to by the operator in their POD Surface Use Plan and as required by the BLM in COAs. Most of the disturbance associated with the construction of well pads would be short term. See Sheet 5 of 5 in the MSUP for production phase pad design (interim reclamation phase), and section 4.4.2.

4.2.1.3. Mitigation Measures

The operator will reduce impacts to vegetation and soils from surface disturbance by following its plans (MSUP, and design features, engineered designs), Storm Water Pollution Prevention Plan (SWPPP) requirements, reclamation plan and the BLM Wyoming Reclamation Policy). These practices, as well as other approved mitigation measures will result in less surface disturbance and environmental impacts. In addition the following site specific recommended COAs are added as mitigation.

1. The entire access road must be fully upgraded (including all water control structures such as wing ditches, culverts, relief ditches, turnouts, surfacing, etc.) and functional to BLM standards prior to mobilizing the drilling equipment to the well location.
2. Re-contouring and interim reclamation will be initiated as soon as is practicable but not more than 6 months from the date of the well completion incorporating stored soil material into that portion of the well pad not needed for well production; exception(s) may be granted with sufficient justification.
3. Soil compaction will be remediated on all compacted surfaces and prior to the redistribution of topsoil on disturbed surfaces to the depth of compaction by methods that prevent mixing of the soil horizons. BLM's recommended methods are sub-soiling, para-plowing, or ripping with a winged shank. Scarification is acceptable on areas identified as very shallow or shallow soils.

4.2.1.4. Residual Effects

The PRB FEIS identified residual effects (p. 4-408). Residual effects across the project area would include a long-term loss of soil productivity associated with well pads and roads. Alteration of soils would result in the formation of new soil with different properties. Post disturbance productivity should be similar to pre-disturbance. In spite of the above residual effects, the BLM considers that Alternative B is within the parameters for surface disturbance and surface disturbance reclamation in PRB FEIS ROD.

4.2.2. Vegetation and Ecological Sites

4.2.2.1. Direct and Indirect Effects

The PRB FEIS discusses direct and indirect effects to ecological sites and vegetation (p. 4-153 to 4-164). The proposed action would impact the existing plant communities, species richness, diversity, and structure that occur on the site and the transition between the communities. Other impacts anticipated to occur include those in the direct and indirect effects listed above under soils section. Direct effects to ecological sites would occur from ground disturbance caused by construction practices. Short term effects would occur where vegetated areas are disturbed but later reclaimed as soon as practical from initial disturbance. Long-term effects would occur where well pads, roads, and other semi-permanent facilities, result in loss of vegetation and prevent reclamation for the life of the project. Other impacts include a reduction in the utility of interim reclaimed areas because of reduced species and landscape diversity on reclaimed sites, increased soil erosion, and habitat loss for wildlife and livestock.

4.2.2.2. Cumulative Effects

The PRB FEIS discusses the cumulative effects to ecological sites (pp. 4-153 to 4-172). Cumulative effects to ecological sites include the further alteration of disturbance regimes from the increased disturbance, increase in noxious weeds, and alterations in vegetation community's diversity and cover.

4.2.2.3. Mitigation Measures

Implementation of operator's MSUP (specifically Plans for Reclamation of the Surface), agreed to COAs, and mitigation measures described in the operator's Integrated Weed and Pest Management Plan will reduce surface disturbance impacts to ecological sites and vegetation. See the AR.

4.2.2.4. Residual Effects

Residual effects were also identified in the PRB FEIS, p. 4-408. Residual effects include short-term loss of vegetative cover during construction and interim reclamation and long-term vegetation loss on well locations and access roads. The potential spread and establishment of weeds, and alteration of species biodiversity until successful final reclamation. Successful interim reclamation should create a stable functioning ecosystem that prepares the sites for eventual final reclamation, which would reduce the residual effects of the proposed action.

4.3. Water/Groundwater Resources

Peak's drilling program provides protection for the Fox Hill formation. The casing design and cement program includes centralizers on every joint of casing to facilitate adequate cement covering. The volume of cement pumped is calculated to provide cement across the Fox Hill from 100 feet above to 100 feet below the aquifer. Adherence to the drilling COAs, the setting of casing at appropriate depths, following safe remedial procedures in the event of casing failure, and using proper cementing procedures will protect fresh water aquifers above the drilling target zone. The operator will set surface casing at 2,500 feet to provide additional protection for shallow groundwater aquifers and coal zones. Compliance with the drilling and completion plans and Onshore Oil and Gas Orders Nos. 2 and 7 minimize an adverse impact on ground water. The volume of water produced by this federal mineral development is unknowable at the time of permitting.

4.3.1. Cumulative Effects

Peak will have to produce the wells for a time to be able to estimate the volume and quantity of water production. To comply with Onshore Order Oil and Gas Order No. 7, Disposal of Produced Water, Peak will submit a Sundry to the BLM within 90 days of first production which includes a representative water analysis and the final proposal for water management. The quality of water produced in association with conventional oil and gas historically was such that surface discharge would not be possible without treatment. Initial water production is quite low in most cases. There are 3 common alternatives for water management: re-injection, deep disposal, or disposal into pits. All alternatives would be protective of groundwater resources when performed in compliance with state and federal regulations.

4.3.2. Mitigation Measures

Adherence to the drilling COAs, the setting of casing at appropriate depths, following safe remedial procedures in the event of casing failure, and utilizing proper cementing procedures would protect fresh water aquifers above the target coal zone. Adherence to WDEQ permits and regulations will also mitigate impacts from produced water. This will ensure that groundwater will not be adversely impacted by well drilling and completion operations.

In addition, the following site specific COAs will be added as mitigation.

1. The operator will collect a water samples representative of the water produced from these wells for analysis within 90 days of initial production. Results of the analysis will be submitted to the BLM Authorized Officer as soon as they become available. The constituents analyzed in the water quality analyses will be the same as those required by the WDEQ for WYPDES permit using approved EPA test procedures (40 CFR 136 or 40 CFR 136.5).
2. After well completion, the operator shall submit a Sundry Notice for approval of disposal of all produced water in accordance with Onshore Oil and Gas Order No. 7, Disposal of Produced Water.

4.4. Invasive Species

4.4.1. Direct and Indirect Effects

The operator committed to the control of noxious weeds and species of concern using the following measures identified in their Integrated Pest Management Plan (IPMP): 1) Control Methods, including frequency; 2) Preventive practices; and 3) Education. Cheatgrass (*Bromus tectorum*) and to a lesser extent, Japanese brome (*B. japonicus*) exist in the affected environment. The use of existing facilities along with the surface disturbance associated with construction of proposed access roads, pipelines, and related facilities would present opportunities for weed invasion and spread. The activities related to the performance of the proposed project would create a favorable environment for the establishment and spread of noxious weeds/invasive plants. However, applicant committed measures will reduce potential impacts from noxious weeds and invasive plants.

4.4.2. Cumulative Effects

Cumulative effects resulting from noxious and invasive weed species are discussed in the PRB FEIS, p. 4-171.

4.4.3. Mitigation

Successful reclamation through application of the operator's reclamation plans will discourage establishment of invasive species during operations. In addition, measures incorporated into the programmatic COAs listed in the COA document will further mitigate the potential spread and establishment of weed species. The operator will be responsible for prevention and control of noxious weeds and weeds of concern on all areas of surface disturbance associated with this project (well locations, roads, water management facilities, etc.). Use of pesticides shall comply with the applicable federal and state laws.

4.4.4. Residual Effects

Control efforts by the Operator would be limited to the surface disturbance associated the construction and operation of the project. Cheatgrass and other weed species that are present within non-physically disturbed areas of the project area are anticipated to continue to spread unless control efforts are expanded. Efforts are being made by BLM, USDA, WGFD and other partners as some infestation areas are being treated.

4.5. Wildlife

4.5.1. Greater Sage-Grouse

Effects (Direct and indirect, Cumulative, Mitigation, and Residual) to GSG from surface disturbing and disruptive activities associated with development of horizontal oil wells were analyzed in the Sahara POD EA, WY-070-EA13-72, 2013, Section 4.6.4.1, pp. 34-37, incorporated here by reference. Activities associated with development of this project are anticipated to be similar in nature, with the following additional site-specific information.

The proposal area contains suitable nesting habitat. Construction of the wells and their associated infrastructure will cause fragmentation of sagebrush stands and result in the direct loss of approximately 18.70 acres (see Table 2.2a. Disturbance Summary) of GSG habitat. Noise and human disturbance associated with roads, construction, drilling, and completion will be disruptive to GSG. Implementation of the project will adversely impact nesting habitat, both through direct loss of suitable habitats and avoidance of the area by GSG due to fragmentation and anthropogenic activity.

4.5.2. Migratory Birds

4.5.2.1. Direct and Indirect Effects

The PRB FEIS discussed direct and indirect effects to migratory birds on pp. 4-231 to 4-235. BLM analyzed the effects to migratory birds from surface disturbing and disruptive activities associated with development of horizontal oil wells in the Sahara POD EA, WY-070-EA13-72, 2013, Section 4.6.2.2, pp. 31-33, incorporated here by reference. Effects and mitigation associated with this project are similar in nature, with the following additional site-specific information. During the onsite, the BLM biologist identified suitable nesting habitat present for several BLM sensitive sagebrush obligates. Construction of all of the well pads within the proposal and associated infrastructure will remove habitat and could kill BLM sensitive migratory birds, or destroy eggs, if the habitat is removed during the nesting season.

Heater treaters, and similar facilities with vertical open-topped stacks or pipes, can attract birds. Facilities without exclusionary devices pose a mortality risk. Once birds crawl into the stack, escape is difficult and the bird may become trapped (U.S. v. Apollo Energies Inc., 611 F.3d 679 (10th Cir. 2010); see also Colorado Oil and Gas Commission, Migratory Bird Policy, accessed February 13, 2012). To minimize these effects, the operator will equip all open-top pits, tanks, and pipes containing hydrocarbons with nets, screens, or other avian exclusion devices to prevent injury or death to migratory birds.

4.5.2.2. Cumulative Effects

The cumulative effects associated with alternative B are within the analysis parameters and impacts described in the PRB FEIS, p. 4-235.

4.5.2.3. Mitigation Measures

BLM recommends no removal of occupied sagebrush obligate migratory bird habitat during the breeding season (May 1- July 31), unless a pre-construction nest survey (within approximately 10 days of construction planned May 1-July 31) is completed. If surveys will be conducted, the operator should follow “2012 Sage-brush BLM Sensitive Migratory Bird Nest Protocol” found at the following web address:

http://www.blm.gov/wy/st/en/field_offices/Buffalo/wildlife.html

4.5.2.4. Residual Effects

Nests initiated after the first week in July may be destroyed by construction after August 1st. Migratory birds nesting adjacent to the well pad or road may be disturbed by construction and production activities. A timing limitation does nothing to mitigate loss and fragmentation of habitat. Suitability of the project area for migratory birds will be negatively affected due to habitat loss and fragmentation and proximity of human activities associated with oil and gas development.

4.6. Cultural Resources

BLM policy states that a decision maker’s first choice should be avoidance of historic properties (BLM Manual 8140.06(C)). If historic properties cannot be avoided, mitigation measures must be applied to resolve the adverse effect. No historic properties will be impacted by the proposed project. Following the *2006 State Protocol Between the Wyoming Bureau of Land Management State Director and The Wyoming State Historic Preservation Officer*, Section VI(A)(1), the Bureau of Land Management electronically notified the Wyoming State Historic Preservation Officer (SHPO) on July 22, 2014, that no historic properties exist within the area of potential effect (APE). If any cultural values (sites, features or artifacts) are observed during operation, they will be left intact and the Buffalo Field Manager notified. If human remains are noted, the procedures described in Appendix L of the PRB FEIS must be followed. Further discovery procedures are explained in Standard COA (General)(A)(1) and in Appendix K of the Wyoming Protocol.

4.6.1. Cumulative Effects

Construction and development of oil and gas resources impacts cultural resources through ground disturbance, unauthorized collection, and visual intrusion of the setting of historic properties. Destruction of any archeological resource results in fewer opportunities to study past human life-ways, to study changes in human behavior through time, or to interpret the past to the public. Additionally, these impacts may compromise the aspects of integrity that make a historic property eligible for the National Register of Historic Places. Recording and archiving basic information about archaeological sites and the potential for subsurface cultural materials in the proposed project area may serve to partially mitigate potential cumulative effects to cultural resources.

Fee actions constructed in support of federal actions can result in impacts to historic properties. Oil and gas development on split estate often includes construction of infrastructure that does not require permitting by BLM. Project applicants may integrate infrastructure associated with wells draining fee minerals with wells that require federal approval. BLM has no authority over fee actions, which can impact historic properties. BLM has the authority to modify or deny approval of federal undertakings on private surface, but that authority is limited to the extent of the federal approval. Historic properties on private surface belong to the surface owner and they are not obligated to preserve or protect them. The BLM may go to great lengths to protect a site on private surface from a federal undertaking, but the same site can be legally impacted by the landowner at any time. Archeological inventories reveal the location of sensitive sites and although the BLM is obligated to protect site location data, information can potentially get into the wrong hands resulting in unauthorized artifact collection or vandalism. BLM authorizations that result in new access can inadvertently lead to impacts to sites from increased visitation by the public.

4.6.2. Mitigation Measures

If any cultural values (sites, features or artifacts) are observed during operation, they will be left intact and the Buffalo Field Manager notified. If human remains are noted, the procedures described in Appendix L of the PRB FEIS must be followed. Further discovery procedures are explained in Standard COA (General)(A)(1) and Appendix K of the Wyoming Protocol.

4.6.3. Residual Effects

During the construction phase, there will be numerous crews working across the project area using heavy construction equipment without the presence of archaeological monitors. Due to the extent of work and the surface disturbance caused by large vehicles, it is possible that unidentified cultural resources can be damaged by construction activities. The increased human presence associated with the construction phase can also lead to unauthorized collection of artifacts or vandalism of historic properties.

5. List of Preparers: Persons and Agencies Consulted (BFO unless otherwise noted)

Position/Organization	Name	Position/Organization	Name
NRS/Team Lead	Mike Garrett	Archaeologist	G.L. "Buck" Damone III
Supr NRS	Casey Freise	Wildlife Biologist	Scott Jawors
Petroleum Engineer	Mark Thomason	Geologist	Mike Garrett
LIE	Karen Klaahsen	Supr NRS	Arnie Irwin
Assistant Field Manager	Clark Bennett	Assistant Field Manager	Chris Durham
NEPA Coordinator	Tom Bills	Wyoming State Historic Preservation Officer	Mary Hopkins

6. REFERENCES and AUTHORITIES

Adgate, J.L., Goldstein, B.D., and McKenzie, L.M., Potential Public Health Hazards, Exposures and Health Effects from Unconventional Natural Gas Development, Environ, Sci. and Tech., Am. Chem. Soc., 2014.

- AHPIS, Animal and Plant Health Inspection Service. 2002. General information available online at <http://www.aphis.usda.gov/lpa/issues/wnv/wnv.html>.
- American Water Works Association. 2013. Water and Hydraulic Fracturing, a White Paper. www.awwa.org/fracturing. Denver, CO. 17pp.
- Balch, J.K., B.A. Bradley C.M D'Antonio, and J. Gomez-Dans. 2013. Introduced Annual Grass Increases Annual Fire Activity Across the Arid West (1980-2009). *Global Change Biology*. 19-1, pp. 173-183. <http://onlinelibrary.wiley.com/doi/10.1111/gcb.12046/abstract>.
- BLM 2010 Draft Cultural Class I Regional Overview. Prepared by the U.S. Department of the Interior, Bureau of Land Management, Buffalo Field Office. On file at the Bureau of Land Management, Buffalo Field Office
- Bradley, B. A., J. F. Mustard. 2006. Characterizing the Landscape Dynamics of an Invasive Plant and Risk of Invasion Using Remote Sensing. *Ecological Applications*, 16(3), pp. 1132-1147.
- Chapman, S.S., Bryce, S.A., Omernik, J.M., Despain, D.G., ZumBerge, J., and Conrad, M. 2004. Ecoregions of Wyoming (color poster with map, descriptive text, summary tables, and photographs). Reston, Virginia, U.S. Geological Survey (map scale 1:1,400,000).
- Curtis, Jan and K. Grimes. 2004. Wyoming Climate Atlas. Wyoming Water Research Program, University of Wyoming; the U.S. Geological Survey; and the Wyoming Water Development Commission. 328 pp. <http://www.wrds.uwyo.edu/sco/climateatlas/toc.html>.
- Duniway, M.C. J. E. Herrick, D. A. Pyke, and D. P. Toledo. 2010. Assessing Transportation Infrastructure Impacts on Rangelands: Test of a Standard Rangeland Assessment Protocol. *Rangeland Ecol Manage* 63:524-536.
- Ebert, James I., and Timothy A. Kohler. 1988. The Theoretical Basis of Archaeological Predictive Modeling and a Consideration of Appropriate Data-Collection Methods, in *Quantifying the Present and Predicting the Past: Theory, Method, and Application of Archaeological Predictive Modeling* edited by W. James Judge and Lynne Sebastian, pp. 97-171. U.S. Department of the Interior, BLM Service Center, Denver, CO.
- Eckerle, William. 2005. Experimental: Archaeological Burial Model for Powder River and Tongue River Hydrological Basins, Wyoming. In *Adaptive Management and Planning Models for Cultural Resource in Oil and Gas Fields in New Mexico and Wyoming*, by Eric Ingbar, Lynne Sebastian, Jeffrey Altschul, Mary Hopkins, William Eckerle, Peggy Robinson, Judson Finley, Stephen A. Hall, William E. Hayden, Chris M. Rohe, Tim Seaman, Sasha Taddie, and Scott Thompson, pp. 39-102. Prepared for the Department of Energy, National Energy Technology Laboratory by Gnomon, Inc. Electronic Document, <http://www.gnomon.com/DOEPumpIII/FinalCombinedReport.pdf>, accessed August and September 2010.
- Gelbard J. L., and J. Belnap. 2003. Roads as conduits for exotic plant invasions in a semiarid landscape. *Conservation Biology*. 17:420–432.
- Goolsby, J. 2012. Evolution & Revolution of Drilling Technologies & the Impact on Wyoming. Goolsby, Finley, and Associates, LLC. Presentation.
- Ken Kreckel. 2007. Direction Drilling: The Key to Smart Growth of Oil and Gas Development in the Rocky Mountain Region. The Wilderness Society, <http://wilderness.org/files/Directional-Drilling.pdf>.
- North Dakota Industrial Commission Oil and Gas Research Program. 2011. Investigation of Methodologies to Control Dust on County Roads in Western North Dakota. Grant Applicants: Dunn and McKenzie County.
- Pendery, Bruce M. 2010, BLM's Retained Rights: How Requiring Environmental Protection Fulfills Oil and Gas Lease Obligations, 40 Environmental Law, 599-685.
- US National Academy of Sciences, 2012. Induced Seismicity Potential in Energy Technologies. Washington, D.C.
- US Department of Agriculture, 2006, Land Resource Regions and Major Land Resource Areas of the United States, the Caribbean, and the Pacific Basin, Handbook 296, Washington, DC.
- US Environmental Protection Agency, 2012, Oil and Natural Gas Sector: New Source Performance Standards and National Emission Standards for Hazardous Air Pollutants Reviews, 77 FR 49490.
- US Department of the Interior 2009, Bureau of Land Management, Instruction Memorandum 2009-078. Processing Oil and Gas Applications for Permit to Drill for Directional Drilling into Federal Mineral Estate from Multiple-Well Pads on Non-Federal Surface and Mineral Estate Locations.
- US Department of the Interior 2009, Bureau of Land Management, High Plains District, Update of Task 3A Report for the Powder River Basin Coal Review Cumulative Air Quality Effects for 2020, (AECOM).
- US Department of the Interior 2011, Bureau of Land Management. State Director Review, SDR WY-2011-010.
- US Department of the Interior, Geological Survey. 2007. Organic Compounds in Produced Waters from Coalbed Natural Gas Wells in the Powder River Basin, Wyoming. *Applied Geochemistry* 22, 2240–2256.
- US Department of the Interior, Geological Survey. 2010. Assessment of Potential Effects of Water Produced from Coalbed Methane Natural Gas Development on Macroinvertebrate and Algal Communities in the Powder River and Tongue River, Wyoming and Montana.

- US Department of the Interior, Geological Survey. 2012. Hydraulic Fracturing – The State of the Science. Induced Seismicity. Leith, B. http://www.usgs.gov/solutions/ppt/2012june08_leith.pptx. Congressional Briefing hosted by the Honorable Gerry Connelly (D-VA). June 8, 2012. View at: <http://www.youtube.com/watch?v=XnRH9i8hpbo&feature=youtu.be> See, Earthquakes Induced by Fluid Injection. <http://www.usgs.gov/faq/index.php?sid=54684&lang=en&action=show&cat=125>
- US Department of the Interior, Geological Survey. 2012. Kresse, T.M., Warner, N.R., Hays, P.D., Down, A., Vengosh, A., and Jackson, R.B., 2012, Shallow groundwater quality and geochemistry in the Fayetteville Shale gas-production area, north-central Arkansas, 2011: Investigations Report 2012–5273, 31 p.
- US Environmental Protection Agency. 2004. Evaluation of Impacts to Underground Sources of Drinking Water by Hydraulic Fracturing of Coalbed Methane Reservoirs Study, EPA 816-R-04-003, <http://water.epa.gov/type/groundwater/uic/upload/completetestudy.zip>.
- University of Wyoming, Norton, J., Strom, C., Reclamation Considerations for Oil and Gas Lease Contracts on Private Lands, Bulletin B-1242, Apr. 2013.
- Warner, N.R., Jackson, R.B., Darraha, T.H., Osborn, S.G., Down, A., Zhaob, K., Whitea, A. and Vengosha, A., 2012, Geochemical evidence for possible natural migration of Marcellus Formation brine to shallow aquifers in Pennsylvania, Proceedings Natl Acad Sciences
- Wyoming Department of Environmental Quality, June 14, 2004. Compliance Monitoring for Ground Water Protection Beneath Unlined Coalbed Methane Produced Water Impoundments
- Wyoming Oil and Gas Conservation Commission. 2013. Well Files, <http://wogcc.state.wy.us/>.