

# Environmental Assessment

## November 2014 Lease Parcels

WY-040-EA14-75

November 2014

**BLM**

High Desert District



The BLM's multiple-use mission is to sustain the health and productivity of the public lands for the use and enjoyment of present and future generations. The Bureau accomplishes this by managing such activities as outdoor recreation, livestock grazing, mineral development, and energy production, and by conserving natural, historical, cultural, and other resources on public lands.

**WY-040-EA14-75**

# Contents

<b>INTRODUCTION .....</b>	<b>1</b>
1.0 PURPOSE AND NEED .....	3
1.1 CONFORMANCE WITH APPLICABLE LAND USE PLAN AND OTHER ENVIRONMENTAL ASSESSMENTS.....	3
1.2 FEDERAL, STATE OR LOCAL PERMITS, LICENSES OR OTHER CONSULTATION REQUIREMENTS .....	4
1.3 FEDERAL LEASING OF FLUID MINERALS .....	4
1.4 SCOPING AND PUBLIC INVOLVEMENT.....	6
<i>1.4.1 Scoping .....</i>	<i>6</i>
<i>1.4.2 Public Participation.....</i>	<i>7</i>
<b>PROPOSED ACTION AND ALTERNATIVES.....</b>	<b>7</b>
2.0 ALTERNATIVES INCLUDING THE PROPOSED ACTION .....	7
2.1 ALTERNATIVE A – NO ACTION.....	7
2.2 ALTERNATIVE B – PROPOSED ACTION .....	8
2.3 ALTERNATIVES CONSIDERED BUT NOT ANALYZED IN DETAIL .....	8
<b>AFFECTED ENVIRONMENT .....</b>	<b>8</b>
3.0 DESCRIPTION OF AFFECTED ENVIRONMENT.....	8
3.1 RESOURCE VALUES BY PARCEL .....	9
<i>3.1.1 Identification of Issues.....</i>	<i>9</i>
3.2 RESOURCE VALUES COMMON TO ALL PARCELS.....	58
3.2.1 Air Resources.....	58
3.2.2 Wildlife and Special Status Species (Plants and Animals).....	77
3.2.3 Lands with Wilderness Characteristics.....	80
3.2.4 Cultural and Paleontological Resources .....	82
3.2.5 Soils .....	82
3.2.6 Vegetation.....	82
3.2.7 Invasive, Non-native Species .....	83
3.2.8 Wastes, Hazardous or Solid.....	83
3.2.9 Water Resources: Surface and Groundwater .....	83
3.2.10 Livestock Grazing .....	84
3.2.11 Recreation.....	84
3.2.12 Visual Resources.....	85
3.2.13 Public Health and Safety .....	86
3.2.14 Socioeconomics.....	87
3.2.15 Environmental Justice.....	87
3.2.16 Solid Leasables (Coal and Sodium).....	88
<b>ENVIRONMENTAL IMPACTS .....</b>	<b>88</b>
4.0 DESCRIPTION OF IMPACTS .....	88
4.1 IMPACTS OF ALTERNATIVE A (NO ACTION) .....	88
4.1.1 Socioeconomic Resource .....	88

4.2 IMPACTS OF ALTERNATIVE B (PROPOSED ACTION).....	89
4.2.1 Air Resources.....	94
4.2.2 Wildlife and Special Status Species (Plants and Animals).....	101
4.2.3 Lands with Wilderness Characteristics.....	103
4.2.4 Cultural and Paleontological Resources.....	105
4.2.5 Soils.....	106
4.2.6 Vegetation.....	107
4.2.7 Invasive, Non-native Species.....	107
4.2.8 Wastes, Hazardous or Solid.....	108
4.2.9 Water Resources: Surface and Groundwater.....	108
4.2.10 Livestock Grazing.....	113
4.2.11 Recreation.....	113
4.2.12 Visual Resources.....	114
4.2.13 Public Health and Safety.....	115
4.2.14 Socio-economics.....	116
4.2.15 Environmental Justice.....	116
4.2.16 Solid Leasables (Coal and Sodium).....	117
4.2.17 Other Considerations in accordance with IM 2010-117.....	117
4.3 CUMULATIVE IMPACTS.....	118
4.4 IRREVERSIBLE AND IRRETRIEVABLE COMMITMENTS OF RESOURCES.....	122
<b>5.0 DESCRIPTION OF MITIGATING MEASURES AND RESIDUAL IMPACTS.....</b>	<b>122</b>
<b>6.0 CONSULTATION/COORDINATION.....</b>	<b>123</b>
6.1 LIST OF PREPARERS/REVIEWERS.....	123
<b>7.0 REFERENCES.....</b>	<b>124</b>
7.1 AUTHORITIES.....	128

**LIST OF TABLES**

Table 1. Affected Environment.....	10
Table 2. Background Ambient Air Quality Concentrations.....	61
Table 3. Ambient Air Quality Standards and PSD Increments.....	62
Table 4. Wyoming Particulate Summary for 2001.....	63
Table 5. Distances and Direction to Class I Areas.....	64
Table 6. Distances and Direction to Class II Sensitive Areas and other areas of concern in southern Wyoming.....	67
Table 7. Summary of Current Atmospheric Deposition.....	70
Table 8. Distance and Direction to Sensitive Lakes.....	72

Table 9. Background ANC Values for Acid Sensitive Lakes.....	73
Table 10. Summary of Climate.....	74
Table 11. High Desert District Population by County, 2000-2010.....	87
Table 12. Lease Notices, Timing Limitation Stipulations (TLS) and No Surface Occupancy (NSO) Stipulations ...	90

**LIST OF FIGURES**

Figure 1. Mean Annual Concentrations of Nitrogen Compounds in Pinedale, Wyoming.....	61
Figure 2. Visibility in the Bridger Wilderness.....	68
Figure 3. Mean Annual Nitrogen Deposition for Hobbs Lake and Black Joe Lake .....	70
Figure 4. Mean Annual Sulfur Deposition for Hobbs Lake and Black Joe Lake.....	70
Figure 5. Long-term Temperature (top) and Precipitation (bottom) Trends in the United States from NOAA Climate Prediction Center .....	76
Figure 6. Methane and Fossil Fuel Emissions .....	99
Figure 7. Examples of Impacts Associated with Global Average Temperature Change .....	120

**LIST OF MAPS**

Map 1. Class I Airshed and Air Quality Monitoring Stations in Wyoming.....	66
--	----

**ENVIRONMENTAL ASSESSMENT**  
**for the**  
**NOVEMBER 2014 COMPETITIVE OIL AND GAS LEASE SALE**  
**WY-040-EA14-75**

## **INTRODUCTION**

The Bureau of Land Management (BLM) policy, derived from various laws, including the Mineral Leasing Act of 1920 (MLA), as amended [30 U.S.C. 181 *et seq.*] and the Federal Land Policy and Management Act of 1976 (FLPMA), is to make mineral resources available for disposal and to encourage development of mineral resources to meet national, regional, and local needs.

As required under the MLA, the Federal Onshore Oil and Gas Leasing Reform Act of 1987 (FOOGLRA), and Title 43 Code of Federal Regulations (CFR) 3120.1-2(a), the BLM Wyoming State Office (WSO) conducts a quarterly competitive lease sale for nominated oil and gas lease parcels. A Notice of Competitive Oil and Gas Lease Sale, which lists parcels to be offered at the auction, is published by the BLM WSO at least 90 days before the auction is held. Lease stipulations applicable to each parcel are specified in the Sale Notice. The decision as to which public lands and minerals are open for leasing and what leasing stipulations may be necessary is made during the land use planning process. Surface management/use for mineral extraction on non-BLM administered land overlaying federal minerals will be determined by the BLM in consultation with the appropriate surface management agency or the private surface owner at the time such surface use is proposed by the leaseholder or designated agent. Under the Mineral Leasing Act, issuing oil and gas leases is a discretionary authority conveyed to the Secretary of the Interior. In accordance with this discretionary authority and as described in sections 1.3 and 2.0 below, certain parcels would be available for offer at the November 2014 lease sale and others would be deleted or deferred. In carrying out the mineral leasing authority conveyed through the Mineral Leasing Act, the BLM must comply with other applicable federal laws and regulations, including, but not limited to the Endangered Species Act, the National Historic Preservation Act, the Clean Water Act, the Clean Air Act, and the Energy Policy Act.

One hundred thirty-nine (139) parcels, containing 205,035.130 acres, were nominated and reviewed for the November 2014 lease sale. Two whole parcels and one partial parcel in the Rawlins Field Office are closed to leasing and will not be made available for competitive lease sale. These parcels, totaling 2,720.530 acres, are closed to leasing because they are inside the Upper Muddy Creek Watershed/Grizzly WHMA: Parcel WY-1411-025 (containing 160.000 acres), Parcel WY-1411-026 (containing 1,885.860 acres), and partial Parcel WY-1411-029 (containing 674.670 acres). The RFO Record of Decision (ROD) and Approved Resource Management Plan (RMP) states that “The area is closed to new oil and gas leasing.”

Therefore, 137 parcels, representing 202,314.600 federal mineral acres are available for offering at the November 2014 Competitive Lease Sale.

As part of the November 2014 lease sale preparation process, the BLM Wyoming State Office (WSO) conducted screening for Greater Sage-Grouse according to BLM WY guidance (IM WY-2012-019), consistent with national policy. The parcels meeting criteria for core habitat and manageability using the Fluid Mineral Leasing Screen were identified for deferral on this basis. Acreage deferred from the November 2014 lease parcel offering in accordance with WY IM 2012-019 are 79,491.350 acres. At the discretion of the State Director, parcels within core areas that contain less than 640 acres are deferred as well. These total 6,598.550 acres. As a result, 46 whole and 10 partial parcels, totaling 86,089.900 acres, were screened out from lease offering at this time and are not further analyzed in detail. Deferred parcel areas will remain deferred from leasing until conservation planning and management potential can be evaluated under the land use planning process. Results of the Greater Sage-Grouse screen are located in Appendix C.

In addition to the Greater Sage-Grouse deferrals, three more parcels in the RFO are being deferred at the discretion of the State Director. Parcel 8, containing 640.000 acres, is deferred pending resolution of bonding liability for four unplugged coal bed methane well bores left from a prior lease. Parcels 75 and 89, containing 1,280.000 acres, are deferred pending completion of the RFO Visual Resources Management (VRM) RMP amendment.

The BLM WSO submitted the draft list of the remaining parcels to the High Desert District (HDD), Kemmerer Field Office (KFO), Pinedale Field Office (PFO), Rawlins Field Office (RFO), and Rock Springs Field Office (RSFO) for review and processing. Interdisciplinary Teams (IDTs) in each Field Office, in coordination and consultation with the District Office, have reviewed the legal descriptions of the parcels to determine if they are in areas open to leasing; if appropriate stipulations have been included or additional stipulations are needed; whether or not new information is available since the land use plan was approved; if appropriate consultations have been conducted or if additional consultations are needed; and if there are special resource conditions of which potential bidders should be made aware.

This Environmental Assessment (EA) has been prepared by the HDD to document this review, as well as to disclose the affected environment, the anticipated impacts, and proposed mitigation of impacts.

This EA inclusively addresses the remaining 79 whole and 11 partial parcels (114,304.700 acres) located within the field offices in the High Desert District that have been nominated through “Expressions of Interest” for the November 2014 Competitive Oil and Gas Lease Sale, and remain partially or wholly available after running the Greater Sage-Grouse screen. Three (3) of the eligible whole or partial parcels containing 2,112.380 acres are located within the KFO; one (1) of the nominated partial parcels containing 199.250 acres is located within the PFO; thirty-one (31) whole or partial parcels containing 44,974.150 acres are located within the RSFO; and sixty-one (61) whole or partial parcels containing 67,018.920 acres are in the RFO. Six parcels (93, 94, 96, 100, 101, and 123) fall within both the RSFO and RFO, and are represented on both the RSFO and RFO Parcel Lists. Acres reflect only those within each FO.

## **1.0 Purpose and Need**

The BLM purpose for offering parcels and subsequent issuance of leases in the November 2014 lease sale is to provide for exploration and development of additional oil and gas resources to help meet the nation's need for energy sources, while protecting other resource values in accordance with guiding laws, regulations, and Land Use Planning decisions. Wyoming is a major source of natural gas for heating and electrical energy production in the United States. The offering for sale and subsequent issuance of oil and gas leases is needed to meet the requirements of the MLA, FLPMA, and the minerals management objectives in the Kemmerer, Pinedale, Rawlins, and Green River Resource Management Plans (RMP). Oil and gas leasing provides the opportunity to expand existing areas of production and to locate previously undiscovered oil and gas resources to help meet the public's energy demands.

Decisions to be made based on this analysis include which parcels would be offered for lease, which parcels would be deferred, which parcels are not available for leasing, and what stipulations will be placed on the parcels that would be offered for lease at the November 2014 lease sale.

## **1.1 Conformance with Applicable Land Use Plan and Other Environmental Assessments**

Pursuant to 40 CFR 1508.28 and 1502.21, this EA tiers to the final environmental impact statements (EIS) prepared for each Field Office resource management plan. The impact analysis in the EISs for the effects from oil and gas development was based on and is commensurate with the Reasonably Foreseeable Development (RFD) scenario (i.e., the level of oil and gas development projected for the life of the plan based on historically and projected trends). The mitigation measures developed through the EISs reduce/minimize the anticipated impacts associated with the projected development to acceptable levels below the significance thresholds. The mitigation (i.e., stipulations and Best Management Practices (BMPs)) developed through the RMP process is carried into this EA, both through tiering and through actual application to individual parcels.

The EA conforms with the approved Kemmerer, Pinedale, Rawlins, and Green River RMPs (43 CFR 1610.5).

The Kemmerer, Pinedale, Rawlins, and Green River RMPs identify lands as either open or closed to fluid mineral leasing, and provide specific stipulations that would be attached to new leases offered in certain areas. Of the 139 parcels nominated for the November 2014 Lease Sale, two whole and one partial parcels within the Upper Muddy Creek Watershed/Grizzly WHMA were deleted and are not further analyzed in this document because they are located in areas that are closed to fluid mineral leasing.

The parcels listed in Appendix C, meeting criteria for Greater Sage-Grouse core habitat manageability using the Fluid Mineral Leasing Screen (IM WY-2012-019), are deferred in whole or in part from this sale and are not further analyzed in this document.

Three additional whole parcels totaling 1,920,000 acres are deferred at the discretion of the State Director pending resolution of bonding liability for unplugged wells and completion of the RFO VRM RMP amendment.

Total acreage deferred from the November 2014 lease parcel offering in accordance with both WY IM 2012-019 and State Director discretion total 88,009.900 acres.

## **1.2 Federal, State or Local Permits, Licenses or Other Consultation Requirements**

Purchasers of oil and gas leases are required to comply with all applicable federal, state, and local laws and regulations including obtaining all necessary permits required should lease development occur and are required to submit bonding in accordance with 43 CFR 3104.1.

Interdisciplinary teams from each Field Office reviewed their respective lease parcel lists for this environmental assessment. Among other resource values, individual parcels may contain threatened, endangered, candidate, and BLM sensitive species (see Section 3.0 and Appendix B). The administrative act of offering parcels and subsequent issuance of oil and gas leases is consistent with the decisions in the Kemmerer, Pinedale, Rawlins, and Green River RMPs, including decisions relating to threatened, endangered, candidate, and BLM sensitive species. Offering and subsequent issuance of oil and gas leases is also consistent with the Biological Assessment and Biological Opinion (BA/BO) for these RMPs. No further consultation with the U.S. Fish and Wildlife Service (USFWS) is required at this stage.

Compliance with Section 106 responsibilities of the National Historic Preservation Act (NHPA) can be achieved by following the BLM Wyoming-State Historic Preservation Officer (SHPO) protocol agreement, which is authorized by the National Programmatic Agreement between the BLM, the Advisory Council on Historic Preservation, and the National Conference of SHPOs, and other applicable BLM handbooks.

## **1.3 Federal Leasing of Fluid Minerals**

Analysis as required by the National Environmental Policy Act (NEPA) of 1969, as amended (Public Law 91-90, U.S.C. 4321 *et seq.*) was conducted by Field Office resource specialists who relied on personal knowledge of the areas involved and/or reviewed existing databases and file information to determine if appropriate stipulations had been attached to specific parcels before being made available for lease.

The offering and subsequent issuance of oil and gas leases is strictly an administrative action, which, in and of itself, does not cause or directly result in any surface disturbance. The issuance of an oil and gas lease, however, does convey to the lessee the rights to occupy, explore, and extract oil and gas resources from the lease with prior approval of the Authorized Officer. These post-leasing actions can result in surface impact.

As part of the lease issuance process, nominated parcels are reviewed against the appropriate land use plan, and stipulations are attached to mitigate any known environmental or resource conflicts that may occur on a given lease parcel. As stated above, on-the-ground impacts would potentially occur when a lessee applies for and receives approval to explore, occupy and/or drill on the lease. The BLM cannot

determine at the leasing stage whether or not a nominated parcel will actually be leased, or if it is leased, whether or not the lease would be explored or developed. Over time, some leases expire and then are re-leased. Based on data extracted from the BLM Wyoming Oil and Gas Leasing webpage, 88 percent of the parcels offered for lease over the past 10 years were leased.

According to the Tenth Circuit Court of Appeals, site-specific NEPA analysis at the leasing stage may not be possible absent concrete development proposals. Whether such site-specific analysis is required depends upon a fact-specific inquiry. Often, where environmental impacts remain unidentifiable until exploration narrows the range of likely well locations, filing of an Application for Permit to Drill (APD) may be the first useful point at which a site-specific environmental appraisal can be undertaken (Park County Resource Council, Inc. v. U.S. Department of Agriculture, 10th Cir., April 17, 1987). In addition, the Interior Board of Land Appeals (IBLA) has decided that "BLM is not required to undertake a site-specific environmental review before issuing an oil and gas lease when it previously analyzed the environmental consequences of leasing the land..." (Colorado Environmental Coalition, et al., IBLA 96-243, decided June 10, 1999). However, when site-specific impacts are reasonably foreseeable at the leasing stage, NEPA requires the analysis and disclosure of such reasonably foreseeable site specific impacts. (N.M ex rel. Richardson v. BLM, 565 F.3d 683, 718-19 (10th Cir. 2009). The BLM has not received any specific development proposals concerning the proposed lease parcels addressed in this EA. This site-specific environmental documentation would provide specific analysis for the well pad location or locations. Additional mitigation and BMPs may be applied as conditions of approval (COA) at that time. As well, proposals which would cause a violation of Federal and/or state laws (such Clean Air Act/Clean Water Act/T&E) or do not comply with the regulations at 43 CFR 3160, Onshore Orders, and Notice(s) to Lessee(s), would be denied regardless of stipulations attached to an issued lease.

The Energy Policy Act of 2005 categorically excludes certain oil and gas development activities from further NEPA analysis. However, excluded projects must conform to the applicable Resource Management Plan, including any constraints that would be imposed on subsequent development.

Offering, sale and issuance of leases with the application stipulations would not be in conflict with any local, county, or state plans.

Once a parcel is sold and the lease is issued, the lessee has the right to use as much of the leased lands as is reasonably necessary to explore and drill for all of the oil and gas within the lease boundaries, subject to the stipulations attached to the lease (43 CFR 3101.1-2 and 3101.1-3) and compliance with regulations found at 43 CFR 3160 and in associated Onshore Orders and Notice to Lessee(s).

Oil and gas leases are issued for a 10-year period and continue for so long thereafter as oil or gas is produced in paying quantities. If a lessee fails to produce oil and/or gas, does not make annual rental payments, does not comply with the terms and conditions of the lease, or relinquishes the lease, then ownership of the minerals leased revert back to the federal government and may be offered for lease again. If a lessee fails to pay rentals timely, or fails to pay the full amount due (and the amount is considered to be nominal), the lease can be reinstated following payment of the late fees and publication of a notice in the Federal Register.

Installing an oil and gas well on a lease is not permitted until the lessee or operator secures approval of an Application for Permit to Drill (APD) as required by 43 CFR 3162. Without a discrete development proposal, the use of hydraulic fracturing in the oil and gas completion process cannot be predicted. However, this EA incorporates by reference, in its entirety, a Hydraulic Fracturing White Paper included in Appendix E. This document provides a general discussion of the hydraulic fracturing process and issues associated with its use.

## **1.4 Scoping and Public Involvement**

### **1.4.1 Scoping**

Internal BLM scoping determined the parcels individually or collectively contain one or more of the following resource issues or concerns:

- Crucial big game winter and parturition habitat
- Big Game migration
- Sharp-tailed and Greater Sage-Grouse leks and nesting habitat
- Sharp-tailed and Greater Sage-Grouse key habitat areas
- Mountain plover nesting habitat
- Raptor nesting habitat
- Bald Eagle roosts
- Sensitive Species
- Water depletion effects to downstream threatened and endangered fish species
- Sensitive soils
- Slopes greater than 25 percent
- Riparian and live water habitat
- Air quality, including greenhouse gases
- Surface and groundwater quality
- Wilderness characteristics
- Visual resource management (VRM)
- Recreation
- Socioeconomics
- Vegetation, including invasive non-native species
- Cultural and paleontological resources, including historic trails
- Leasable coal and sodium resources
- Proximity to residences
- Livestock grazing
- Watershed and hydrology
- Threatened/Endangered Species

### **1.4.2 Public Participation**

Public participation was initiated when this EA was entered into the Wyoming NEPA tracking database through the Rock Springs Field Office in March 2014. A news release was issued on May 2, 2014, notifying the public that the EA was posted on the BLM Wyoming website for a 30-day public comment period. As required by BLM leasing policy, where parcels are split estate, a notification letter soliciting EA review and comments were sent to the appropriate surface owner based on the surface owner information provided by the party submitting the Expressions of Interest (EOI).

## **PROPOSED ACTION AND ALTERNATIVES**

### **2.0 Alternatives Including the Proposed Action**

One hundred thirty-seven (137) lease parcels (202,314.600 acres) were originally available for offering in the November 2014 Notice of Competitive Oil and Gas Lease Sale. A total of 79,491.350 acres in 33 entire and 13 partial parcels meet criteria for Greater Sage-Grouse core habitat and manageability using the Fluid Mineral Leasing Screen in BLM guidance (WY-2012-019). These are deferred (Appendix C) and are not included in the alternative analysis.

In addition to the Fluid Mineral Leasing Screen deferrals, the State Director has used his discretion to temporarily defer offering 7 entire parcels and 6 partial parcels containing approximately another 6,598.550 acres in the interest of conservation of the Greater Sage-Grouse. Deferral is pending completion of the ongoing Greater Sage-Grouse RMP amendment process in the Rock Springs, Kemmerer, Pinedale, and Rawlins field offices. These parcels were also not carried forward in the EA for detailed analysis.

Three additional whole parcels totaling 1,920.000 acres are deferred at the discretion of the State Director pending resolution of bonding liability for unplugged wells and completion of the RFO VRM RMP amendment. These parcels are deferred under the Proposed Action.

Based on these deferrals, total acreage deferred from the November 2014 lease parcel offering is 88,009.900 acres.

### **2.1 Alternative A – No Action**

Under the No Action Alternative BLM Wyoming would not offer 90 parcels and/or portions of parcels (114,304.700 acres) eligible for lease at the November 2014 lease sale. This would mean that the Expressions of Interest would be denied or rejected and no lease parcels would be offered at the November 2014 Oil and Gas Lease Sale. Choosing the No Action alternative would not prevent future leasing in these areas consistent with land use planning decisions and subject to appropriate stipulations, identified in the respective land use plans. Therefore, it is anticipated that these parcels, excluding those that fall within areas designated closed to fluid mineral leasing, could be re-nominated and considered for offer at a future date.

## **2.2 Alternative B – Proposed Action**

Under Alternative B, 90 parcels, consisting of 79 whole parcels and 11 partial parcels, would be offered at the November 2014 Oil and Gas Lease Sale. The offered parcels contain 114,304.700 acres of federal minerals that are available for oil and gas leasing under the Kemmerer, Pinedale, Rawlins, and Green River RMPs. Standard terms and lease parcel specific stipulations would be applied. Lease stipulations (as required by 43 CFR 3101.1-3) are added to each parcel as identified by referenced RMPs to address site specific concerns. Refer to Appendix B for a list of the parcels and proposed stipulations attached to each.

## **2.3 Alternatives Considered But Not Analyzed in Detail**

An alternative was considered that would offer all 90 parcels eligible for leasing with a no surface occupancy stipulation. This alternative was not carried forward into detailed analysis because it is not in conformance with the respective RMPs and would only prohibit surface occupancy for oil and gas development; whereas other non-oil and gas occupancy may not be similarly constrained. Further, this alternative would unnecessarily constrain oil and gas occupancy in areas where the Kemmerer, Pinedale, Rawlins, and Green River RMPs have determined that less restrictive stipulations would adequately mitigate the anticipated impact.

An alternative was considered that would defer all remaining parcels that are located within sage-grouse core areas. This alternative was not carried forward into detailed analysis because it is not supported by IM WY-2012-019, Greater Sage-Grouse Habitat Management Policy on Wyoming Bureau of Land Management (BLM) Administered Public Lands Including the Federal Mineral Estate and IM WO-2012-043, Greater Sage-Grouse Interim Management Policies and Procedures.

No other alternatives to the proposed action were identified that would meet the purpose and need of the proposed action.

## **AFFECTED ENVIRONMENT**

### **3.0 DESCRIPTION OF AFFECTED ENVIRONMENT**

This section describes the current environment and present conditions of various resources that would be affected by the project. Aspects of the affected environment described in this section focus on the relevant major resources or issues. Only those aspects of the affected environment that are potentially impacted are described in detail. Prime or Unique Farmlands are not present on any of the parcels or partial parcels available for offer. All parcels analyzed in this EA were reviewed against the lands with wilderness characteristics requirements in BLM Washington Office (WO) IM 2011-154 and the approved BLM Wyoming Leasing Reform Implementation Plan. See Appendix D and E for the lands with wilderness characteristics screen.

### **3.1 RESOURCE VALUES BY PARCEL**

Table 1 provides a detailed listing of the resource values (including surface ownership, visual, riparian, soils, vegetation, slopes, livestock grazing, solid minerals, watershed, special management areas, cultural, paleontology, and wildlife) associated with each of the parcels available for offering through Alternative B at the November 2014 lease sale.

#### **3.1.1 Identification of Issues**

Analysis required by NEPA, as amended (Public Law 91-90, USC 4321 et seq.), was conducted by field office resource specialists who relied on site visits where access was available, personal knowledge of the areas involved, and/or review of existing databases and file information to determine if appropriate stipulations should be attached to specific parcels prior to being made available for lease. Resource values were identified for each parcel as presented in Table 1.

Field visits were performed on those parcels where the BLM had access or access was allowed by the surface owners. Eighty-five (85) out of the 90 parcels were visited using public access such as county or state roads. Pictures were taken at these parcels and where available, GPS coordinates were taken at those photo points. Parcels unable to be visited due to weather were: RFO parcels 9, 10, 16, and 60 and PFO parcel 126. Geographical information system (GIS) data and digital Ortho photo quads (DOQQ) were used regardless of whether or not the field teams could visit the parcels, but were predominantly relied on for review of the parcels that could not be visited.

The analysis of the parcels revealed no substantial resource values or concerns other than those already identified through review of the parcels via the KFO, PFO, RFO, and RSFO Geographic Information System (GIS) data bases and National Agriculture Imagery Program (NAIP 2012) digital aerial imagery.

Table 1. Affected Environment

Table 1. Affected Environment																									
Parcel # WY-1411-	Field Office	Split Estate	VERM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Grouse Nesting Ground	sagegrouse/winter-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR/ Parturition)	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
001	Rawlins	No	2	No	No	No	Sandy and Shallow Sandy ecological sites: sensitive soils	Seminole	Sandy and Shallow Sandy ecological sites	No	North Platte	No	No	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Persistent Sepal Yellowcress, Ferruginous Hawk, Bald Eagle, Platte River Fish	No	No	Yes	Yes	No
002	Rawlins	No	2	No	No	Yes	Sandy, shallow sandy, shallow loamy and loamy ecological sites; some sensitive soils and LRP areas	North Walcott	Sandy, shallow sandy, shallow loamy and loamy ecological sites	No	North Platte	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Persistent Sepal Yellowcress, Bald Eagle, Platte River fish	No	CWR	Yes	Yes	No
003	Rawlins	No	3	No	No	No	Saline upland, sandy, and shallow sandy ecological sites; sensitive soils	Seminole	Saline upland, sandy, and shallow sandy ecological sites	No	North Platte	No	No	No	No	Yes	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Persistent Sepal Yellowcress, Mountain Plover, Ferruginous Hawk, Platte River fish	No	No	Yes	No	No
004	Rawlins	No	3	No	No	No	Saline upland, sandy, and shallow sandy ecological sites; sensitive soils	Seminole	Saline upland, sandy, and shallow sandy ecological sites	No	North Platte	No	No	No	No	Yes	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Mountain Plover, Ferruginous Hawk, Platte River fish	No	No	Yes	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
005	Rawlins	No	3	No	No	No	Saline upland, sandy, and shallow sandy ecological sites; sensitive soils	Seminole	Saline upland, sandy, and shallow sandy ecological sites	No	North Platte	No	No	No	No	Yes	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Ferruginous Hawk, Persistent Sepal Yellowcress, Beaver Rim Phlox, White-tailed Prairie Dog, Platte River fish	No	CWR	Yes	No	No
006	Rawlins	No	2	Yes	No	No	Saline upland, sandy, and shallow sandy ecological sites; sensitive soils	Seminole	Saline upland, sandy, and shallow sandy ecological sites	No	North Platte	No	No	No	No	Yes	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Ferruginous Hawk, Persistent Sepal Yellowcress, Mountain Plover, Burrowing Owl, Platte River fish	No	CWR	Yes	No	No
007	Rawlins	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
008	Rawlins	Parcel deferred from leasing at State Director discretion																							
009	Rawlins	No	2	Yes	Little Sandstone	Yes	Very shallow, shallow loamy, loamy, saline subirrigated, saline lowland ecological sites; some sensitive soils	Little Sandstone & Reader Basin Pasture	Very shallow, shallow loamy, loamy, saline subirrigated, saline lowland ecological sites; noxious weeds in vicinity and may be on parcels	No	Colorado River	No	No	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Beaver Rim Phlox, Yellow-billed Cuckoo, Columbian Sharp-tailed Grouse, Boreal Toad, Colorado River fish	No	CWR/Parturition	Yes	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Cove Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
010	Rawlins	Yes	2	Yes	No	Yes	Loamy, shallow loamy, woodland ecological sites;	Hell Canyon & M.J. Anderson ISO #1	Loamy, shallow loamy, woodland ecological sites; noxious weeds in vicinity	No	Colorado River	No	Yes	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Beaver Rim Phlox, Boreal Toad, Yellow-billed Cuckoo, Colorado River fish	No	CWR/Partition	Yes	No	No
011	Rawlins	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
012	Rawlins	No	3	Yes	No	No	Couldn't find	Sixteen Mile	Saline upland and sandy ecological sites	No	North Platte	Continental Divide National Scenic Trail	No	Rawlins to Baggs Road	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Mountain Plover, Platte River fish	No	No	Yes	No	No
013	Rawlins	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
014	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing. The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
014	Rawlins	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
016	Rawlins	Yes	2 & 3	Yes	Loco Creek	Yes	Saline upland and sandy ecological sites; sensitive soils	Morgan-Boyer Subunit	Loamy, woodland, shallow loamy, very shallow ecological sites; noxious weeds present	No	Colorado River	No	Yes	No	No	Yes	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Beaver Rim Phlox, Laramie False Sage, Boreal Toad, Columbian Sharp-tailed Grouse, Colorado River fish	No	CWR	Yes	No	Yes
017	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							

Table 1. Affected Environment

Parcel #	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide/Bash/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR/ Parturition)	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
018	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
019	Rawlins	Yes	3	Yes	Willow Creek & Little Snake River	Yes	Couldn't find	South Pasture	Loamy, shallow breaks, rock outcrop, sandy ecological sites; noxious weed present	No	Colorado River	No	Yes	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Meadow Pussytoes, Colorado River fish	No	CWR	Yes	No	No	
020	Rawlins	Yes	3	No	No	Yes	Loamy, woodland, shallow loamy, very shallow ecological sites; some sensitive soils	South Pasture & Cottonwood Creek	Sandy, loamy ecological sites; noxious weeds may be present	No	Colorado River	No	Yes	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Beaver Rim Phlox, Meadow Pussytoes, Colorado River fish	No	CWR	Yes	No	No	
021	Rawlins	Yes	3	No	No	No	Loamy, shallow breaks, rock outcrop, sandy ecological sites; sensitive soils	South Pasture	Sandy, loamy ecological sites; noxious weeds may be present	No	Colorado River	No	Yes	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Meadow Pussytoes, Gibben's Beardtongue, Colorado River fish	No	CWR	No	No	No	
022	Rawlins	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
023	Rawlins	Yes	3	Yes	No	Yes	Sandy, loamy ecological sites; sensitive soils	Airheart Pasture, Poling ISO Track, & Hill Pasture	Loamy, shallow breaks, rock outcrop, sandy ecological sites; noxious weed present	No	Colorado River	No	Yes	Rawlins to Baggs Road	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Colorado River fish	No	CWR	Yes	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Plate/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
024	Rawlins	No	3	Yes	Muddy Creek	Yes	Sandy, loamy ecological sites; sensitive soils	Cherokee	Very shallow, shallow loamy, shale, loamy, saline upland, saline lowland, loamy overflow, shallow sandy, sandy ecological sites; noxious weed present	No	Colorado River	No	No	Rawlins to Baggs Road & Cherokee Trail	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Burrowing Owl, Mountain Plover, White-tailed Prairie Dog, Colorado River fish	No	CWR	Yes	No	No
027	Rawlins	No	3	Yes	No	No	Loamy and shallow loamy, shale, very shallow, saline upland ecological sites; sensitive soils	Oppenheimer	Saline upland ecological sites; may be noxious weed present	No	Colorado River	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Colorado River fish	No	CWR	Yes	No	No
028	Rawlins	No	3	Yes	No	Yes	Loamy and shallow loamy, sandy, shallow sandy, shallow loamy, very shallow, shale ecological sites; sensitive soils	South Flat Top & Oppenheimer	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy and loamy overflow, saline upland, saline lowland ecological sites; sensitive soils	No	Colorado River	No	No	No	Yes	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Meadow Pussetoes, Gibben's Beardtongue, Mountain Plover, Colorado River fish.	No	CWR	No	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide/Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sagegrouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR/ Parturition)	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
029	Rawlins	No	3 & 4	Yes	Muddy Creek	Yes	Saline upland ecological sites; sensitive soils	Doty Mountain & South Pine Butte	Loamy, saline upland, shale ecological, sandy and shallow sandy, loamy overflow, shallow loamy ecological sites; noxious weeds present	No	Colorado River	Upper Muddy Creek/ Grizzly SMA	No	Overland Trail	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, White-tailed Prairie Dog, Gibben's Beardtongue, Colorado River fish	No	CWR	Yes	No	Yes
030	Rawlins	No	4	Yes	Muddy Creek	No	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy and loamy overflow, saline upland, saline lowland ecological sites; sensitive soils	Doty Mountain	Loamy, saline upland, shale, sandy and shallow sandy, loamy overflow, shallow loamy ecological sites; noxious weeds present	No	Colorado River	No	No	No	No	No	Yes	Yes	Yes	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, White-tailed Prairie Dog, Burrowing Owl, Ferruginous Hawk, Colorado River fish	No	CWR	Yes	No	No
031	Rawlins	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
032	Rawlins	No	4	Yes	No	No	Loamy, saline upland, shale ecological, sandy and shallow sandy, loamy overflow, shallow loamy ecological sites; sensitive soils	Ruby Knolls & Chain Lakes	Sandy and shallow sandy, rock outcrop, loamy ecological sites	No	Great Divide Closed Basin	Chain Lakes WHMA	No	No	No	No	Yes	Yes	No	Wyoming Pocket Gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Ferruginous Hawk, Persistent Sepal Yellowcress	No	No	Yes	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse core area concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
033	Rawlins	No	3	Yes	Little Snake River	Yes	Loamy, saline upland, shale, sandy and shallow sandy, loamy overflow, shallow loamy ecological sites; sensitive soils	River Bottom & Powder Rim Rotation	Saline lowland, saline sub-irrigated, rock outcrop, shallow breaks, sandy, saline upland, loamy ecological sites; noxious weeds present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Bald Eagle, Gibben's Beardtongue, Ownbey's Thistle, Colorado River fish	No	CWR	Yes	No	No
034	Rawlins	No	3	Yes	No	No	Sandy and shallow sandy, rock outcrop, loamy ecological sites; sensitive soils	Powder Rim Rotation	Saline upland and saline lowland, loamy, sandy and shallow sandy, rock outcrop, shale ecological sites; noxious weeds present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Gibben's Beardtongue, Meadow Pusytoes, Ferruginous Hawk, Colorado River fish	No	CWR	Yes	No	Yes
035	Rawlins	No	4	No	No	No	Saline lowland, saline sub-irrigated, rock outcrop, shallow breaks, sandy, saline upland, loamy ecological sites; sensitive soils and LRP areas	South Laclède & Mexican Graves	Saline upland ecological sites	No	Colorado River	No	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Ferruginous Hawk, Burrowing Owl, White-tailed Prairie Dog, Colorado River fish	No	CWR	Yes	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide/Bash/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
036	Rawlins	No	4	Yes	No	No	Saline upland and saline lowland, loamy, sandy and shallow sandy, rock outcrop, shale ecological sites; sensitive soils and LRP areas	Monument Lake	Sands, loamy, rock outcrop, shallow sandy, shale, saline upland, shallow loamy, sandy, impervious clay ecological sites	No	Great Divide Closed Basin	No	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, White-tailed Prairie Dog	No	No	No	No	No	
037	Rawlins	No	3	No	No	No	Saline upland ecological sites; sensitive soils	Ruby Knolls	Sandy, loamy, impervious clay, saline upland, saline lowland ecological sites; sensitive soils	No	Great Divide Closed Basin	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover	No	No	No	No	No	
038	Rawlins	No	3	No	No	No	Sands, loamy, rock outcrop, shallow sandy, shale, saline upland, shallow loamy, sandy, impervious clay ecological sites; sensitive soils	Chain Lakes	Sandy, shallow sandy, saline lowland, saline upland, saline sub-irrigated, sub-irrigated ecological sites	No	Great Divide Closed Basin	Chain Lakes WHMA	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Ferruginous Hawk, Persistent Sepal Yellowcress	No	No	Yes	No	No	
039	Rawlins	No	3	Yes	No	Yes	Sandy, loamy, impervious clay, saline upland, saline lowland ecological sites; sensitive soils	Powder Rim Rotation	Shallow breaks, rock outcrop, sandy, shallow sandy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Gibben's Beardtongue, Meadow Pusytoes, Colorado River fish	No	CWR	Yes	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
040	Rawlins	No	3	Yes	No	Yes		Powder Rim Rotation	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Gibben's Beardtongue, Meadow Pusytoes, Ownbey's Thistle, Bald Eagle, Colorado River fish	No	CWR	Yes	Yes	Yes
041	Rawlins	No	3	Yes	Little Snake River	Yes	Sandy, shallow sandy, saline lowland, saline upland, saline sub-irrigated, sub-irrigated ecological sites; sensitive soils	Powder Rim Rotation	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Gibben's Beardtongue, Meadow Pusytoes, Ownbey's Thistle, Bald Eagle, Colorado River fish	No	CWR	Yes	Yes	No
042	Rawlins	No	3	Yes	No	Yes	Shallow breaks, rock outcrop, sandy, shallow sandy, saline upland ecological sites; sensitive soils	Powder Rim Rotation	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Burrowing Owl, Gibben's Beardtongue, Ownbey's Thistle, Colorado River fish	No	CWR	Yes	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
043	Rawlins	No	3	No	No	No	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; sensitive soils	Cyclone Rim	Saline upland, sandy, shallow sandy ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover	No	No	No	No	No
044	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
045	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
046	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
047	Rawlins	No	3	No	No	No	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; sensitive soils	Cyclone Rim	Saline upland, sandy, shallow sandy, saline lowland ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Persistent Sepal Yellowcress, Mountain Plover	No	No	No	No	No
048	Rawlins	No	3	Yes	No	No	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; sensitive soils	Cyclone Rim	Saline upland, sandy, shallow sandy, saline lowland ecological sites	No	Great Divide Closed Basin	No	No	No	No	Yes	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover	No	No	Yes	No	No
049	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
050	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
051	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
052	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
053	Rawlins	No	3	Yes	No	Yes	Saline upland, sandy, shallow sandy ecological sites; sensitive soils	Powder Rim Rotation & Cherokee Trail	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Meadow Pusytoes, Colorado River fish	No	CWR	Yes	No	Yes
054	Rawlins	No	3	Yes	No	Yes	Saline upland, sandy, shallow sandy, saline lowland ecological sites; sensitive soils	Powder Rim Rotation & Cherokee Trail	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Meadow Pusytoes, Gibben's Beardtongue, Colorado River fish	No	CWR	Yes	No	Yes
055	Rawlins	No	3	Yes	No	Yes	Saline upland, sandy, shallow sandy, saline lowland ecological sites; sensitive soils	Powder Rim Rotation & Cherokee Trail	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; noxious weed may be present	No	Colorado River	No	No	Cherokee Trail	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Meadow Pusytoes, Gibben's Beardtongue, Colorado River fish	No	CWR	Yes	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide/Bash/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
056	Rawlins	No	3	Yes	No	Yes	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; sensitive soils	Powder Rim Rotation, Sand Creek, Rotten Springs, & Grindstone Springs	Shallow breaks, rock outcrop, sandy, shale, badlands, shallow sandy, shallow loamy, sands, loamy, saline upland, saline lowland ecological sites	No	Colorado River	Adobe Town DRUA	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Gibben's Beardtongue, Mountain Plover, Ferruginous Hawk, Colorado River fish	No	No	Yes	No	Yes	
057	Rawlins	No	3	Yes	No	No	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; sensitive soils	Powder Rim Rotation, Rotten Springs, & Grindstone Springs	Shallow breaks, rock outcrop, sandy, shale, badlands, shallow sandy, shallow loamy, sands, loamy, saline upland, saline lowland ecological sites	No	Colorado River	Adobe Town DRUA	No	Cherokee Trail	No	No	Yes	Yes	Yes	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Mountain Plover, Ferruginous Hawk, Colorado River fish	No	CWR	Yes	No	Yes
058	Rawlins	No	3	Yes	No	Yes	Shallow breaks, rock outcrop, sandy, shallow sandy, loamy, saline upland ecological sites; sensitive soils	Powder Rim Rotation	Shallow loamy, shallow breaks, rock outcrop, loamy, saline uplands; sensitive soils	No	Colorado River	Adobe Town DRUA	No	Cherokee Trail	Yes	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ownbey's Thistle, Gibben's Beardtongue, Colorado River fish	No	CWR	Yes	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/No)	Sage-Grouse Core Area (Yes/No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
059	RSFO	No	2 & 4	Yes	West Fork Willow Creek	Yes	Soil type 9. Consists of Kandaly, Westvaco, Haterton, teagulf and Huguston soils. These are deep sand dunes intermingled with moderately deep to very shallow, well drained, strongly alkaline soils formed on rolling upland plains and fans. Included on this unit are some areas of badlands. Precipitation ranges from 7-9 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Perennial grasses.	None	Colorado River	Inside Monument Valley SMA	None	The Overland Trail is 1.5 miles north of the parcel. Impacts to the trail watershed may need to be analyzed for each future ground disturbing project proposed in the northern part of this section. Parcel 59 has had 2 cultural inventories with 3 NRHP eligible sites (2 prehistoric, 1 multi-component) and 1 prehistoric site not eligible for the NRHP.	Yes	No	No	No	No	Pygmy rabbit, white-tailed prairie dog, sage thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, mountain plover, Wyoming pocket gopher, White Bark Pine  Colorado River Endangered fish species (water depletion)	No	CWR	Raptor Nesting	No	No
060	Rawlins	No	3	Yes	No	No	Shallow breaks, rock outcrop, sandy, shale, badlands, shallow sandy, shallow loamy, sands, loamy, saline upland, saline lowland ecological sites; sensitive soils	North Barrel	Rock outcrop, badlands, very shallow, saline uplands, sandy ecological sites	No	Colorado River	No	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Colorado River fish	No	No	Yes	No	Yes
061	Rawlins	No	3	Yes	No	No	Shallow breaks, rock outcrop, sandy, shale, badlands, shallow sandy, shallow loamy, sands, loamy, saline upland, saline lowland ecological sites; sensitive soils	North Wamsutter	Saline lowlands, saline uplands, sandy, loamy ecological sites	No	Great Divide Closed Basin	No	No	No	Yes	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Burrowing Owl, Persistent Sepal Yellowcress, Mountain Plover	No	No	Yes	No	No
062	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leeks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR/ Parturition)	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
063	Rawlins	No	3	No	No	No	Shallow loamy, shallow breaks, rock outcrop, loamy, saline uplands; sensitive soils	Cyclone Rim	Saline upland, sandy, shallow sandy, saline lowland ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Persistent Sepal Yellowcress	No	No	No	No	No
064	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
065	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
066	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
067	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
068	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
069	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
070	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
071	Rawlins	No	3	Yes	No	Yes	Rock outcrop, badlands, very shallow, saline uplands, sandy ecological sites; sensitive soils and LRP areas	Powder Mountain & Cherokee Trail	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; noxious weeds present	No	Colorado River	Adobe Town DRUA	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Meadow Pussytoes, Yellow-billed Cuckoo, Boreal Toad, Colorado River fish	No	CWR	Yes	No	No
072	Rawlins	No	3	Yes	No	Yes	Saline uplands, shale, saline lowlands, sandy, shallow sandy, sands ecological sites; sensitive soils	Powder Mountain & Cherokee Trail	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; noxious weeds present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Meadow Pussytoes, Yellow-billed Cuckoo, Ferruginous Hawk, Gibben's beardtongue, Colorado River fish	No	CWR	Yes	No	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Plate/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
073	Rawlins	No	3	Yes	No	Yes	Saline lowlands, saline uplands, sandy, loamy ecological sites; sensitive soils	Powder Mountain	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; noxious weeds present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Meadow Pussytoes, Yellow-billed Cuckoo, Ferruginous Hawk, Gibben's beardtongue, Colorado River fish	No	CWR	Yes	No	Yes
074	Rawlins	No	3	Yes	No	Yes	Saline upland, sandy, shallow sandy, saline lowland ecological sites; sensitive soils	Powder Mountain & Cherokee Trail	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; noxious weeds present	No	Colorado River	No	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Meadow Pussytoes, Yellow-billed Cuckoo, Ferruginous Hawk, Gibben's beardtongue, Colorado River fish	No	CWR	Yes	No	Yes
075	Rawlins	Parcel deferred from leasing at State Director discretion																							
076	Rawlins	No	3	No	No	No	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; sensitive soils and LRP areas	Adobe Town	Sands ecological sites	No	Colorado River	Adobe Town DRUA	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Colorado River fish	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Plateau/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR/ Parturition)	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
077	RSFO	No	2 & 1	None	None	Yes	Soil type 9. Consists of Kandaly, Westvaco, Haterton, teagulf and Huguston soils. These are deep sand dunes intermingled with moderately deep to very shallow, well drained, strongly alkaline soils formed on rolling upland plains and fans. Included on this unit are some areas of badlands. Precipitation ranges from 7-9 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Spiny hopsage, Needle and Thread, Indian ricegrass.	None	Colorado River	Inside Monument Valley SMA	None	The parcel in section 10 has had 7 cultural inventories with no cultural sites recorded. The parcel in section 35 has had 1 cultural inventory with no cultural sites recorded.	Yes	No	No	No	No	Pygmy rabbit, white-tailed prairie dog, sage thrasher, sage sparrow, Brewer's sparrow, loggerhead shrike, mountain plover, Wyoming pocket gopher. 4 Colorado River Endangered fish species (water depletion)	No	CWR	No	No	No
078	RSFO	No	2	None	None	Yes	Soil type 9. Consists of Kandaly, Westvaco, Haterton, teagulf and Huguston soils. These are deep sand dunes intermingled with moderately deep to very shallow, well drained, strongly alkaline soils formed on rolling upland plains and fans. Included on this unit are some areas of badlands. Precipitation ranges from 7-9 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Spiny hopsage, Needle and Thread, Indian ricegrass.	None	Colorado River	Inside Monument Valley SMA	None	The parcel has had 8 cultural inventories with 2 NRHP eligible prehistoric sites, 1 not-eligible NRHP prehistoric site and 3 sites whose NRHP eligibility has not been determined.	Yes	No	No	No	No	Pygmy rabbit, white-tailed prairie dog, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, Great Basin spadefoot toad, Wyoming pocket gopher Colorado River Endangered fish species (water depletion).	No	CWR	Raptor Nesting	No	No
079	Rawlins	No	3	No	No	No	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; sensitive soils and LRP areas	Red Desert Allotment	Saline lowlands, slick spot, saline uplands, sands ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Persistent Sepal Yellowcress, Mountain Plover	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/No)	Sage-Grouse Core Area (Yes/No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse core area concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
080	Rawlins	No	3	Yes	No	No	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy ecological sites; sensitive soils and LRP areas	Red Desert Allotment	Saline lowlands, slick spot, saline uplands, sands ecological sites	No	Great Divide Closed Basin	No	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Persistent Sepal Yellowcress, Mountain Plover	No	No	No	No	No
081	Rawlins	No	3	No	No	No	Saline uplands, sands, shale ecological sites; sensitive soils	Red Desert Allotment	Saline lowlands, slick spot, saline uplands, sands ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Persistent Sepal Yellowcress, Mountain Plover	No	No	No	No	No
082	Rawlins	No	3	Yes	No	No	Sands ecological sites; sensitive soils	Cyclone Rim	Saline uplands, sandy, shallow sandy ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Persistent Sepal Yellowcress, Trelease's Milkvetch, Mountain Plover, Burrowing Owl, Ferruginous Hawk	No	No	Yes	No	No
083	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Plateau/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
084	Rawlins	No	3	Yes	No	No	Saline uplands, sandy and shallow sandy ecological sites; sensitive soils	Cyclone Rim	Saline uplands, sandy, shallow sandy ecological sites	No	Great Divide Closed Basin	No	No	No	No	Yes	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, White-tailed Prairie Dogs	No	No	No	No	No
085	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
086	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
087	Rawlins	No	3	Yes	No	No	Saline uplands, sandy and shallow sandy ecological sites; sensitive soils	Powder Mountain & Little Powder Mountain	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy, very shallow ecological sites; noxious weeds present	No	Colorado River	Adobe Town DRUA	No	Cherokee Trail	Yes	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Meadow Pussytos, Ferruginous Hawk, Colorado River fish	No	CWR	Yes	No	No
088	Rawlins	No	3	Yes	No	No	Saline lowlands, slick spot, saline uplands, sands ecological sites; sensitive soils	Powder Mountain	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy, very shallow ecological sites; noxious weeds present	No	Colorado River	Adobe Town DRUA	No	Cherokee Trail	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Meadow Pussytos, Ownbey's Thistle, Colorado River fish	No	CWR	Yes	No	No
089	Rawlins	Parcel deferred from leasing at State Director discretion																							

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/No)	Sage-Grouse Core Area (Yes/No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (F&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
090	RSFO	No	2 & 4	None	None	Yes	Soil type 9. Consists of Kandaly, Westvaco, Haterton, teagulf and Huguston soils. These are deep sand dunes intermingled with moderately deep to very shallow, well drained, strongly alkaline soils formed on rolling upland plains and fans. Included on this unit are some areas of badlands. Precipitation ranges from 7-9 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, associated perennial grasses	None	Colorado River	Inside Monument Valley SMA	None	The Overland Trail is approximately 2 miles north of section 4. Impacts to the trail watershed may need to be analyzed for each future ground disturbing project proposed in this section. The parcel in section 4 has had 2 cultural inventory projects with 2 NRHP eligible prehistoric sites recorded. The parcel in section 10 has had 3 cultural inventories with no cultural sites recorded. The parcel in section 12 has had 1 cultural inventory with no cultural sites recorded. The parcel in section 20 has had 3 cultural inventories with 1 NRHP eligible prehistoric sites, 2 prehistoric sites not eligible for the NRHP and 3 sites whose NRHP eligibility has not been determined.	Yes	No	No	No	No	Pygmy rabbit, white-tailed prairie dog, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, Mountain Plover, Wyoming Pocket Gopher, White Bark Pine  Colorado River Endangered fish species (water depletion)	No	CWR	Raptor Nesting	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR/ Parturition)	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
091	RSFO	No	4	None	None	Yes	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges from 7-9 inches annually.	Rock Springs	Vegetation present includes: Basin Big Sagebrush, Wyoming Big Sagebrush, associated perennial grasses.	None	Colorado River	None	None	The parcel in section 4 has had 5 cultural inventories with 1 NRHP eligible prehistoric site, 2 prehistoric sites not eligible for the NRHP and 1 site whose NRHP eligibility has not been determined. The parcel in section 8 has had 4 cultural inventories with 1 site whose NRHP eligibility has not been determined. The parcel in section 18 has had 9 cultural inventories with 1 NRHP eligible prehistoric site, 1 prehistoric site not eligible for NRHP and 5 sites whose NRHP eligibility has not been determined.	Yes	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, and pronghorn migration area.  4 Colorado River Endangered fish species (water depletion)	No	No	Raptor Nesting	No	No
092	Rawlins	No	4	Yes	No	No	Saline lowlands, slick spot, saline uplands, sands ecological sites; sensitive soils	G.L. & Tipton	Loamy, saline uplands, shale, very shallow, sandy, sands, shallow sandy, shallow loamy ecological sites	No	Great Divide Closed Basin & Colorado	Lincoln Highway/UPRR Grade historic property	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Ferruginous Hawk, Colorado River fish	No	CWR	Yes	No	No
093	Rawlins	No	3	No	No	No	Saline uplands, sandy, shallow sandy ecological sites; sensitive soils	Cyclone Rim	Sands, sandy, shallow sandy, saline upland ecological sites	No	Great Divide Closed Basin	No	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse/sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
093	RSFO	No	2 & 4	None	None	Yes	Soil type 3. Consists of Christman, Shellcreek, Dinco, Dines, Corlett and Kandaly soils. These are deep, moderately well drained soils formed in fine textured, saline and/or alkaline alluvial or lacustrine sediments on nearly level basins and fans. Included in this unit are playas and intermittent centripetally drained basins. Precipitation ranges from 6-9 inches annually. Soil type 8. Consists of Kandaly, Teagulf, Huguston, Tasselman, Leckman and Pepal soils. These consist of deep sand dunes intermingled with deep and shallow, well drained soils formed on rolling upland plains. Precipitation ranges from 7-9 inches annually. Soil type 10. Consists of Cotopaxi soils. These are deep, excessively drained shifting sand dunes and sandy soils formed on undulating eolian sand deposits. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 19 has had 2 cultural inventories with no cultural sites recorded.  The parcel in section 20 has had 3 cultural inventories with 1 prehistoric site whose NR eligibility has not been unevaluated.  The parcel in section 29 has had 3 cultural inventories with 2 prehistoric sites that were determined not eligible for the NRHP.  The parcel in section 30 has had 1 cultural inventory with no cultural sites recorded.	Yes	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover	No	Yes	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
094	Rawlins	No	3	No	No	No	Saline uplands, sandy, shallow sandy ecological sites; sensitive soils	Cyclone Rim	Sands, sandy, shallow sandy, saline upland ecological sites	No	Great Divide Closed Basin	No	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover	No	No	No	No	No	
094	RSFO	No	4	None	None	None	Soil type 3. Consists of Christman, Shellcreek, Dinco, Dines, Corlett and Kandaly soils. These are deep, moderately well drained soils formed in fine textured, saline and/or alkaline alluvial or lacustrine sediments on nearly level basins and fans. Included in this unit are playas and intermittent centripetally drained basins. Precipitation ranges from 6-9 inches annually. Soil type 8. Consists of Kandaly, Teagulf, Huguston, Tasselman, Leckman and Pepal soils. These consist of deep sand dunes intermingled with deep and shallow, well drained soils formed on rolling upland plains. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Greasewood, associated sage-steppe/salt desert shrub perennial grasses.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 31 has had 2 cultural inventories with no cultural sites recorded.  The parcel in section 32 has had 1 cultural inventory with no cultural sites recorded.	No	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover, great basin spade-foot toad	No	No	Raptor Nest	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plate/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
095	RSFO	No	3	Yes	Brush Creek	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually.  Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Greasewood, Sandberg bluegrass, Halogeton, Budsage, Horsebrush, Indian ricegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 1 has had 2 cultural inventories with no cultural sites recorded. The parcel in section 2 has had 1 cultural inventories with no cultural sites recorded. The parcel in section 3 has had 10 cultural inventories with 1 prehistoric site that was determined not eligible for the NRHP. The parcel in section 4 has had 9 cultural inventories with no cultural sites recorded.	No	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover, great basin spade-foot toad	No	No	Raptor Nest	No	No
096	Rawlins	No	3	No	No	No	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy, very shallow ecological sites; sensitive soils and LRP areas	Cyclone Rim	Saline upland, saline lowland, sandy ecological sites	No	Great Divide Closed Basin	No	No	No	No	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Ferruginous Hawk, Persistent Sepal Yellowcress	No	No	Yes	No	No	

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
096	RSFO	No	3	None	None	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges from 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Greasewood, Sandberg bluegrass, Budsage, Horsebrush, Indian ricegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 5 has had 6 cultural inventories with no cultural sites recorded. The parcel in section 6 has had 3 cultural inventories with 1 prehistoric site whose NRHP status has not been evaluated. The parcel in section 7 has had 2 cultural inventories with 1 prehistoric site whose NRHP status has not been evaluated. The parcel in section 9 has had 8 cultural inventories with 1 NRHP eligible site and 2 prehistoric sites that are not eligible for the NRHP. The parcel in section 10 has had 9 cultural inventories with no cultural sites recorded. The parcel in Rock Springs field office portion of section 11 (N 1/2) has had 3 cultural inventories with 1 NRHP eligible prehistoric site recorded.	Yes	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover	No	No	Raptor Nest	No	Yes, Antelope

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (Y&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
097	RSFO	No	3	None	None	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, associated perennial sage-steppe grasses.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel has had 2 cultural inventories with no cultural sites recorded.	No	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover, great basin spade-foot toad	No	No	No	No	No
098	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																								
099	Rawlins/RSFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																								
100	Rawlins	No	3	Yes	No	No	Sandy, shallow sandy, rock outcrop, shallow breaks, loamy, shallow loamy, very shallow ecological sites; sensitive soils and LRP areas	Cyclone Rim	Saline upland, saline lowland, sandy ecological sites	No	Great Divide Closed Basin	No	No	No	No	Yes	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Ferruginous Hawk, Persistent Sepal Yellowcress	No	No	Yes	No	No	

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
100	RSFO	No	3	Yes	Red Creek	None	Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Budsage, Sandberg bluegrass, Squirreltail bottlebrush.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 9 has had 4 cultural inventories with 1 prehistoric site that is not eligible for the NRHP and 1 site whose NRHP eligibility has not been evaluated. The parcel in section 10 has had 3 cultural inventories with 1 prehistoric site whose eligibility has not been evaluated. The parcel in section 11 has had no cultural inventories with no cultural site recorded.	No	Yes	Yes	Yes	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, great basin spadefoot toad, white-faced ibis.	No	No	Raptor Nest	No	No
101	Rawlins	No	3	Yes	No	No	Saline uplands, sands, shale, badlands, river wash ecological sites; sensitive soils and LRP areas	Cyclone Rim	Saline upland, saline lowland, sandy, shallow sandy, shale ecological sites	No	Great Divide Closed Basin	No	No	No	No	Yes	Yes	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Mountain Plover, Ferruginous Hawk, Persistent Sepal Yellowcress	No	No	Yes	No	No	

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (Y&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
101	RSFO	No	3	Yes	Bear and Red Creek	None	Soil type 13. Consists of Doines, Qualman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Budsage, Sandberg bluegrass, Indian ricegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 14 has had 8 cultural inventories with 1 prehistoric site whose NRHP eligibility has not yet been evaluated. The parcel in section 15 has had 8 cultural inventories with 1 NRHP eligible prehistoric site and 2 sites whose NRHP status has not been evaluated (1 prehistoric & 1 multicomponent). The parcel in section 17 has had 5 cultural inventories with 1 prehistoric site that is not eligible for the NRHP.	No	Yes	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, great basin spade-foot toad, white-faced ibis.	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
102	RSFO	No	3	Yes	Bear and brush Creek	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Horsebrush, Rabbitbrush, Sandberg bluegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 18 has had 2 cultural inventories with 1 NRHP eligible prehistoric site, 1 prehistoric site that is not eligible for the NRHP and 3 sites whose eligibility for the NRHP has not been evaluated (1 historic, 1 prehistoric, 1 multicomponent) . The parcel in section 19 has had 1 cultural inventory with 1 prehistoric site that is not eligible for the NRHP and 1 historic site whose NRHP eligibility has not been evaluated. The parcel in section 20 has had 1 cultural inventory with no cultural sites recorded. The parcel in section 29 has had 4 cultural inventories with 1 prehistoric site that is not eligible for the NRHP.	No	Yes	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog , mountain plover , great basin spade-foot toad, white-faced ibis	No	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
103	RSFO	No	3	Yes	Bear and Brush Creek	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselmae, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges from 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Greasewood, saltbush, Sandberg bluegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 26 has had 3 cultural inventories with no cultural sites recorded. The parcel in section 27 has had 5 cultural inventories with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 34 has had 16 cultural inventories with 1 NRHP eligible prehistoric site. The parcel in section 35 has had 14 cultural inventories with no cultural sites recorded.	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover, great basin spade-foot toad.	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leaks/Sharp-tailed Grouse Nesting Habitat	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
104	RSFO	No	3	Yes	Brush Creek	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges from 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Greasewood, saltbush, Indian ricegrass, Sandberg bluegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 31 has had 3 cultural inventories with 1Historic site whose NRHP eligibility has not been determined and 1 multicomponent that is not eligible for the NRHP. The parcel in section 32 has had 9 cultural inventories with 1 prehistoric site that is NRHP eligible and 2 prehistoric sites that are not eligible for the NRHP. The parcel in section 33 has had 9 cultural inventories with no cultural sites recorded.	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, pygmy rabbit, mountain plover , great basin spade-foot toad, white faced-ibis	No	No	No	No	No
105	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
106	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
107	RSFO	No	4	None	None	Yes	Soil type 9. Consists of Kandaly, Westvaco, Haterton, teagulf and Huguston soils. These are deep sand dunes intermingled with moderately deep to very shallow, well drained, strongly alkaline soils formed on rolling upland plains and fans. Included on this unit are some areas of badlands. Precipitation ranges from 7-9 inches annually. Soil type 12. Consists of Blackhall, Rentsac, Carmody, Grieves, Rencot, Thermopolis, Elk Mountain, Blazon, Delphill, Redwash, Redcreek and Shinbara soils. These are shallow to moderately deep, well drained soils formed on sloping upland plains with deep, steep sided ravines. Precipitation ranges from 10-14 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush.	None	Colorado River	None	None	The western part of section 32 and the northern part of section 28 are within the viewshed of the Overland Trail. Impacts to the trail viewshed may need to be analyzed for each future ground disturbing project proposed within the trail viewshed. The parcel in section 28 has had 5 cultural inventories with 1 historic site that is not eligible for the NRHP. The parcel in section 32 has had 3 cultural inventories with 1 prehistoric site whose eligibility for the NRHP has not been evaluated.	Yes	Yes	Yes	No	No	Pronghorn migration, mountain plover, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, Wyoming pocket gopher	4 Colorado River Endangered fish species (water depletion).	No	No	Raptor Nesting	No	Yes
108	RSFO	The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																								

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
109	RSFO	No	4	None	None	Yes	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 12. Consists of Blackhall, Rentsac, Carmody, Grieves, Rencot, Thermopolis, Elk Mountain, Blazon, Delphill, Redwash, Redcreek and Shinbara soils. These are shallow to moderately deep, well drained soils formed on sloping upland plains with deep, steep sided ravines. Precipitation ranges from 10-14 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, Halogeton, perennial grasses, Juniper.	None	Colorado River	None	None	The parcel in section 04 has had 3 cultural inventories with 1 historic site that is not eligible for the NRHP and 1 site whose NRHP eligibility has not been evaluated. The parcel in section 06 has had 3 cultural inventories with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 08 has had 3 cultural inventories with 1 NRHP eligible prehistoric site, 4 historic sites that are not eligible for the NRHP and 3 sites whose eligibility has not been evaluated (1 prehistoric, 1 multicomponent). The parcel in section 10 has had 4 cultural inventories with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 12 has had 3 cultural inventories with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 14 has had 9 cultural inventories with 3 prehistoric sites whose eligibility for the NRHP has not been evaluated and 1 prehistoric sites that is not eligible for the NRHP.	Yes	No	Yes	No	No	White-tailed prairie dog, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, Mountain Plover, Wyoming Pocket Gopher, sage-grouse nesting  4 Colorado River Endangered fish species (water depletion).	No	No	Raptor Nesting	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
110	RSFO	No	4	None	None	Yes	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 11. Huguston, Wint, Haterton, Spool and LaMarsh soils. These are rock outcrop and shallow, well drained soils formed on steep ridges, escarpments, mountain slopes and badlands. Precipitation ranges from 8-14 inches annually. Soil type 12. Consists of Blackhall, Rentsac, Carmody, Grieves, Rencot, Thermopolis, Elk Mountain, Blazon, Delphill, Redwash, Redcreek and Shinbara soils. These are shallow to moderately deep, well drained soils formed on sloping upland plains with deep, steep sided ravines. Precipitation ranges from 10-14 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, Phlox, Saltbrush, Juniper.	None	Colorado River	None	None	Sections 30, 32, 34 and parts of sections 18 and 20 are within 3 miles of the Overland Trail. Impacts to the trail viewshed may need to be analyzed for each future ground disturbing project proposed within the trail viewshed. The parcel in section 18 has had 1 cultural inventory with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 20 has had 2 cultural inventories with 2 prehistoric sites that are not eligible for the NRHP. The parcel in section 30 has had 3 cultural inventories with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 32 has had 2 cultural inventories with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 34 has had 3 cultural inventories with 1 prehistoric site that is not eligible for the NRHP.	Yes	No	Yes	No	No	White-tailed prairie dog, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, Wyoming pocket gopher, sage-grouse nesting, white faced ibis4 Colorado River Endangered fish species (water depletion).	No	No	Raptor Nesting	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
111	RSFO	No	1 & 2 & 4	None	None	None	Soil type 3. Consists of Christman, Shellcreek, Dinco, Dines, Corlett and Kandaly soils. These are deep, moderately well drained soils formed in fine textured, saline and/or alkaline alluvial or lacustrine sediments on nearly level basins and fans. Included in this unit are playas and intermittent centripetally drained basins. Precipitation ranges from 6-9 inches annually. Soil type 8. Consists of Kandaly, Teagulf, Huguston, Tasselman, Leckman and Pepal soils. These consist of deep sand dunes intermingled with deep and shallow, well drained soils formed on rolling upland plains. Precipitation ranges from 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Sandberg bluegrass, Indian ricegrass, Squirreltail bottlebrush.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 8 has had 4 cultural inventories with no cultural sites recorded. The parcel in sections 25 and 26 have had no cultural inventories and no cultural sites are recorded. The parcel in section 27 has had 1 cultural inventory with no cultural sites recorded. The parcel in section 31 has had 1 cultural inventory with no cultural sites recorded.	Yes	No	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover , great basin spade-foot toad, white-faced ibis	No	Yes, Elk	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plate/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (Y/E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
112	RSFO	No	2 & 4	None	None	Yes	Soil type 3. Consists of Christman, Shellcreek, Dinco, Dines, Corlett and Kandaly soils. These are deep, moderately well drained soils formed in fine textured, saline and/or alkaline alluvial or lacustrine sediments on nearly level basins and fans. Included in this unit are playas and intermittent centripetally drained basins. Precipitation ranges from 6-9 inches annually. Soil type 8. Consists of Kandaly, Teagulf, Huguston, Tasselman, Leckman and Pepal soils. These consist of deep sand dunes intermingled with deep and shallow, well drained soils formed on rolling upland plains. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Sandberg bluegrass, Indian ricegrass, Saltbush, Squirreltail bottlebrush.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in sections 32 and 35 have had no cultural inventories with no cultural sites recorded. The parcel in section 33 has had 2 cultural inventories with no cultural sites recorded. The parcel in section 34 has had 1 cultural inventory with no cultural sites recorded.	Yes	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover, great basin spade-foot toad, white faced ibis	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
113	RSFO	No	3	None	None	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges from 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Sandberg bluegrass, Indian ricegrass.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 13 has had 6 cultural inventories with no cultural sites recorded. The parcel in section 23 has had 2 cultural inventories with no cultural sites recorded.	Yes	No	Yes	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
114	RSFO	No	3	Yes	Bear Creek	None	Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Sandberg bluegrass, Indian ricegrass, Saltbush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 10 has had 4 cultural inventories with 1 historic site that is not eligible for the NRHP and one prehistoric site whose eligibility for the NRHP has not been evaluated. The parcel in section 11 has had 1 cultural inventories with no cultural sites recorded. The parcel in section 14 has had 6 cultural inventories with 1 prehistoric site that is not eligible for the NRHP and one prehistoric site whose eligibility for the NRHP has not been evaluated.	No	Yes	Yes	Yes	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, great basin spade-foot toad, white-faced ibis.	No	No	Raptor Nest	No	No
115	RSFO	No	3	None	None	None	Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Sandberg bluegrass, Indian ricegrass, Saltbush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 07 has had no cultural inventories with no cultural sites recorded. The parcel in section 08 has had 2 cultural inventories with no cultural sites recorded. The parcel in section 09 has had 2 cultural inventories with no cultural sites recorded. The parcel in section 17 has had 6 cultural inventories with 1 NRHP eligible prehistoric site.	Yes	No	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover, great basin spade-foot toad, white-faced ibis	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leeks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
116	RSFO	No	3	Yes	Brush Creek	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges from 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Sandberg bluegrass, Indian ricegrass, Saltbush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 15 has had 2 cultural inventories with 1 prehistoric site whose NRHP eligibility has not been determined. The parcel in section 21 has had 5 cultural inventories with no cultural sites recorded. The parcel in section 22 has had 4 cultural inventories with no cultural sites recorded. The parcel in section 23 has had 4 cultural inventories with no cultural sites recorded.	No	No	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover, great basin spade-foot toad, white-faced ibis	No	No	Raptor Nest	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (Y/E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range	
117	RSFO	No	3	None	None	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasseladee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Sandberg bluegrass, Indian ricegrass, Saltbush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 18 has had 1cultural inventory with no cultural sites recorded. The parcel in section 19 has had 4 cultural inventories with no cultural sites recorded. The parcel in section 20 has had 4 cultural inventories with 1 prehistoric NRHP eligible site recorded.	No	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover , great basin spade-foot toad, white faced ibis	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/NHT	Paleo, PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
118	RSFO	No	3	Yes	Brush Creek	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Rabbitbrush, Sandberg bluegrass, squirreltail bottlebrush , Indian ricegrass, Saltbush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 25 has had 1 cultural inventory with 1 prehistoric site that is not eligible for the NRHP. The parcel in section 26 has had 1 cultural inventories with 2 sites that are not eligible for the NRHP (1 prehistoric, 1 multicomponent) . The parcel in section 27 has had 3 cultural inventories with no cultural sites recorded. The parcel in section 28 has had no cultural inventories with no cultural sites recorded.	No	No	No	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover , great basin spade-foot toad, white-faced ibis	No	No	No	No	No
119	RSFO	No	3	None	None	None	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Sandberg bluegrass, squirreltail bottlebrush , Indian ricegrass, Saltbush, Greasewood.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 31 has had 1 cultural inventory with 1 prehistoric site whose NRHP eligibility has not yet been determined.	Yes	No	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, White-tailed prairie dog, mountain plover	No	No	No	No	

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	Sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (Y&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
120	RSFO	No	3	None	None	Yes	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually. Soil type 13. Consists of Doines, Quealman and Chrisman soils. These are deep, poorly to well drained soils formed on nearly level or sloping floodplains, bottomlands and alluvial fans. Some soils in this parcel are strongly saline and/or alkaline. Precipitation ranges from 7-9 inches annually.	Red Desert	Vegetation present includes: Wyoming Big Sagebrush, Saltbush, Greasewood, Sandberg bluegrass, Indian ricegrass, squirreltail bottlebrush.	None	Great Divide Basin	Inside Red Desert Watershed SMA	None	The parcel in section 33 has had no cultural inventories with no cultural sites recorded. The parcel in section 34 has had 4 cultural inventories with no cultural sites recorded. The parcel in section 35 has had 3 cultural inventories with 4 NRHP eligible sites (2 prehistoric, 1 historic, 1 multicomponent) and 7 sites that are not eligible for the NRHP (6 prehistoric, 1 historic).	No	No	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, white-tailed prairie dog, mountain plover , great basin spade-foot toad	No	No	No	No	No
121	RSFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
122	Rawlins	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
123	Rawlins	No	3	Yes	No	Yes	Badlands, sands, saline uplands, sandy, shale, saline uplands, shallow loamy, very shallow ecological sites; sensitive soils and LRP areas	Cow Creek	Shallow loamy, loamy, rock outcrop, very shallow ecological sites	No	Colorado	Adobe Town DRUA	No	No	Yes	No	Yes	No	No	Wyoming pocket gopher, Greater Sage-Grouse, Yellow-billed Cuckoo, Cedar Rim Thistle, Colorado River fish	No	No	No	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo, PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
123	RSFO	No	4	None	None	Yes	Soil type 7. Consists of Teagulf, Huguston, Haterton, Wint, Tasselman, Seedsadee, Leckman and Kandaly soils. These are moderately deep to very shallow, well drained soils formed on rolling upland plains dissected by rock ravines, short escarpments and draws. Precipitation ranges form 7-9 inches annually.	Alkali Creek Allotment	Vegetation present includes: Wyoming Big Sagebrush, Bitterbrush, Indian ricegrass.	None	Colorado River	None	None	The parcel in section 33 has had one cultural inventory with no cultural sites recorded.	Yes	No	No	NO	NO	White-tailed prairie dog, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, long eared myotis4 Colorado River Endangered fish species (water depletion).	No	No	Raptor Nesting	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NIT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	Sage-grouse sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
124	RSFO	No	4	Yes	Shell Creek	None	Soil type 9. Consists of Kandaly, Westvaco, Haterton, teagulf and Huguston soils. These are deep sand dunes intermingled with moderately deep to very shallow, well drained, strongly alkaline soils formed on rolling upland plains and fans. Included on this unit are some areas of badlands. Precipitation ranges from 7-9 inches annually. Soil type 12. Consists of Blackhall, Rentsac, Carmody, Grieves, Rencot, Thermopolis, Elk Mountain, Blazon, Delphill, Redwash, Redcreek and Shinbara soils. These are shallow to moderately deep, well drained soils formed on sloping upland plains with deep, steep sided ravines. Precipitation ranges from 10-14 inches annually.	Rife Allotment	Vegetation present includes: Wyoming Big Sagebrush, rabbitbrush, Indian ricegrass.	None	Colorado River	None	None	The Northwest corner of section 2 overlaps the Pine Butte variant of the Overland Trail. The other two sections are within the 3 mile viewshed of the Overland Trail. Impacts to the trail viewshed may need to be analyzed for each future ground disturbing project proposed in the northern part of this section. The parcel in section 2 has had 2 cultural inventories with 1 NRHP eligible historic road (Overland Trail). The parcel in section 12 has had 6 cultural inventories with 2 cultural sites whose eligibility has not yet been determined (1 historic, 1 prehistoric). The parcel in section 14 has had no cultural inventories with no cultural sites recorded.	Yes	Yes	Yes	No	No	White-tailed prairie dog, Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, long eared myotis, Mountain plover, pronghorn migration, Wyoming Pocket Gopher4 Colorado River Endangered fish species (water depletion).	No	N	N	N	Yes

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse/water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
125	RSFO	No	4	None	None	Yes	Soil type 11. Huguston, Wint, Haterton, Spool and LaMarsh soils. These are rock outcrop and shallow, well drained soils formed on steep ridges, escarpments, mountain slopes and badlands. Precipitation ranges from 8-14 inches annually. Soil type 12. Consists of Blackhall, Rentsac, Carmody, Grieves, Rencot, Thermopolis, Elk Mountain, Blazon, Delphill, Redwash, Redcreek and Shinbara soils. These are shallow to moderately deep, well drained soils formed on sloping upland plains with deep, steep sided ravines. Precipitation ranges from 10-14 inches annually.	Rock Springs	Vegetation present includes: Wyoming Big Sagebrush, rabbitbrush, greasewood, perennial grasses.	None	Colorado River	None	None	The parcel in section 6 has had 1 cultural inventory with no cultural sites recorded.	Yes	Yes	Yes	No	No	Sage Thrasher, Sage Sparrow, Brewer's Sparrow, loggerhead shrike, long eared myotis, white faced ibis, Wyoming Pocket Gopher, 4 Colorado River Endangered fish species (water depletion)	No	No	Raptor Nesting	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plateau/Colorado/Great Divide Basin/Rear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sage-grouse sharp-tailed grouse water concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Crucial Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
126	PFO	Private Surface / Federal Minerals	N/A for private surface	Approximately 115.69 acres is in NSO for wetlands and an additional 52.93 acres are in NSO for floodplains.	There exists 1 perennial stream on the north side of the project area. There is a large NSO (52.93 acres) related to the floodplain of this stream	All slopes in the proposed 200 acre lease parcel are less than 25% looking at our 25% slope layer in ArcMap.	There exists 5 soil series in the nominated lease parcel.  Meaver mucky peat, 0-4% slopes  1) Beavmid-Libeg complex, 1-6% slopes 2) Beavet-Beavo complex, 1-4% slopes 3) Webbdraw fine sandy loam, 2-12% slopes Coutis fine sandy loam, 4-25% slopes	Private Surface and is not part of any allotment	Numbers Correlate to soil series column. Ecological Sites 1) Subirrigated (foothills and Mountains West) (R043BY274WY) <b>Tufted Hairgrass/Willow Plant Community (HCPC)</b> 2) Loamy (foothills and Mountains West) (R043BY222WY) <b>Mixed Grass/Mountain Big Sage Plant Community (HCPC)</b> - and- Shallow Loamy (foothills and Mountains West) (R043BY262WY) <b>Bluebunch Wheatgrass/Bitterbrush Plant Community (HCPC)</b> 3) Subirrigated (Foothills and Mountains West) (R043BY274WY) – see above. 4) Sandy (Foothills and Mountains West) (R043BY250WY) – No vegetative plant community description. 5) Loamy (foothills and Mountains West) (R043BY222WY) – see above	N/A	Colorado River Basin	N/A Private surface	From looking at aerial imagery it does not appear that there are any dwellings within the nominated lease parcel. The closest home with maintained/plow roads I could find for access is over 2 miles away which was not close enough for a sight visit due to snow in the area.	There have been no cultural resource inventories conducted and no sites recorded within the proposed lease parcel. The lease parcel does not fall within buffered view sheds for any other known historic properties. The Standard National Preservation Act Lease Stipulations as per IM-117 are applied.	Falls under PFYC Class 4	No	Yes  The proposed parcel is within 2-miles of an occupied sage-grouse lek. The area is likely to support nesting and early brood rearing habitat. The northwest portion of the parcel is within 0.25 miles of an occupied lek.	Yes  The nearest occupied lek is less than 0.25 miles to the northwest of the parcel.  Approximately 7.43 acres of the parcel is in the ¼ mile NSO for the lek.	No	Yes  The riparian areas and wet meadows present within the parcel have potential to support boreal toad habitat.  The riparian area within the parcel is within the Colorado River drainage and therefore supports riverine habitat downstream in the Yampa, Green, and Colorado River systems which have been identified as Colorado River fish critical habitat.	No	No, the parcel is outside of designated big game crucial winter range habitats.	To date there have been no occupied or active raptor nests located within or adjacent to the parcel.	To date no bald eagle roost locations have been documented within or adjacent to the proposed parcel	Big game species that utilize the parcel and surrounding area as migratory routes include mule deer, pronghorn, and elk.

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide/Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PPYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	Sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
127	KFO	No	2	No	No	Yes	Aridic Haplustolls; fine-loamy; mixed; frigid and Ustic Haplocambids; fine-loamy; mixed; frigid.	Carter Lease	Wyoming big sage; Mixed Grass Prairie; Desert Shrub; Greasewood Fans and Flats	No	Colorado River	No	No	The parcel contains only one cultural resource: a Class 1 segment of the Blacks Fork Cutoff National Historic Trail (NHT) that is evaluated eligible to the National Register of Historic Places (NRHP) under Criterion A and located in the southwest corner of the parcel. Class 1 trail segments are managed for preservation of the historic character of the NHT setting. Most of the southern two-thirds of the parcel are within the watershed of the NHT so that any developments within those portions of the parcel must be designed so that they are not visible from the NHT. No cultural inventories have been conducted in the parcel, so it is likely that future surveys could identify other cultural resources that may require management for preservation.	Yes	Yes	Yes	No	No	White-tailed prairie dog; pygmy rabbit, Idaho pocket gopher; Brewer's sparrow; sage thrasher; Trelease's milkvetch; tufted twinpod	No	No	No	No	No
128	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
129	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
130	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing. The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
131	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
132	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing. The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
133	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing. The State Director has elected to defer offering parcels less than 640 acres during the ongoing RMP amendment process for Greater Sage-Grouse to avoid potential inconsistencies with WY Executive Order 2011-5 and the ongoing planning process																							
134	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leaching Area	Major Watershed (Plate/ Colorado/Great Divide Basin/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Lets/Sharp-tailed Dancing Ground	sagegrouseoutcrop-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/BCT)	Big Game Critical Winter Range (CWR)/ Partition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
135	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
136	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
137	KFO	Parcel was reviewed against the Greater Sage-Grouse key habitat requirements in BLM Wyoming IM WY-2012-019, reported in Appendix C, and deferred from leasing.																							
138	KFO	Yes - Partial	4	No	No	Yes	Ustic Haplargids; fine-loamy; mixed; frigid- Ustic Haplocambids; fine-loamy; mixed; frigid and Typic Natrargids; fine-loamy; mixed; frigid  Rock Outcrop and Lithic Torriorthents; loamy-skeletal; frigid	Boyd Hollow	Wyoming big sage; Mixed Grass Prairie;	No	Bear River	No	Yes, Cokeville Municipal Airport	The parcel contains no known cultural resources and only one cultural inventory of a small portion is documented in the parcel, so it is likely that future surveys could identify other cultural resources that may require management for preservation. Also, all of the parcel is within the viewshed of a Class 1 segment of the Sublette NHT, evaluated eligible to the NRHP under Criterion A and located 1.5 mile east. Class 1 trail segments are managed for preservation of the historic character of the setting so that any developments within the parcel must be designed so that they are not visible from the NHT.	No	No	Yes	Yes	Yes	Idaho pocket gopher; pygmy rabbit; white-faced ibis;	No	No	Yes	No	No

Table 1. Affected Environment

Parcel # WY-1411-	Field Office	Split Estate	VRM Class	Riparian Areas	Perennial Streams	Slopes Greater than 25%	Soils	Grazing Allotment	Vegetation	Sodium/ Coal Leasing Area	Major Watershed (Platte/ Colorado/Great Divide/Bash/Bear)	Special Management Areas	Potential for Dwellings	Cultural Sites/ NHT	Paleo. PFYC Class 4 or 5 (Yes/ No)	Sage-Grouse Core Area (Yes/ No)	Sage-Grouse/ Sharp-tailed grouse Nesting Habitat (Yes/No)	Sage-Grouse Leks/Sharp-tailed Dancing Ground	sage-grouse/ sharp-tailed grouse winter concentration areas (Yes/No)	Other Special Status Species (T&E, Candidate, Sensitive Species)	Colorado or Bonneville Cutthroat Trout (CRCT/ BCT)	Big Game Crucial Winter Range (CWR)/ Parturition	Burrowing owl (BO)/ Raptor Nesting	Bald Eagle Roost	Big Game Migration Route or Transitional Range
139	KFO	Yes - Partial	4	No	No	Yes	Rock Outcrop and Lithic Torriorthents; loamy-skeletal; frigid  Ustic Haplagids; fine-loamy; mixed; frigid- Ustic Haplocambids; fine-loamy; mixed; frigid and Typic Natragids; fine-loamy; mixed; frigid	Christy Canyon	Wyoming big sage; Mixed Grass Prairie;	No	Bear River	No	Yes	The parcel contains no known cultural resources and no cultural inventories have been conducted in the parcel, so it is likely that future surveys could identify other cultural resources that may require management for preservation. Also, portions of the parcel is within the viewshed of a Class 1 segment of the Sublette NHT, evaluated eligible to the NRHP under Criterion A and located 3.6 miles east. Class 1 trail segments are managed for preservation of the historic character of the setting so that any developments within the parcel must be designed so that they are not visible from the NHT.	Yes	No	Yes	No	No	Idaho pocket gopher; pygmy rabbit; Dorn's twinpod; tufted twinpod	No	No	No	No	No

## **3.2 RESOURCE VALUES COMMON TO ALL PARCELS**

### **3.2.1 Air Resources**

In addition to the air quality information in the RMPs cited above, new information about greenhouse gases (GHGs) and their effects on national and global climate conditions has emerged since the RMPs were prepared. Ongoing scientific research has identified the potential impacts of GHG emissions such as carbon dioxide (CO<sub>2</sub>) methane (CH<sub>4</sub>); nitrous oxide (N<sub>2</sub>O); water vapor; and several trace gasses on global climate. Through complex interactions on a global scale, GHG emissions cause a net warming effect of the atmosphere, primarily by decreasing the amount of heat energy radiated by the earth back into space. Although GHG levels have varied for millennia (along with corresponding variations in climatic conditions), industrialization and burning of fossil carbon sources have caused GHG concentrations to increase measurably, and may contribute to overall climatic changes, typically referred to as global warming or global cooling.

This EA incorporates an analysis of the contributions of the proposed action to GHG emissions and a general discussion of potential impacts to climate.

Air quality, climate, and visibility are the components of air resources which include applications, activities, and management of the air resource. The BLM must consider and analyze the potential effects of authorized activities on air resources as part of the planning and decision making process. The Kemmerer, Pinedale, Rawlins, and Green River RMPs all address air quality issues, impacts, and potential mitigation. It is important to reiterate the offering and issuing leases is an administrative action, and the offering and the issuing of leases, in and of themselves, does not create air quality impacts.

#### ***3.2.1.1 Air Quality***

Regional air quality is influenced by the interaction of meteorology, climate, the magnitude and spatial distribution of local and regional air pollutant sources (including natural sources), and chemical properties of emitted air pollutants. The following sections summarize the existing climate and air quality within the area potentially affected by the parcels under consideration for leasing.

A variety of pollutants can affect air quality; these pollutants and their effects on health, visibility, and ecology are described in the following sections, along with data on existing air quality conditions found within the Kemmerer, Pinedale, Rawlins, and Rock Springs Field Office areas.

Monitoring and enforcement air quality standards are administered by the Wyoming Department of Environmental Quality-Air Quality Division (WDEQ-AQD). Wyoming Ambient Air Quality Standards (WAAQS) and National Ambient Air Quality Standards (NAAQS) identify maximum limits for concentrations of criteria air pollutants at all locations to which the public has access. The WAAQS and NAAQS are legally enforceable standards. Concentrations above the WAAQS and NAAQS represent a risk to human health that, by law, require public safeguards be implemented. State standards must be at least as protective of human health as federal standards, and may be more restrictive than federal standards, as allowed by the Clean Air Act (CAA). Currently, the WDEQ-AQD does not have

regulations regarding greenhouse gas emissions, although these emissions are regulated indirectly by various other regulations.

### Concentrations

Pollutant concentration can be defined as the mass of pollutant present in a volume of air and is reported in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ), parts per million (ppm), or parts per billion (ppb). The State of Wyoming has used monitoring and modeling to determine that the Rock Springs, Rawlins and Kemmerer Field Office areas are currently in compliance with Wyoming and federal concentration standards; whereas the Pinedale Field Office has experienced exceedences of the ozone standard. In addition, non-reference method monitoring systems are operational, including the *Clean Air Status and Trends Network* (CASTNet) and *Wyoming Air Resources Monitoring System* (WARMS). Data from these systems have been determined to be representative of the area. There are two monitoring sites within the Kemmerer Field Office; four within the Pinedale FO; two in the Rock Springs FO; and two in the Rawlins FO.

Criteria air pollutants are those for which national concentration standards have been established; pollutant concentrations greater than the established standards represent a risk to human health or welfare. Table 2 presents background concentrations of criteria air pollutants as determined by the WDEQ-AQD.

Table 3 shows the Wyoming and national ambient air quality standards (WAAQS/NAAQS). Background concentrations are in compliance with applicable WAAQS/NAAQS. Also included in Table 3 are Prevention of Significant Deterioration (PSD) increments for Class I areas (wilderness areas with protected air quality status due to their pristine condition) and Class II areas (wilderness areas with protected air quality status due to their sensitive condition). All NEPA analysis comparisons to the PSD increments are intended to evaluate a threshold of concern and do not represent a regulatory PSD Increment Consumption Analysis. NAAQS/WAAQS have been established for the following criteria pollutants:

Carbon monoxide (CO) is an odorless, colorless gas formed during combustion of any carbon-based fuel, such as during operation of engines, fireplaces, furnaces, etc. Because carbon monoxide data are generally collected only in urban areas where automobile traffic levels are high, recent data are often unavailable for rural areas. Background carbon monoxide data were collected in Ryckman Creek in southwest Wyoming and in Rifle and Mack, Colorado during the late 1970s and the early 1980s.

Nitrogen dioxide (NO<sub>2</sub>) is a highly reactive compound formed at high temperatures during operation of fossil fuel combustion. At high concentrations, it can form a red-brown gas. At concentrations in excess of the EPA air quality standard, it is a respiratory irritant; however, all areas of the United States are in compliance with this air quality standard. During fossil fuel combustion, nitrogen oxide (NO) is released into the air which reacts in the atmosphere to form NO<sub>2</sub>. NO plus NO<sub>2</sub> is a mixture of nitrogen gases, collectively called nitrogen oxides (NO<sub>x</sub>). NO<sub>x</sub> emissions can convert to ammonium nitrate particles and nitric acid which can cause visibility impairment and atmospheric deposition. Nitrogen dioxide can contribute to “brown cloud” conditions and ozone formation, and can convert to ammonium (NH<sub>4</sub>), nitrate particles

(NO<sub>3</sub>), and nitric acid (HNO<sub>3</sub>). Internal combustion engines are one source of NO<sub>x</sub>. However, coal fired power plants often have the highest NO<sub>x</sub> emissions although any combustion source will produce NO<sub>x</sub>. Figure 1 shows mean annual concentrations of nitrogen compounds at the Pinedale CASTNet site from 1989 through 2004.

Ozone (O<sub>3</sub>) is a faint blue gas that is generally not emitted directly into the atmosphere but is formed in the atmosphere from complex photochemical reactions involving NO<sub>2</sub> and volatile reactive organic compounds (VOC). Sources of VOCs include automotive emissions, paint, varnish, oil and gas operations and some types of vegetation. The faint acrid smell common after thunderstorms is caused by ozone formation by lightning. Ozone is a strong oxidizing chemical that can burn lungs and eyes, and damage plants. Ozone is a severe respiratory irritant at concentrations in excess of the federal standards. On January 6, 2010, the EPA proposed that the primary ozone standard be set between 0.060 and 0.070 ppm. Sublette County has experienced exceedances of the current ozone standard on different occasions over recent years, which has resulted in the Governor of Wyoming nominating Sublette County as a non-attainment area.

In March 2008 the U.S. Environmental Protection Agency (EPA) promulgated the current National Ambient Air Quality Standard (NAAQS) for ozone. The ozone standard was lowered from 0.08 parts per million (ppm) to 0.075 ppm based on the fourth highest 8-hour average value per year at a site, averaged over three years. Based on monitoring results from 2006 through 2008, the entire state of Wyoming is in compliance with this standard except for at a single monitor, the Boulder monitor, in Sublette County. The WDEQ-AQD evaluated whether a nonattainment area should be designated due to the monitored results at the Boulder monitor. The WDEQ-AQD recommended that the Upper Green River Basin (UGRB) be designated as nonattainment for the 2008 ozone National Ambient Air Quality Standard (NAAQS). The WDEQ-AQD based this recommendation on a careful review of the circumstances surrounding the incidence of elevated ozone events. Elevated ozone in the UGRB is associated with distinct meteorological conditions. These conditions have occurred in February and March in some (but not all) of the years since monitoring stations began operation in the UGRB in 2005.

Figure 1. Mean Annual Concentrations of Nitrogen Compounds in Pinedale, Wyoming




Table 2. Background Ambient Air Quality Concentrations  
(Micrograms per Cubic Meter [ $\mu\text{g}/\text{m}^3$ ])

Pollutant	Averaging Period	Measured Background Concentration
CO <sup>1</sup>	1-hour	1,026
	8-hour	798
NO <sub>2</sub> <sup>2</sup>	1-hour	75
	Annual	9.1
O <sub>3</sub> <sup>3</sup>	8-hour	126.1
PM <sub>10</sub> <sup>4</sup>	24-hour	56
	Annual	13.5
PM <sub>2.5</sub> <sup>5</sup>	24-hour	9.2
	Annual	4.2
SO <sub>2</sub> <sup>6</sup>	1-hour	19.7
	3-hour	11.5
	24-hour	4.2
	Annual	3.8

<sup>1</sup> Data collected during 2008 at Murphy Ridge, Wyoming, concentrations are maximum values.

<sup>2</sup> Data collected at Wamsutter, Wyoming: 1-hour concentration is the three year average (2008-2010) of daily maximum 98<sup>th</sup> percentile 1-hour concentrations, annual value is for 2010.

<sup>3</sup> Data collected at Wamsutter, Wyoming: 8-hour concentration is the three year average (2008-2010) of the fourth-highest daily maximum 8-hour concentrations.

- <sup>4</sup> Data collected at Wamsutter, Wyoming during 2010, 24-hour value is maximum concentration.
- <sup>5</sup> Data collected at Cheyenne, Wyoming: 24-hour value is the three year average (2008-2010) of daily maximum 98<sup>th</sup> percentile 24-hour concentrations, annual value is three year average of annual means (2008-2010).
- <sup>6</sup> Data collected at Wamsutter, Wyoming: 1-hour value is the three year average (2007-2009) of daily maximum 98<sup>th</sup> percentile 1-hour concentrations, 3-hour, 24-hour and annual concentrations were collected during 2009, 3-hour and 24-hour data are maximum values.

Table 3. Ambient Air Quality Standards and PSD Increments ( $\mu\text{g m}^{-3}$ )

Pollutant/Averaging Time	NAAQS	CAAQS	WAAQS	PSD Class I Increment <sup>1</sup>	PSD Class II Increment <sup>1</sup>
<b>CO</b>					
1-hour <sup>2</sup>	40,000	40,000	40,000	-- <sup>3</sup>	-- <sup>3</sup>
8-hour <sup>2</sup>	10,000	10,000	10,000	--	--
<b>NO<sub>2</sub></b>					
1-hour <sup>8</sup>	188				
Annual <sup>4</sup>	100	100	100	2.5	25
<b>O<sub>3</sub></b>					
8-hour <sup>6</sup>	147	147	157	-- <sup>3</sup>	-- <sup>3</sup>
<b>PM<sub>10</sub></b>					
24-hour <sup>2</sup>	150	150	150	8	30
Annual <sup>4</sup>	-- <sup>5</sup>	50	50	4	17
<b>PM<sub>2.5</sub></b>					
24-hour <sup>7</sup>	35	35	35	2	9
Annual <sup>4</sup>	15	15	15	1	4
<b>SO<sub>2</sub></b>					
1-hour <sup>9</sup>	196				
3-hour <sup>2</sup>	1,300	700	1,300	25	512
24-hour <sup>2</sup>	365	365	260	5	91
Annual <sup>4</sup>	80	60	60	2	20

- 1 The PSD demonstrations serve information purposes only and do not constitute a regulatory PSD increment consumption analysis.
- 2 No more than one exceedance per year.
- 3 No PSD increments have been established for this pollutant.
- 4 Annual arithmetic mean.
- 5 The NAAQS for this averaging time for this pollutant has been revoked by EPA.
- 6 An area is in compliance with the standard if the fourth-highest daily maximum 8-hour ozone concentrations in a year, averaged over 3 years, is less than or equal to the level of the standard.
- 7 An area is in compliance with the standard if the highest 24-hour PM<sub>2.5</sub> concentrations in a year, averaged over 3 years, is less than or equal to the level of the standard.
- 8 An area is in compliance with the standard if the 98th percentile of daily maximum 1-hour NO<sub>2</sub> concentrations in a year, averaged over 3 years, is less than or equal to the level of the standard.
- 9 An area is in compliance with the standard if the 99th percentile of daily maximum 1-hour SO<sub>2</sub> concentrations in a year, averaged over 3 years, is less than or equal to the level of the standard.

Effective July 2012 the EPA designated the UGRB as a nonattainment area with the lowest severity rating of “marginal.” The UGRB includes all of Sublette County and the areas east and west of LaBarge in Lincoln and northern Sweetwater Counties. The UGRB does not include any lands within the Rawlins Field Office, essentially excludes the Kemmerer Field Office, includes a portion of the Rock Springs Field Office roughly northwest of WY State Highway 28, and includes most of the Pinedale Field Office south of Jackson.

Particulate matter (PM) refers to the small particles (e.g., soil particles, pollen, salts and hard mineral fragments, etc.) suspended in the air that settle to the ground slowly and may be re-suspended if disturbed. Ambient air particulate matter standards are based on the size of the particle. The two types of particulate matter are:

- PM<sub>10</sub> (particles with diameters less than 10 micrometers): small enough to be inhaled and capable of causing adverse health effects.
- PM<sub>2.5</sub> (particles with diameters less than 2.5 micrometers): small enough to be drawn deeply into the lungs and cause serious health problems. These particles are also the main cause of visibility impairment.

Background concentrations of PM<sub>10</sub> are 32-50% of the applicable WAAQS (Table 3).

Other regulatory monitoring of particulate matter showed that concentrations were in compliance with applicable WAAQS.

The WDEQ-AQD monitors particulate matter throughout the State of Wyoming with the State and Local Air Monitoring System (SLAMS). Table 4 summarizes particulate matter concentrations in Wyoming during 2001. Annual PM<sub>10</sub> background concentrations for the Moxa Arch Area (MAA) exceed the statewide average, while MAA PM<sub>2.5</sub> concentrations fall below the statewide average.

Table 4. Wyoming Particulate Summary for 2001 (µg/m<sup>3</sup>) in the Moxa Arch area

<b>Pollutant</b>	<b>Annual Background for MAA</b>	<b>Annual Statewide Average</b>
PM <sub>10</sub>	33	22
PM <sub>2.5</sub>	5	8

Sulfur dioxide (SO<sub>2</sub>) and sulfates (SO<sub>4</sub>) form during combustion from trace levels of sulfur in coal or diesel fuel. Sulfur dioxide also participates in chemical reactions and can form sulfates and sulfuric acid in the atmosphere.

Sulfur dioxide concentrations typically range from 1 to 10 ppb (2.6 to 26 µg/m<sup>3</sup>) in remote areas, and from 20 to 200 ppb (52 to 520 µg/m<sup>3</sup>) in polluted areas (Seinfeld 1986). Average weekly concentrations

of sulfur dioxide at the Pinedale CASTNet site are 0.3 ppb (0.8  $\mu\text{g}/\text{m}^3$ ) and are typical of remote or unpolluted areas.

Mean annual sulfate concentrations are typically 0.6 ppb (2.5  $\mu\text{g}/\text{m}^3$ ) or less in remote areas, and 2.5 ppb (10  $\mu\text{g}/\text{m}^3$ ) or more in urban areas (Stern et al. 1973). Mean annual concentrations of sulfate are 0.5 ppb (2  $\mu\text{g}/\text{m}^3$ ) at the Pinedale CASTNet site and are typical of remote or unpolluted areas.

### 3.2.1.2 Visibility

The 1997 Clean Air Act (CAA) amendments declared “as a National Goal the prevention of any future, and the remedying of any existing, impairment of visibility in mandatory Class I Federal areas in which impairment results from manmade air pollution.” The CAA gives federal managers the affirmative responsibility, but no regulatory authority, to protect air quality-related values, including visibility, from degradation.

Prevention of Significant Deterioration (PSD) increments limit air quality degradation and ensure that areas with clean air continue to meet NAAQS, even during economic development. The PSD program goal is to maintain pristine air quality required to protect public health and welfare from air pollution effects and “to preserve, protect and enhance the air quality in national parks, national wilderness areas, national monuments, national seashores, and other areas of special national or regional natural, recreation, scenic or historic value.”


PSD increments have been established for  $\text{NO}_2$ ,  $\text{SO}_2$ , and  $\text{PM}_{10}$ . Comparisons of potential  $\text{PM}_{10}$ ,  $\text{NO}_2$ , and  $\text{SO}_2$  concentrations with PSD increments are intended only to evaluate a threshold of concern. The allowable PSD increment depends on an area’s classification. Class I areas have lower increments, due to their protected status as pristine areas. PSD Class I and other sensitive areas located in close proximity to the Pinedale, Rawlins and Kemmerer field offices and the distance of each from the field office are shown on Map 1. Federal Class I areas are listed in Table 5.

Table 5. Distances and Direction to Class I Areas

Class I Area	Dist. From KFO (km)	Direction From KFO	Dist. From RFO (km)	Direction From RFO	Dist. From PFO (km)	Direction From PFO	Dist. From RSFO (km)	Direction From RSFO
Bridger Wilderness Area	>50 <100	North	>200 <250	Northwest	<50	East	>50 <100	North
Fitzpatrick Wilderness Area	>100 <150	North	>200 <250	Northwest	<50	East	>50 <100	North
Grand Teton National Park	>150 <200	North	>400 <450	Northwest	>50 <100	Northwest	>100 <150	Northwest
Mount Zirkel Wilderness Area	>250 <300	East	>100 <150	Southeast	>200 <250	Southeast	>150 <200	Southeast
Savage	>200	Southeast	>50	Southeast	>150	Southeast	>100	Southeast

<b>Class I Area</b>	<b>Dist. From KFO (km)</b>	<b>Direction From KFO</b>	<b>Dist. From RFO (km)</b>	<b>Direction From RFO</b>	<b>Dist. From PFO (km)</b>	<b>Direction From PFO</b>	<b>Dist. From RSFO (km)</b>	<b>Direction From RSFO</b>
Run/Platte River Wilderness Area	<250		<100		<200		<150	
Teton Wilderness Area	>100 <150	North	>400 <450	Northwest	>50 <100	Northwest	>100 <150	Northwest
Washakie Wilderness Area	> 150 <200	North	>300 <350	North	>100 <150	North	>250 <300	North

Map 1. Class I Airshed and Air Quality Monitoring Stations in Wyoming



Several additional areas are classified as PSD Class II, where lower incremental air quality limits are imposed due to less pristine background air quality. PSD Class II areas are listed in Table 6.

Table 6. Distances and Direction to Class II Sensitive Areas and other areas of concern in southern Wyoming

Sensitive Class II Areas	Dist. From KFO (km)	Direction From KFO	Dist. From RFO (km)	Direction From RFO	Dist. From PFO (km)	Direction From PFO	Dist. From RSFO (km)	Direction From RSFO
Fossil Butte National Monument	Within	N/A	>200 <250	West	>100 <150	Southwest	>100 <150	Northwest
Popo Agie Wilderness Area	108	Northeast	>150 <200	Northwest	>100 <150	East	>100 <150	North
Seedskadee NFR	Adjoins	East	>200 <250	West	>50 >100	South	Adjoins	West
Cokeville Meadows NFR	Within	N/A	>250 <300	West	>100 <150	Southwest	>150 <200	Northwest

A wide variety of pollutants can impact visibility, including particulate matter, nitrogen dioxide, nitrates (compounds containing NO<sub>3</sub>), and sulfates (compounds containing SO<sub>4</sub>). Fine particles suspended in the atmosphere decrease visibility by blocking, reflecting, or absorbing light.



Two types of visible impairment can be caused by emission sources: plume impairment and regional haze. Plume impairment occurs when a section of the atmosphere becomes visible due to the contrast or color difference between a discrete pollutant plume and a viewed background, such as a landscape feature. Regional haze occurs when pollutants from widespread emission sources become mixed in the atmosphere and travel long distances.

Visibility is quantified in terms of the deciview (dv), which is defined as a change in visibility that is perceptible to the average human, and in terms of the standard visible range (SVR), which is defined as the distance that an average human can see. Visibility data are calculated for each day, ranked from cleanest to haziest, and reported into three categories:

- 20% cleanest: mean visibility for the 20% of days with the best visibility
- Average: the annual mean visibility
- 20% haziest: mean visibility for the 20% of days with the poorest visibility

Visibility data were collected in the Bridger Wilderness from 1989 to 2003. The mean annual SVR varies from 198–162 miles (or 2–4 dv) on clear days, 133–109 miles (or 6–8 dv) on average days, and 12-10 miles (or 10–12 dv) on hazy days (Figure 3.2-8).

Figure 2. Visibility in the Bridger Wilderness



Deposition

Through a process called atmospheric deposition, air pollutants fall out of the atmosphere and are deposited on terrestrial and aquatic ecosystems. These pollutants are deposited via wet deposition (precipitation) and dry deposition (gravitational settling of particles and gaseous pollutants that adhere to soil, water, and vegetation). Substances deposited include:

- Acids, such as sulfuric acid and nitric acid (HNO<sub>3</sub>) (referred to as “acid rain”)
- Air toxins, such as pesticides, herbicides, and VOCs
- Nutrients, such as nitrate and ammonium (NH<sub>4</sub><sup>+</sup>)

Deposition is reported as the mass of material deposited on an area (kilogram per hectare per year). Total deposition refers to the sum of airborne material transferred to the Earth’s surface by both wet and dry deposition.

A brief summary of current atmospheric deposition in the region is included in Table 7. These data represent several locations in the region, including Pinedale, Gypsum Creek, and Yellowstone National Park.

The natural acidity of rainwater is represented by pH values ranging from 5.0 to 5.6 (Seinfeld 1986). Precipitation pH values lower than 5.0 are considered acidified and may adversely affect plants and animals. A voluntary level of concern for a decrease in pH levels in rainwater has been estimated to be 0.1–0.2 (U.S. Department of Agriculture 1989).

Table 7. Summary of Current Atmospheric Deposition

Deposition Component	Description
Precipitation pH	Precipitation pH demonstrates some acidification <ul style="list-style-type: none"> <li>• Pinedale (1982-2010): 4.8–5.4</li> <li>• Gypsum Creek (1985-2010): 5.0–5.6</li> <li>• Yellowstone National Park (1980-2010): 5.1–5.7</li> </ul>
Total nitrogen deposition	Total nitrogen deposition is less than levels of concern <ul style="list-style-type: none"> <li>• Pinedale (1990-2007): 12–2.0 kg/ha-year</li> </ul>
Total sulfur deposition	Total sulfur deposition is less than levels of concern <ul style="list-style-type: none"> <li>• Pinedale (1990-2009): 0.6–0.9 kg/ha-year</li> </ul>

Total deposition voluntary levels of concern have been estimated for several areas (U.S. Department of Agriculture 1989). Estimated total deposition guidelines include the “red line” (defined as the total deposition that the area can tolerate) and the “green line” (defined as the acceptable level of total deposition).

Total nitrogen deposition guidelines for the Bridger Wilderness include the red line (set at 10 kg/ha-year) and the green line (set at 3–5 kg/ha-year). Actual mean annual total nitrogen deposition ranged from below 1.5 kg/ha-year to above 3.5 kg/ha-year (Figure 3). Total sulfur depositions guidelines for include the green line (set at 5 kg/ha-year) and the red line (set at 20 kg/ka-year). Mean annual total sulfur deposition ranged from 1 kg/ha-year to nearly 3 kg/ha-year (Figure 4). For sulfur, the measured baseline

deposition is well below the voluntary levels of concern (green line). For nitrogen, some deposition levels exceed the lower limits of the green line.

Figure 3. Mean Annual Nitrogen Deposition for Hobbs Lake and Black Joe Lake





Figure 4. Mean Annual Sulfur Deposition for Hobbs Lake and Black Joe Lake



Atmospheric deposition of nitrogen and sulfur compounds can cause acidification of lakes and streams. One expression of lake acidification is a change in acid neutralizing capacity (ANC), which is a lake's ability to resist acidification from atmospheric deposition. ANC is expressed in units of micro-equivalents per liter ( $\mu\text{eq/l}$ ). Lakes with ANC values of 25 to 100  $\mu\text{eq/l}$  are considered to be sensitive to atmospheric deposition; lakes with ANC values of 10 to 25  $\mu\text{eq/l}$  are considered to be very sensitive; and lakes with ANC values of less than 10 are considered to be extremely sensitive. Table 8 summarizes distances and direction from RFO and KFO to sensitive lakes in the region.

Table 8. Distance and Direction to Sensitive Lakes

Sensitive Lake Receptors	Distance From KFO (km)	Direction from KFO	Distance From RFO (km)	Direction from RFO
Black Joe Lake, Bridger Wilderness Area	142	North	182	Northwest
Deep Lake, Bridger Wilderness Area	139	North	180	Northwest
Upper Frozen Lake, Bridger Wilderness Area	137	North	175	Northwest
Ross Lake, Fitzpatrick Wilderness Area	194	North	250	Northwest
Lower Saddlebag Lake, Popo Agie Wilderness Area	140	North	160	Northwest

Site-specific lake water chemistry background data (pH, ANC, total bulk deposition of nitrate, sulfate, etc.) have been collected by the USFS in several high mountain lakes in the nearby Wilderness Areas. Deposition data – total nitrogen and sulfur, nitrate and sulfate – from 1986 through 2006 are shown below.

Lake acidification is measured in terms of change in ANC, which is the lake's buffering capacity to resist acidification from atmospheric deposition of acid compounds such as sulfates and nitrates. Measured background ANC data for USFS identified sensitive lakes within the modeling domain are provided in Table 9. The 10th percentile lowest ANC values were calculated for each lake, following procedures provided by the USFS.

Table 9. Background ANC Values for Acid Sensitive Lakes<sup>1</sup>

Wilderness Area	Lake	Latitude (Deg-Min-Sec)	Longitude (Deg-Min-Sec)	10th Percentile Lowest ANC Value ( $\mu\text{eq/l}$ ) <sup>2</sup>	Number of Samples	Monitoring Period
Bridger	Black Joe	42°44'22"	109°10'16"	69.7	78	1984-2009
Bridger	Deep	42°43'10"	109°10'15"	60.4	75	1984-2009
Bridger	Hobbs	43°02'08"	109°40'20"	70.1	85	1984-2009
Bridger	Lazy Boy	43°19'57"	109°43'47"	12.4	5	1997-2009
Bridger	Upper Frozen	42°41'13"	109°09'39"	7.4	12	1997-2009
Fitzpatrick	Ross	43°22'41"	109°39'30"	54.1	60	1988-2009

Wilderness Area	Lake	Latitude (Deg-Min-Sec)	Longitude (Deg-Min-Sec)	10th Percentile Lowest ANC Value ( $\mu\text{eq/l}$ ) <sup>2</sup>	Number of Samples	Monitoring Period
Mount Zirkel	Lake Elbert	40°38'3"	106°42'25"	53.6	67	1985-2007
Mount Zirkel	Seven Lakes	40°53'45"	106°40'55"	40.5	24	1985-2007
Mount Zirkel	Summit Lake	40°32'43"	106°40'55"	48.0	108	1985-2007
Popo Agie	Lower Saddlebag	42°37'24"	108°59'38"	55.6	59	1989-2009
Rawah	Island	40°37'38"	105°56'28"	71.4	21	1996-2009
Rawah	Rawah Lake #4	40°40'16"	105°57'28"	41.6	26	1996-2009

<sup>1</sup>From USFS (2010)

<sup>2</sup>10<sup>th</sup> Percentile Lowest ANC Values reported.

The USFS considers lakes with ANC values greater than 25 microequivalents per liter ( $\mu\text{eq/l}$ ) to be sensitive to atmospheric deposition and lakes with ANC values less than or equal to 25  $\mu\text{eq/l}$  are considered extremely sensitive. Of the lakes for which data is presented in the Table 9, Upper Frozen and Lazy Boy lakes are considered extremely acid sensitive.

The USFS has identified a specific methodology to determine acceptable changes in ANC, which are used to evaluate potential air quality impacts from deposition at acid sensitive lakes. The USFS has established a level of acceptable change (LAC) of no greater than a 1  $\mu\text{eq/l}$  change in ANC (from human causes) for lakes with existing ANC levels less than or equal to 25  $\mu\text{eq/l}$ . A limit of 10 percent change in ANC reduction was adopted for lakes with an ANC greater than 25  $\mu\text{eq/l}$ .

### 3.2.1.3 Climate and Climate Change

The Kemmerer, Pinedale, Rock Springs and Rawlins field offices are located in a semi-arid, mid-continental climate regime typified by dry, windy conditions, limited rainfall, and long, cold winters (Trewatha and Horn 1980). Table 10 summarizes potentially affected climate components in the area based on data collected at several long-term meteorological stations located in and near the Kemmerer, Pinedale, Rock Springs, and Rawlins field office areas.

Table 10. Summary of Climate

Wyoming Meteorological Station	Description
Kemmerer Water Treatment Station 1902 - 2011	Mean maximum temperature: 54 °F Mean minimum temperature: 24 °F Mean annual precipitation: 9.45 inches Mean annual snow depth: 2 inches Mean annual snowfall: 50.6 inches
Rock Springs FAA Airport 1948-2012	Mean maximum temperature: 55 °F Mean minimum temperature: 31 °F Mean annual precipitation: 8.68 inches Mean annual snow depth: 1 inch Mean annual snowfall: 43.6 inches
LaBarge	Mean maximum temperature: 56 °F

Wyoming Meteorological Station	Description
1958-2012	Mean minimum temperature: 22 °F Mean annual precipitation: 7.96 inches Mean annual snow depth: 1 inch Mean annual snowfall: 31.9 inches
Rawlins FAA Airport 1951-2012	Mean maximum temperature: 55 °F Mean minimum temperature: 30 °F Mean annual precipitation: 9.04 inches Mean annual snow depth: 1 inches Mean annual snowfall: 51.9 inches
Source: (Western Regional Climate Center 2012)	

The region is subject to strong, gusty winds that are often accompanied by snow and blizzard conditions during the winter. Winds frequently originate from the west to northwest, and the mean annual wind speed is 9 miles per hour but can have sustained winds greater than 40 miles per hours.

Wind strength and frequency affects dispersion of noises, odors, and transport of dust and other airborne elements. Therefore, the region’s strong winds increase the potential for atmospheric dispersion of pollutants.

Climate change refers to any significant change in measures of climate (e.g., temperature or precipitation) lasting for an extended period (decades or longer). Global mean surface temperatures have increased nearly 1.8°F from 1890 to 2006. Models indicate that average temperature changes are likely to be greater in the Northern Hemisphere. Northern latitudes (above 24°N) have exhibited temperature increases of nearly 2.1° F since 1900, with nearly a 1.8°F increase since 1970 alone. Temperature in western Wyoming is expected to increase by 0.25 to 0.40 degrees Fahrenheit per decade while temperatures in surrounding locations in Utah, Wyoming, and Colorado are expected to increase by 0.40 to 1.2 degrees Fahrenheit per decade with the largest decrease expected in southwestern Wyoming (Figure 5). Precipitation across western Wyoming is expected to decrease by 0.1 to 0.6 inches per decade with the largest decrease expected in southwestern Wyoming. Climate change may result from natural processes, such as changes in the sun’s intensity; natural processes within the climate system (such as changes in ocean circulation); human activities that change the atmosphere’s composition (such as burning fossil fuels) and the land surface (such as urbanization) (IPCC 2007). Several activities that occur in the Kemmerer, Pinedale, Rock Springs and Rawlins Field Office areas contribute to the phenomena of climate change, including large wildfires and activities using combustion engines; changes to the natural carbon cycle; changes to radioactive forces and reflectivity (albedo); and emissions of greenhouse gases (GHGs), especially carbon dioxide and methane, from fossil fuel development.

Greenhouse gases are composed of molecules that absorb and reradiate infrared electromagnetic radiation. When present in the atmosphere the gas contributes to the greenhouse effect. Some GHGs such as carbon dioxide occur naturally and are emitted to the atmosphere through natural processes and human activities. Other GHGs (e.g., fluorinated gases) are created and emitted solely through human activities. The primary GHGs that enter the atmosphere as a result of anthropogenic activities include carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O), and fluorinated gases such as hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. Fluorinated gases are powerful GHGs

that are emitted from a variety of industrial processes including production of refrigeration/cooling systems, foams and aerosols. Fluorinated gases are not primary to the activities authorized by the BLM and will not be discussed further in this document.

The Center for Climate Strategies (CCS) prepared the Wyoming Greenhouse Gas Inventory and Reference Case Projection 1990-2020 (Inventory) for the WDEQ through an effort of the Western Regional Air Partnership (WRAP). This inventory report presents a preliminary draft greenhouse gas (GHG) emissions inventory and forecast from 1990 to 2020 for Wyoming. This report provides an initial comprehensive understanding of Wyoming's current and possible future GHG emissions. The information presented provides the state with a starting point for revising the initial estimates as improvements to data sources and assumptions are identified.


The inventory report discloses that activities in Wyoming accounted for approximately 56 million metric tons (MMt) of *gross* carbon dioxide equivalent (CO<sub>2</sub>e) emissions in 2005, an amount equal to 0.8% of total U.S. gross GHG emissions. These emission estimates focus on activities in Wyoming and are *consumption-based*; they exclude emissions associated with electricity that is exported from the state. Wyoming's gross GHG emissions increased 25% from 1990 to 2005, while national emissions rose by only 16% from 1990 to 2004. Annual sequestration (removal) of GHG emissions due to forestry and other land-uses in Wyoming are estimated at 36 MMtCO<sub>2</sub>e in 2005. Wyoming's per capita emission rate is more than four times greater than the national average of 25 MtCO<sub>2</sub>e/yr. This large difference between national and state per capita emissions occurs in most of the sectors – Wyoming's emission per capita significantly exceed national emissions per capita for the following sectors: electricity, industrial, fossil fuel production, transportation, industrial process and agriculture. The reasons for the higher per capita intensity in Wyoming are varied but include the state's strong fossil fuel production industry and other industries with high fossil fuel consumption intensity, large agriculture industry, large distances, and low population base. Between 1990 and 2005, per capita emissions in Wyoming have increased, mostly due to increased activity in the fossil fuel industry, while national per capita emissions have changed relatively little.

Ongoing scientific research has identified the potential impacts of anthropogenic GHG emissions and changes in biological sequestration due to land management activities on global climate. Through complex interactions on a regional and global scale, these GHG emissions and net losses of biological carbon sinks cause a net warming effect of the atmosphere, primarily by decreasing the amount of heat energy radiated by the earth back into space. Although GHG levels have varied for millennia, recent industrialization and burning of fossil carbon sources have caused carbon dioxide equivalent (CO<sub>2</sub>e) concentrations to increase dramatically, and are likely to contribute to overall global climatic changes. The Intergovernmental Panel on Climate Change (IPCC) recently concluded that “warming of the climate system is unequivocal” and “most of the observed increase in global average temperatures since the mid-20<sup>th</sup> century is very likely due to the observed increase in anthropogenic greenhouse gas concentrations” (IPCC 2007).

It is important to note that GHGs will have a sustained climatic impact over different temporal scales. For example, recent emissions of carbon dioxide can influence climate for 100 years. In contrast, black carbon is a relatively short-lived pollutant, as it remains in the atmosphere for only about a week. It is

estimated that black carbon is the second greatest contributor to global climate change behind CO<sub>2</sub> (Ramanathan and Carmichael 2008). Without additional meteorological monitoring systems, it is difficult to determine the spatial and temporal variability and change of climatic conditions, but increasing concentrations of GHGs are likely to accelerate the rate of climate change.

Figure 5. Long-term Temperature (top) and Precipitation (bottom) Trends in the United States from NOAA Climate Prediction Center



(<http://www.cpc.noaa.gov>)

Some authorized activities within the Kemmerer, Pinedale, Rock Springs and Rawlins field offices generate GHG emissions. Oil and gas development activities can generate CO<sub>2</sub> and NH<sub>4</sub> (during processing). Carbon dioxide emissions result from the use of combustion engines for OHV and other recreational activities. Wildland fires also are a source of CO<sub>2</sub> and other GHG emissions, and livestock grazing is a potential source of methane. Other activities in the Kemmerer, Pinedale, Rock Springs and Rawlins Field Office areas with the potential to contribute to climate change include soil erosion from disturbed areas and fugitive dust from roads, which have the potential to darken snow-covered surfaces and cause faster snow melt. A description of the potential GHG emissions associated with the parcels proposed for leasing is included in Section 4.

### **3.2.2 Wildlife and Special Status Species (Plants and Animals)**

Wildlife and other Special Status Species resources associated with each parcel/partial parcel available to offer for leasing are presented in Table 1.

Winter range is a crucial factor in the health and survival of big game herds. The availability of good winter range where big game can find shelter and adequate food means all the difference between strong populations or a herd weakened by starvation and at increased risk for disease and predation. Disturbance of animals on winter range by people and motor vehicles and the loss of winter range from development can heavily impact big game animals during winter.

Migratory birds are those that migrate for the purpose of breeding and foraging at some point in the year. According to Instruction Memorandum No. 2008-050, the BLM must include migratory birds in every NEPA analysis of actions that may have the potential to affect them, in order to fulfill its obligations under the Migratory Bird Treaty Act.

Raptors include eagles, hawks, owls, falcons, and vultures. Twenty seven species of raptors are known or have the potential to occur within the High Desert District. Nine of the 10 raptor species breed in Wyoming; the remaining species—the rough-legged hawk—is a winter resident. Four of the owl species are year-round residents in the state, while the snowy owl is a winter resident only. Raptors can be found collectively in all vegetative types.

Studies conducted for the Greater Sage-Grouse (Holloran 2005), for pronghorn (Berger et al. 2008), and for mule deer (Sawyer et al. 2010) demonstrate that intense oil and gas development such as that occurring on the Jonah and Pinedale Anticline Project areas can negatively affect these species and impact their use of crucial habitats in close proximity to the development, as well as migration corridors (Sawyer et al. 2010). It is not possible to determine or even reasonably project at the leasing stage whether an individual parcel will be leased; and if it is leased whether it will be developed, or what the intensity level of that development may be. Using oil & gas reasonable foreseeable development (RFD) scenarios, the EISs for the Kemmerer, Pinedale, Green River, and Rawlins RMPs evaluated affects to crucial big game winter and parturition ranges, including overlapping winter ranges of multiple species, and concluded that areas containing the parcels addressed in this EA would be satisfactorily mitigated through the timing limitation stipulations (TLS). Table 1 identifies parcels with Big Game Crucial Winter Range and Big Game Migration Corridors that have been identified.

### ***3.2.2.1 Special Status Species***

Section 7 of the Endangered Species Act (ESA) of 1973, as amended, requires that BLM land managers ensure that any action authorized, funded, or carried out by the BLM is not likely to jeopardize the continued existence of any Federally Designated Threatened or Endangered (T&E) species.

The BLM Special Status Species Policy outlined in BLM Manual 6840 (transmitted under IM WO 2009-039) and IM WY-2010-027 is to conserve listed species and the ecosystems on which they depend, while ensuring that actions authorized or carried out by the BLM are consistent with the conservation needs of special status species and minimize the likelihood and need for federal listing under the ESA. The BLM policy is to promote conservation and survival of those BLM designated species that are rare or uncommon, either because they are restricted to specific uncommon habitat or because they may be in jeopardy due to human or other actions.

By BLM policy, species proposed for federal listing shall be conferenced over with the FWS where BLM actions are determined “may affect, likely to adversely affect.” BLM policy also provides that it is not necessary to consult or conference for federal candidate or Bureau sensitive species. However, States or offices may wish to seek technical assistance from the FWS when it is determined to be advantageous to a species’ conservation or BLM management options.

Other management direction is based on Kemmerer, Rawlins, Pinedale and Green River RMP management objectives, activity level plans, and other aquatic habitat and fisheries management direction, including 50 CFR 17, the Land Use Planning Handbook, Appendix C, Part E, Fish and Wildlife.

The Kemmerer, Rawlins, Pinedale, and Green River RMPs provide listings of sensitive species within the field office areas, and have evaluated the need to protect habitat necessary for the success of species identified through these regulations and policies. All of the parcels identified as available for lease under Alternative B contain habitat or potentially contain habitat for sensitive species. Refer to Table 1 for a listing of T&E, candidate, and sensitive species associated with or potentially associated with the individual proposed November 2014 lease parcels.

The Greater Sage-Grouse is a candidate species for listing under provisions of the ESA as determined by the USFWS and documented in a March 5, 2010 *Federal Register* notice declaring that listing of the Greater Sage-Grouse was warranted but precluded. Updated policy was issued by the BLM Wyoming in 2012 under IM WY-2012-019 (BLM 2012a). The results of the Fluid Minerals Leasing Screen for Greater Sage-Grouse for the parcels that are deferred from the November 2014 lease sale can be found in Appendix C. Greater Sage-Grouse occupy sagebrush habitats throughout the central and western portions of the High Desert District. Numerous parcels on the November 2014 list may provide nesting and/or winter range; and/or breeding habitat for Greater Sage-Grouse (see Table 1). Additionally, the State Director has used his discretion to temporarily defer offering approximately 7,672.810 acres from parcels 1405–6, 23, 24, 25, 26, 27, 29, 30, 57, 58, 59, 60, and 61 in the interest of conservation of the Greater Sage-Grouse; deferral is pending completion of the ongoing Greater Sage-Grouse RMP amendment process in the Rock Springs, Kemmerer, Pinedale, and Rawlins field offices. Parcels 23 and 58 are deferred in whole, while the remaining parcels are partially deferred. These deferrals can be found Appendix A. West Nile virus (WNV), which recently has had lethal effects on Greater Sage-Grouse in

parts of Wyoming, could cause increased mortality and reduce Greater Sage-Grouse survival. A discussion of WNV is contained in the attached Addendum and is incorporated in its entirety into this EA. This addendum discusses the current status of WNV effects in WY and finds that while this is an issue of concern, BLM can only take actions to limit its spread but cannot control or predict whether an outbreak would actually occur.

Parcels 1, 2, 3, 4, 5, 6, and 12 are located in the Platte River drainage which provides downstream habitat for the threatened and endangered pallid sturgeon, Least Tern, Piping Plover, Western Prairie Fringed Orchid, Whooping Crane and designated critical habitat for the Whooping Crane, all of which occur far downstream and only consider depletions for correlated impact analyses. The remaining parcels are located either in the Great Divide closed basin or in the Colorado River drainage which provides habitat downstream for the threatened and endangered Colorado pikeminnow, razorback sucker, bonytail and humpback chub fish species and also require downstream impact analysis of water depletions.

In 2006, USFWS, BLM, USFS, NPS, and fish and wildlife management agencies in Colorado, Wyoming, and Utah jointly developed a conservation agreement and strategy to “assure the long-term viability of Colorado River cutthroat trout (CRCT) throughout their historic range.” No parcels have been identified as having CRCT.

Parcels containing streams will also have associated riparian habitat, as presented in Table 1. Some streams and riparian areas may provide habitat for special status fish, bird, amphibian, and reptilian species. Semlitsch and Bodie (October 2003) state, “It is generally acknowledged that terrestrial buffers or riparian strips 30-60 m wide will effectively protect water resources.” They further state the importance of amphibian and reptilian core habitat and suggest including “three terrestrial zones adjacent to core aquatic and wetland habitats...(1) a first terrestrial zone immediately adjacent to the aquatic habitat, which is restricted from use and designed to buffer the core aquatic habitat and protect water resources; (2) starting again from the wetland edge and overlapping with the first zone, a second terrestrial zone that encompasses the core terrestrial habitat defined by semiaquatic focal-group use (e.g., amphibians...); and (3) a third zone, outside the second zone, that serves to buffer the core terrestrial habitat from edge effects from surrounding land use” and “Although wetlands vary in many characteristics related to type, region, topography, climate, and land-use surrounding them, the data we compiled suggest that a single all-encompassing value for the size of core habitats can be used effectively.” Based on the definition for riparian habitat (i.e., areas adjacent to rivers and streams with a differing density, diversity, and productivity of plant and animal species relative to nearby uplands) it appears that the Semlitsch and Bodie core habitat zone would correlate with riparian areas. They recommend a minimum core zone of 142 meters (465 feet). The BLM 500-foot buffer from the edge of riparian habitat or surface water meets this minimum core zone width

Parcels 32 and 038 are in the Chain Lakes Wildlife Habitat Management Area. Management goals and objectives are to manage the unique, fragile, and rare alkaline desert lake system and wildlife habitat values associated with the lake system, manage pronghorn winter habitat and other wildlife habitat values, and to implement the Chain Lakes Memorandum of Understanding (MOU) with Wyoming Game and Fish Department (WGFD).

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

In Wyoming, the Western yellow-billed cuckoo is dependent on areas of woody, riparian vegetation that cover 50 acres or more within arid to semiarid landscapes, that combine a dense shrubby understory for nesting and a cottonwood overstory for foraging. Currently, yellow-billed cuckoo occurs on the western side of the Rocky Mountains along the Lower Green River Basin from the Seedskaadee NWR to the Flaming Gorge Reservoir and west to the Bear River Drainage. Yellow billed cuckoo also occurs along the North Platte River drainage.

The Wyoming pocket gopher, a species on the BLM Wyoming Sensitive Species List, was petitioned to be included on the threatened and endangered species list. The U.S. Fish and Service subsequently determined that listing was not warranted. The Wyoming pocket gopher is known to occur only in Sweetwater and Carbon counties in Wyoming. They prefer dry, gravelly, shallow-soil ridge tops within greasewood plant communities.

The Idaho pocket gopher is known from Uinta, Lincoln, and Sublette counties. The species occupies shallow, stony soils and has been documented in open sagebrush, grassland plains, and subalpine mountain meadow habitats in Wyoming.

BLM is responsible for managing sensitive plants species on the Wyoming State Director's Sensitive Species List. Plant species listed on the BLM Wyoming State Director's Sensitive Species List and their associated habitat types are discussed in detail below. These plants are recognized as being of particular interest to the public and are a focus of management:

### **3.2.3 Lands with Wilderness Characteristics**

Wilderness characteristics are resource values that include naturalness, outstanding opportunities for solitude, or outstanding opportunities for primitive and unconfined recreation. Areas evaluated for wilderness characteristics generally occur in undeveloped locations of sufficient size (typically greater than 5,000 contiguous acres) to be practical to manage for these characteristics.

The BLM Land Use Planning Handbook (H-1601-1) states that the BLM must consider the management of lands with wilderness characteristics during the land use planning process. The criteria used to identify these lands are essentially the same criteria used for determining wilderness characteristics for wilderness study areas (WSA). However, the authority set forth in section 603(a) of FLPMA to complete the three-part wilderness review process (inventory, study, and report to Congress) expired on October 21, 1993; therefore, FLPMA does not apply to new WSA proposals and consideration of new WSA proposals on BLM-administered public lands is no longer valid. The BLM is still required under Section 201 of FLPMA to "...maintain on a continuing basis an inventory of all public lands and their resource and other values..." This includes reviewing lands, in this case lease parcels, to determine if they possess wilderness characteristics (refer to Appendix D).

Parcels or portions of parcels 56, 57, 58, 71, and 76 have been determined to have lands with wilderness character (Appendix D). Parcels or portions of parcels 56, 57, 58 and 71 were not previously identified as having lands wilderness character. Parcels or portions of parcels 56, 57, 58, 71, 76, 87, and 88 are located within the RFO Adobe Town Dispersed Recreation Use Area (DRUA) which is subject to management decisions in the Rawlins RMP. The Rawlins RMP approved in December 2008 determined these “lands to be unmanageable for wilderness character because of preexisting oil and gas leases, the BLM elected to manage lands with wilderness character for multiple use and not for protection of wilderness character.”

Parcels 59, 71, 76, 77, 78, and 90 are either entirely or partially inside the Adobe Town Citizens’ Proposed Wilderness Area.

Parcels 87, 88, and 123 are either entirely or partially inside the Kinney Rim South Citizens’ Proposed Wilderness Area. Parcel 124 is partially inside the Kinney Rim North Citizens’ Proposed Wilderness Area. BLM inventory information does not indicate that these lands contain LWCs.

Parcels 111 and 112 are partially inside the East Sand Dunes Citizens’ Proposed Wilderness Area. East Sand Dunes CPW has not yet been evaluated but existing inventory information does not indicate the presence of LWCs.

Parcels or portions of parcels 59, 71, 76, 77, 78, and 90 fall within the Adobe Town area lands designated by the State of Wyoming as a “very rare or uncommon” area. The designation of the Adobe Town Rare and Uncommon Area by the Wyoming Environmental Quality Council applies State of Wyoming protection only as related to non-coal mining operations and does not limit the development of oil and gas resources. BLM management of the Adobe Town area, including the Adobe Town WSA and Adobe Town DRUA, meets or exceeds the management protections of the State of Wyoming “very rare or uncommon” designation (Rawlins RMP, 2008).

There are no congressionally designated wilderness areas on BLM-administered lands within the HDD, but there are five wilderness study areas located within the RFO, one in the KFO, two in PFO and 13 in the RSFO (Note: Adobe Town WSA occurs within portions of the Rawlins and Rock Springs field offices). They are:

Rawlins Field Office

- Adobe Town WSA
- Ferris Mountains WSA
- Encampment River Canyon WSA
- Prospect Mountain WSA
- Bennett Mountains WSA

Kemmerer Field Office

- Raymond Mountain WSA

Pinedale Field Office

- Scab Creek WSA
- Lake Mountain WSA

Rock Springs Field Office

- Adobe Town WSA
- Whitehorse Creek WSA
- Honeycomb Buttes WSA
- Oregon Buttes WSA
- Alkali Draw WSA
- South Pinnacles Buttes WSA

Alkali Basin/East Sand Dunes WSA  
Sand Dunes WSA  
Buffalo Hump WSA  
Red Creek Badlands WSA

Devil's Playground WSA  
Twin Buttes WSA  
Red Lake WSA

Wilderness Study Areas are managed according to the non-impairment standard. Under this standard, these lands are managed in a manner so as not to impair the suitability of such areas for preservation as wilderness. At present, the BLM manages these lands in accordance with the Kemmerer, Pinedale, Rawlins, and Green River RMPs, and the Interim Management Policy for Lands Under Wilderness Review until Congress either designates each WSA as “wilderness” or releases it from consideration and the land reverts to multiple-use management. None of the parcels on the November 2014 list are within any of the WSAs.

### **3.2.4 Cultural and Paleontological Resources**

All parcels addressed in this EA have the potential to contain surface and buried archaeological materials. Once the decision is made by the lessee to develop a lease, an area specific cultural records review would be completed to determine if there is a need for a cultural inventory of the areas of proposed surface disturbance. Generally, a cultural inventory will be required before new surface disturbance and all historic and archaeological sites that are eligible for listing in the National Register of Historic Places would be either avoided by the undertaking or have the information in the sites extracted through archaeological data recovery. See Table 1 for individual parcels that have been identified as having known cultural sites and National Historic Trails.

The parcels addressed in the EA also have a potential to contain vertebrate and non-vertebrate fossils. Post-lease development proposals would be evaluated on a case-by-case basis to determine if paleontological surveys would be required prior to surface disturbance. Parcels that have a Potential Fossil Yield Class of Class 4 (High) or Class 5 (Very High) are identified in Table 1.

### **3.2.5 Soils**

Soils within the project area are frequently highly erodible regardless of slope. Sandy soil textures present in the proposed project area generally have a severe hazard for wind erosion and a slight or moderate hazard for water erosion due to naturally high infiltration capacities. Heavier, more clayey, soil textures generally have a slight or moderate hazard of wind erosion and severe hazard of water erosion. Soils in Wyoming are especially dependent on vegetative cover to prevent erosion; ground cover and root systems anchor the soil, recycle nutrients, and add scarce organic matter. Soil characteristics and slope information for the parcels are summarized in the Affected Environment, Table 1.

### **3.2.6 Vegetation**

Vegetation types occurring on the parcels are summarized in the Affected Environment, Table 1.

### **3.2.7 Invasive, Non-native Species**

Populations of invasive or non-native species were not identified on the parcels offered for leasing. Infestations of noxious weeds can have a negative impact on biodiversity and natural ecosystems. Noxious weeds affect native plant species by out-competing native vegetation for light, water and soil nutrients. Locally, regionally, and nationally noxious weeds infestations cause decreased quality of agricultural products due to high levels of competition from noxious weeds; decreased quantity of agricultural products due to noxious weed infestations; and increased costs to control and/or prevent the noxious weeds.

Recent federal legislation has been enacted requiring state and county agencies to implement noxious weed control programs. Monies would be made available for these activities from the federal government, generated from the federal tax base. Therefore, all citizens and taxpayers of the United States are directly affected when noxious weed control/prevention is not exercised. The field offices work cooperatively with county and local weed control agencies to identify and manage noxious weeds.

### **3.2.8 Wastes, Hazardous or Solid**

There are no identified hazardous or solid waste sites on the parcels addressed in this EA. Should a parcel be leased and developed, generation and temporary storage of waste materials (solid and liquid) would likely occur. Waste materials would be managed in accordance with Onshore Orders 1 & 7, Resource Conservation and Recovery Act (RCRA), applicable Wyoming Department of Environmental Quality (WDEQ) regulations, and Wyoming Oil and Gas Conservation Commission (WOGCC) rules. Fluid handling would be evaluated at the development stage and fluids associated with any subsequent drilling, completions and/or production would either be treated, evaporated, or transferred to an approved WDEQ treatment facility; solids would be treated on site or transferred to a WDEQ approved facility. Parcel 8, which is deferred, contains four unplugged CBM wells. Several of the parcels contain wells which have previously been plugged and abandoned. The integrity of these wells, and their potential to act as contamination pathways would be evaluated at the development stage.

### **3.2.9 Water Resources: Surface and Groundwater**

Surface water hydrology within the area is typically influenced by geology, soil characteristics, precipitation and vegetation. Anthropogenic factors that currently affect surface water resources include livestock grazing management, private, commercial and industrial development, recreational use, drought, and vegetation control treatments. Ephemeral drainages that discharge into perennial waters are located within the various parcels/partial parcels available for offer. Perennial streams with associated riparian habitat area are present for many parcels, as identified in Table 1.

Groundwater hydrology within the area is influenced by geology and recharge rates. Groundwater quality and quantity can be influenced by precipitation, water supply wells and various disposal activities. Groundwater quality across the Kemmerer, Pinedale, Rawlins, and Rock Springs field offices varies with depth from potable waters with low total dissolved solids (TDS) to highly saline, non-potable sources; additionally known areas of fluoride levels in exceedance of state water quality standards exist within all four field offices and are known to be naturally occurring. Most of the groundwater in KFO, PFO, RFO,

and RSFO area is used for industrial, domestic and livestock/irrigation purposes. Information contained in Appendix E, Hydraulic Fracturing White Paper, Section II Operational Issues/Water Availability and Consumption Estimates (page 3) is incorporated by reference. The information contained there indicates that throughout the state, approximately 15 million acre feet of surface and/or groundwater are available for use. The largest user of groundwater in the state is the industrial water use sector which includes electric power generation, coal mining, conventional oil and gas production, uranium mining, trona mining and soda ash production, bentonite mining, gypsum mining, coalbed methane (CBM) production, manufacturing of aggregate, cement, and concrete, and road and bridge construction.. Total current industrial surface water use for WY is estimated to be 125,000 acre feet per year and total current groundwater use is estimated to be 246,000 acre feet per year. Several parcels contain land with private surface overlying federal minerals (i.e., split-estate) and are identified in Table 1. The private surface lands have or have the potential to contain private residences and associated facilities such as domestic water supply wells. Otherwise, there are no known domestic or municipal water supply sources on or in the general vicinity of the available parcels/partial parcels although several do contain areas of perennial surface water, riparian and wetland areas. Stipulations have been added to these parcels to limit occupancy within 500' feet. Based upon site-specific analysis, this offset could be increased. Lease Notice #1, applied to all parcels, notifies all lessees that occupancy within ¼ mile of all occupied dwellings may be restricted at the time of development and Onshore 1 requires that Operators identify all existing wells, and their status, within 1 mile of their proposed development.

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

### **3.2.10 Livestock Grazing**

The parcels are used primarily for livestock grazing as they are located in primarily rural areas with large blocks of federal public domain lands. Grazing allotment information for the parcels is listed in the Affected Environment, Table 1. The grazing on these parcels are primarily for livestock but may also support sheep, and could contain range improvement structures such as reservoirs, water wells, and fences.

### **3.2.11 Recreation**

Recreational use of the available parcels and the surrounding areas is typically for hunting, fishing, camping, sightseeing, off-highway vehicle use, and other recreational activities. In the national survey of fishing, hunting and wildlife-associated recreation for activities in 2006, expenditures from fishing and hunting significantly increased. In Wyoming, more than 320,000 people participated in fishing and hunting in 2006. Additionally, 716,000 people participated in some form of wildlife watching (USFWS 2006 National Survey of Fishing, Hunting, and Wildlife Associated Recreation). The total number of hunting and fishing recreation use days in Wyoming in 2008 was 3,683,371. Based on the number of recreation days and average expenditure per day, hunters, anglers and trappers expended approximately \$685 million in pursuit of their sport (WGFD Annual Report 2008). Non-consumptive users provided

about \$420 million through wildlife watching, wildlife photography, etc. In total, wildlife associated recreation accounted for over 1 billion dollars in income to the state for the year 2008 (WGFD Annual Report 2008).

For lands managed by the Department of the Interior (which include those BLM-administered lands within the November 2014 lease sale) more than 437 million recreational visits in 2010 supported more than 388,000 jobs nationwide and contributed over \$44 billion in economic activity, including 14,000 jobs in Wyoming (USDI 2011). For Wyoming, the outdoor recreation experiences boost economic activity from hunting, angling, and tourism, supporting 52,000 jobs across the state, contributing more than \$4.4 billion annually to Wyoming's economy, generates \$250 million annually in state tax revenue and produces \$3.6 billion annually in retail sales and services across Wyoming (accounting for 17% of gross state product)(Outdoor Industry Foundation 2006.).

Trout are considered the most popular sport fish in the United States and in 2006, it was estimated that more than 6.8 million anglers fished for trout (U.S. Fish and Wildlife Service 2006.). In Wyoming, it is estimated that of the 203,000 freshwater anglers over the age of 16 who fish, more than 88 percent seek trout, making Wyoming the state with the second highest participation rate for trout fishing in the United States.

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

Several parcels are also located in proximity to the Adobe Town Wilderness Study Area and Monument Valley and may receive sporadic recreational use due to the isolation and unique geologic features found in the area.

### **3.2.12 Visual Resources**

The BLM Visual Resource Management (VRM) Class objectives are as follows:

- Class I: to preserve the existing character of the landscape. The level of change to the characteristic landscape should be very low and must not attract attention.
- Class II: to retain the existing landscape character and the level of change to the characteristic landscape should be low. Management activities should not attract the attention of the casual observer. Changes would be required to repeat the basic elements of form, line, color, and texture found in the predominant natural features of the characteristic landscape. Modifications to a proposal would be required if the proposed change cannot be adequately mitigated to retain the character of the landscape.
- Class III: to partially retain existing landscape character. The level of change to the characteristic landscape should be moderate. Management activities may attract attention but should not dominate a casual observer's view. Changes should repeat the basic elements found in the predominant natural features of the characteristic landscape.

- Class IV: to provide for management activities which require major modification of the existing landscape character. Every attempt, however, should be made to reduce or eliminate activity impacts through careful location, minimal disturbance, and repeating the basic landscape elements.

Parcels and portions of parcels 59, 77, 78, and 90 are located in the Monument Valley Management Area. According to the 1997 Record of Decision and Green River Resource Management Plan, the entire Monument Valley Management Area will be managed consistent with the Class II visual resource management classification.

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. A management objective is to manage all resource values in the Red Desert area with emphasis on protection of visual resources, watershed values, and wildlife resources and to provide large areas of unobstructed views for enjoyment of scenic qualities.

All individual parcel VRM Class designations are identified in Table 1. VRM Classifications only apply to the BLM-administered surface estate and therefore do not apply to non-BLM checkerboard lands within the VRM classification areas, nor on private or State lands among the November 2014 lease parcels.

During the preparation of the Rawlins RMP, the BLM had not updated its Visual Resource Inventory (“VRI”) and the VRM portion of the RMP was remanded to the RFO in order to update the VRI and potentially revise the VRM classifications. Concerning visual resource management until the VRM land use planning amendment is completed, the 2008 RMP ROD states, “Until such time, the Approved RMP will utilize the VRM class designations as established and analyzed in the No Action Alternative, Alternative 1 in the Proposed RMP/Final EIS.” The RFO has completed the required VRI and in February 2011 issued the updated VRI results. The VRM classification will not be determined until the ROD for the RMP VRM amendment is approved and until that time, all of these parcels are managed according to the VRM Class III. VRI is not an equivalent of VRM classification. VRI is a determination of existing visual values and not a land use planning decision. VRM is a land use planning decision based on many factors, one of which is VRI.

### **3.2.13 Public Health and Safety**

Oil and gas development, as well as other industrial uses, such as coal and trona mining, has been occurring in the HDD Field Offices for many decades. Due to the scattered nature and the small area encompassed by the respective parcels coupled with low population density, industrial safety programs, standards, and state and federal regulations, offering these parcels is not expected to materially increase health or safety risks to humans, wildlife, or livestock. Parcels that contain lands with private surface overlying federal minerals (i.e., split-estate) are identified in Table 1. Other private surface lands have or have the potential to contain private residences and associate facilities such as domestic water supply wells. Several of these parcels may be used for individual, dispersed, recreational activities as discussed under Visual Resource Management, Wilderness, and Recreation. One parcel contains 3 unplugged CBM wells and is deferred from sale. Please see information under Air Resources and Water Resources for additional information regarding management of air quality emissions and water quantity/quality in WY.

### **3.2.14 Socioeconomics**

The proposed lease parcels are located in Carbon, Lincoln, Sublette, and Sweetwater Counties, Wyoming. Table 11 shows changes in population for each county between 2000 and 2010. Carbon County saw minimal growth, whereas Sublette County saw a 73 percent increase, which was the largest among these four counties. The growth in Sublette and Sweetwater counties is likely partly due to the increase of energy development occurring there.

Social conditions in the Kemmerer, Rawlins, Pinedale and Rock Springs Field Office areas that concern human communities include towns, cities, rural areas, and the custom, culture, and history of the area as it relates to human settlement, as well as current social values. BLM management actions can impact social conditions in the area and in nearby communities.

Much of Wyoming is dependent upon resource development as a base for its economy. In the counties with parcels for lease, this was true for Sublette and Sweetwater counties in 2011 when 20 percent or more of the employment was in the mining sector, which includes oil and gas extraction (BEA 2012). BEA (2012) also indicates that over eight percent of employment was in the mining sector for Lincoln County. The construction industry also supported over ten percent or more of the employment for Lincoln and Sublette counties, likely partly due to the increases in population needing housing. For Carbon County, government employment provided the largest percentage of employment (23%).

Table 11. High Desert District Population by County, 2000-2010

Area	Population in 2000	Population in 2010	Change 2000-2010	
			Total	Percent
Albany County	32,014	36,299	4,285	13.4
Carbon County	15,639	15,885	246	1.6
Laramie County	81,607	91,738	10,131	12.4
Lincoln County	14,573	18,106	3,533	24.2
Sublette County	5,920	10,247	4,327	73.1
Sweetwater County	37,613	43,806	6,193	16.5
Uinta County	19,742	21,118	1,376	7.0
Subtotal Wyoming	206,608	237,199	30,591	14.8

Sources: U.S. Census Bureau

In general, resource development and protection are both important to sustaining the values within the area. However, the challenge is seeking an appropriate balance between resource development and protection, which is central to the BLM mission and the RMP process.

### **3.2.15 Environmental Justice**

Executive Order 12898 requires Federal agencies to assess projects to ensure there is no disproportionately high or adverse environmental, health, or safety impacts on minority and low income populations. A review of current US Census data indicates that no low income or minority populations

meet the criteria for environmental justice consideration. Therefore, the parcels offered for lease will not result in any disproportionately high or adverse impacts on minority and low-income populations.

### **3.2.16 Solid Leasables (Coal and Sodium)**

None of the parcels analyzed in this EA are located within a Sodium or Coal leasing area as summarized in the Affected Environment, Table 1.

## **ENVIRONMENTAL IMPACTS**

### **4.0 Description of Impacts**

As previously stated, the sale of parcels and issuance of oil and gas leases is strictly an administrative action. Nominated lease parcels are reviewed against the appropriate land use plan, and stipulations are attached to mitigate any known environmental or resource conflicts that may occur on a given lease parcel. On-the-ground impacts would not occur until a lessee applies for and receives approval to drill on the lease. The BLM cannot determine at the leasing stage whether or not a proposed parcel will actually be sold, or if it is sold and issued, whether or not the lease would be explored or developed. Consequently, the BLM cannot determine exactly where a well or wells may be drilled or what technology that may be used to drill, complete and produce wells, so the impacts listed below are more generic, rather than site-specific. Additional NEPA and technical engineering analysis would be conducted prior to approval of an APD to ensure that the proposal is compliant with all Federal and/or state rules and regulations. Additional mitigation and BMPs may be applied as COAs at that time to mitigate identified impacts.

#### **4.1 Impacts of Alternative A (No Action)**

Under this alternative none of the parcels designated as open to leasing would be offered for lease and there would be no subsequent physical impacts to the existing environment caused by post-lease well development. The only impact resulting from the No Action Alternative would be to socioeconomics.

##### **4.1.1 Socioeconomic Resource**

Based on the assumption that all 90 parcels and/or portions of parcels (114,304.700 acres) identified in Alternative B would be sold and based on the minimum acceptable bid of \$2.00 per acre, the government would lose the opportunity to collect a minimum of \$228,609.00 under the No Action Alternative A, as well as any royalties that would be collected from any subsequent hydrocarbon production. Typically, lease bids are substantially higher than the \$2.00 per acre minimum; consequently the economic loss would likely be much higher than that projected. For example, the last four lease sales conducted for HDD yielded \$27,802,509.00 from 475,384 acres sold for an average of \$58.48 per acre. Based on this average, implementing the No Action Alternative would potentially result in a loss of \$6,684,538.00 more than the Proposed Action, Alternative B.

The State of Wyoming, as well as many counties and communities within, rely on oil and gas development for part, if not the majority, of their economic base. The employment and purchasing

opportunities associated with developing and producing wells on the leases is also foregone, as would the opportunity to provide oil and gas resources from these lease parcels to help meet the nation's energy needs. Refer to the Final EISs for the Kemmerer, Pinedale, Rawlins, and Green River RMPs for additional socioeconomic analysis and discussion of potential direct, indirect, and cumulative impacts to socioeconomics.

#### **4.2 Impacts of Alternative B (Proposed Action)**

Alternative B would result in 90 parcels and/or portions of parcels being offered at the November 2014 BLM Wyoming oil and gas lease sale. Again the reader is reminded that at the leasing stage the BLM cannot predict whether or not any of the parcels will actually be sold, if they are sold and a lease is issued whether or not they will actually be developed, and if development does occur what the development level would be. Table 12 displays the stipulations that would be applied to each parcel to mitigate anticipated impacts in accordance with the associated field office RMP.

The current RMPs have evaluated the need to protect habitat necessary for the success of species identified through these regulations and policies. Three categories of stipulations are used in the following sections. No Surface Occupancy (NSO) is the most stringent. Under an NSO, use or occupancy of the land surface for fluid mineral exploration or development is prohibited to protect identified resource values. Controlled Surface Use (CSU) is less stringent. Under a CSU use and occupancy is allowed (unless restricted by another stipulation) but identified resource values require special operational constraints that will limit surface disturbance and/or limit development of the oil and gas reservoir. CSU's are used for operating guidance, not as a substitute for the NSO or Timing stipulations. Timing limitation stipulations (TLS) prohibit surface use during specified time periods to protect identified resource values. This stipulation does not apply to the operation and maintenance of production facilities unless the findings of site-specific analysis demonstrates the continued need for such mitigation and that less stringent, project specific mitigation measures would be insufficient. BLM retains full discretion to deny all lease development if an Operator cannot show compliance with all Federal and/or state rules and regulations, or Federal laws.

**Table 12. Lease Notices, Timing Limitation Stipulations (TLS) and No Surface Occupancy (NSO) Stipulations  
Applied to the Lease Parcels Based on Affected Resources Elements Identified in the Affected Environment Section**

Parcel # WY-1411-	Lease Notice #1, 2, 3	Lease Stip #1, 2, 3	Big Game Winter TLS	Greater Sage-Grouse/ Sharp-tailed Nesting TLS	B. Owl/ Raptor Nesting TLS	Mountain Plover TLS	Bald Eagle Roost/ Nest TLS or NSO	Greater Sage-Grouse winter TLS	City Town NSO or CSU	Big Game Birthing TLS/ CSU	SG/ Sharp-Tailed Lek NSO/ CSU	Raptor CSU	Amphib Species CSU	Cult. Res. CSU or NSO	Historic Trails CSU &/or NSO	Continental Divide National Scenic Trail	Adobe Town DRUA CSU	VRM II CSU	Coal/ Trona CSU	SRMA/ SMA/ WHMA CSU or NSO	Aquifer Recharge area	
1	Applied	Applied		Applied	Applied		TLS											CSU				
2	Applied	Applied	Applied	Applied	Applied		TLS						Applied					CSU				
3	Applied	Applied		Applied	Applied	Applied																
4	Applied	Applied		Applied	Applied	Applied						Applied										
5	Applied	Applied	Applied	Applied	Applied																	
6	Applied	Applied	Applied	Applied	Applied	Applied						Applied	Applied					CSU				
9	Applied	Applied	Applied	Applied	Applied					TLS		Applied	Applied					CSU				
10	Applied	Applied	Applied	Applied	Applied					TLS		Applied	Applied					CSU				
12	Applied	Applied		Applied	Applied	Applied						Applied	Applied	CSU	CSU	NSO						
16	Applied	Applied	Applied	Applied	Applied						NSO	Applied	Applied					CSU				
19	Applied	Applied	Applied	Applied	Applied								Applied									
20	Applied	Applied	Applied	Applied	Applied																	
21	Applied	Applied	Applied	Applied																		
23	Applied	Applied	Applied	Applied	Applied								Applied		CSU							
24	Applied	Applied	Applied	Applied	Applied	Applied						Applied	Applied		CSU & NSO							
27	Applied	Applied	Applied	Applied	Applied								Applied									
28	Applied	Applied	Applied	Applied		Applied							Applied									
29	Applied	Applied	Applied	Applied	Applied	Applied						Applied	Applied		CSU & NSO							
30	Applied	Applied	Applied	Applied	Applied	Applied		Applied			NSO		Applied									
32	Applied	Applied		Applied	Applied	Applied						Applied	Applied								CSU	
33	Applied	Applied	Applied	Applied	Applied		TLS					Applied	Applied		CSU							
34	Applied	Applied	Applied	Applied	Applied	Applied					NSO		Applied		CSU & NSO							
35	Applied	Applied	Applied	Applied	Applied	Applied						Applied										
36	Applied	Applied		Applied		Applied							Applied									

**Table 12. Lease Notices, Timing Limitation Stipulations (TLS) and No Surface Occupancy (NSO) Stipulations  
Applied to the Lease Parcels Based on Affected Resources Elements Identified in the Affected Environment Section**

Parcel # WY-1411-	Lease Notice #1, 2, 3	Lease Stip #1, 2, 3	Big Game Winter TLS	Greater Sage-Grouse/ Sharp-tailed Nesting TLS	B. Owl/ Raptor Nesting TLS	Mountain Plover TLS	Bald Eagle Roost/ Nest TLS or NSO	Greater Sage-Grouse winter TLS	City Town NSO or CSU	Big Game Birthing TLS/ CSU	SG/ Sharp-Tailed Lek NSO/ CSU	Raptor CSU	Amphib Species CSU	Cult. Res. CSU or NSO	Historic Trails CSU &/or NSO	Continental Divide National Scenic Trail	Adobe Town DRUA CSU	VRM II CSU	Coal/ Trona CSU	SRMA/ SMA/ WHMA CSU or NSO	Aquifer Recharge area	
37	Applied	Applied		Applied		Applied							Applied									
38	Applied	Applied		Applied	Applied	Applied															CSU	
39	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO							
40	Applied	Applied	Applied	Applied	Applied		TLS					Applied	Applied		CSU & NSO							
41	Applied	Applied	Applied	Applied	Applied		TLS					Applied	Applied		CSU							
42	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO							
43	Applied	Applied		Applied		Applied							Applied									
47	Applied	Applied		Applied		Applied							Applied									
48	Applied	Applied		Applied		Applied							Applied									
53	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU							
54	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU							
55	Applied	Applied	Applied	Applied	Applied								Applied		CSU							
56	Applied	Applied		Applied	Applied	Applied						Applied	Applied				Applied					
57	Applied	Applied	Applied	Applied	Applied	Applied		Applied				Applied	Applied		CSU		Applied					
58	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO		Applied					
59	Applied	Applied	Applied		Applied													Applied			CSU	
60	Applied	Applied		Applied	Applied								Applied									
61	Applied	Applied		Applied	Applied	Applied							Applied									
63	Applied	Applied		Applied		Applied																
71	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO		Applied					
72	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO							
73	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO							
74	Applied	Applied	Applied	Applied	Applied								Applied		CSU							

**Table 12. Lease Notices, Timing Limitation Stipulations (TLS) and No Surface Occupancy (NSO) Stipulations  
Applied to the Lease Parcels Based on Affected Resources Elements Identified in the Affected Environment Section**

Parcel # WY-1411-	Lease Notice #1, 2, 3	Lease Stip #1, 2, 3	Big Game Winter TLS	Greater Sage-Grouse/ Sharp-tailed Nesting TLS	B. Owl/ Raptor Nesting TLS	Mountain Plover TLS	Bald Eagle Roost/ Nest TLS or NSO	Greater Sage-Grouse winter TLS	City Town NSO or CSU	Big Game Birthing TLS/ CSU	SG/ Sharp-Tailed Lek NSO/ CSU	Raptor CSU	Amphib Species CSU	Cult. Res. CSU or NSO	Historic Trails CSU &/or NSO	Continental Divide National Scenic Trail	Adobe Town DRUA CSU	VRM II CSU	Coal/ Trona CSU	SRMA/ SMA/ WHMA CSU or NSO	Aquifer Recharge area
76	Applied	Applied		Applied									Applied				Applied				
77	Applied	Applied	Applied															Applied		CSU	
78	Applied	Applied	Applied		Applied													Applied		CSU	
79	Applied	Applied		Applied		Applied															
80	Applied	Applied		Applied		Applied							Applied								
81	Applied	Applied		Applied		Applied							Applied								
82	Applied	Applied		Applied	Applied	Applied						Applied	Applied								
84	Applied	Applied		Applied		Applied					NSO		Applied								
87	Applied	Applied	Applied	Applied	Applied							Applied	Applied		CSU & NSO		Applied				
88	Applied	Applied	Applied	Applied	Applied	Applied						Applied	Applied		CSU & NSO		Applied				
90	Applied	Applied	Applied		Applied													Applied		CSU	
91	Applied	Applied			Applied																
92	Applied	Applied	Applied	Applied	Applied	Applied							Applied	CSU							
93	Applied	Applied	Applied	Applied		Applied												Applied		CSU	
94	Applied	Applied		Applied	Applied	Applied														CSU	
95	Applied	Applied			Applied															CSU	
96	Applied	Applied		Applied	Applied	Applied														CSU	
97	Applied	Applied																		CSU	
100	Applied	Applied		Applied	Applied	Applied					NSO		Applied							CSU	
101	Applied	Applied		Applied		Applied							Applied							CSU	
102	Applied	Applied		Applied																CSU	
103	Applied	Applied																		CSU	
104	Applied	Applied																		CSU	
107	Applied	Applied		Applied	Applied																

**Table 12. Lease Notices, Timing Limitation Stipulations (TLS) and No Surface Occupancy (NSO) Stipulations  
Applied to the Lease Parcels Based on Affected Resources Elements Identified in the Affected Environment Section**

Parcel # WY-1411-	Lease Notice #1, 2, 3	Lease Stip #1, 2, 3	Big Game Winter TLS	Greater Sage-Grouse/ Sharp-tailed Nesting TLS	B. Owl/ Raptor Nesting TLS	Mountain Plover TLS	Bald Eagle Roost/ Nest TLS or NSO	Greater Sage-Grouse winter TLS	City Town NSO or CSU	Big Game Birthing TLS/ CSU	SG/ Sharp-Tailed Lek NSO/ CSU	Raptor CSU	Amphib Species CSU	Cult. Res. CSU or NSO	Historic Trails CSU &/or NSO	Continental Divide National Scenic Trail	Adobe Town DRUA CSU	VRM II CSU	Coal/ Trona CSU	SRMA/ SMA/ WHMA CSU or NSO	Aquifer Recharge area	
109	Applied	Applied		Applied	Applied																	
110	Applied	Applied		Applied	Applied																	
111	Applied	Applied	Applied	Applied														Applied			CSU	
112	Applied	Applied																Applied			CSU	
113	Applied	Applied		Applied																	CSU	
114	Applied	Applied		Applied	Applied						NSO										CSU	
115	Applied	Applied		Applied																	CSU	
116	Applied	Applied		Applied	Applied																CSU	
117	Applied	Applied																			CSU	
118	Applied	Applied																			CSU	
119	Applied	Applied		Applied																	CSU	
120	Applied	Applied		Applied																	CSU	
123	Applied	Applied		Applied	Applied								Applied				Applied					
124	Applied	Applied		Applied											Applied							
125	Applied	Applied		Applied	Applied																	
126	Applied	Applied		Applied.							Applied											
127	Applied	Applied									Applied				CSU			Applied				
138	Applied	Applied		Yes	Yes				CSU – Cokeville Munic. Airport		Applied											
139	Applied	Applied		Yes																		

## **4.2.1 Air Resources**

### ***4.2.1.1 Air Quality***

The administrative act of offering any of these parcels and the subsequent issuing of leases would have no direct impacts to air quality. Any potential effects to air quality would occur if and when the leases were developed. Any proposed development project would be subject to additional analysis of possible air effects before approval. The analysis may include air quality modeling for the activity. Over the last 10 years, the development on federal oil and gas mineral estate in the Kemmerer, Rawlins, Pinedale and Rock Springs field offices has resulted in an average of 545 wells being spudded annually (approximately 15 in KFO, 180 in RFO, 235 in PFO, and 115 in RSFO). These wells would incrementally contribute a small percentage of the total emissions (including GHGs) from oil and gas activities in Wyoming.

Potential impacts of development could include increased airborne particulates associated with the construction of new well pads, pipelines, or roads, exhaust emissions from drilling and completion equipment/activities, compressors, vehicles, and dehydration and separation facilities, as well as potential releases of GHG and volatile organic compounds during well installation activities. The following sources of emissions are anticipated during oil and gas development should the leases be sold and development proposed: combustion engines (i.e. fossil fuel fired internal combustion engines used to supply electrical or hydraulic power for hydraulic fracturing to drive the pumps and rigs used to drill the well, drill out the hydraulic stage plugs and run the production tubing in the well; generators to power drill rigs, pumps and other equipment; compressors used to increase the pressure of the oil or gas for transport and use; tailpipe emissions from vehicles transporting equipment to the site), venting (i.e. fuel storage tanks vents and pressure control equipment), mobile emissions (i.e. vehicles bringing equipment, personnel or supplies to the location), fugitive sources (i.e. Pneumatic valves tank leaks, dust). A number of pollutants associated with the combustion of fossil fuels are anticipated to be released during drilling/completion operations include: CO, NO<sub>x</sub>, SO<sub>x</sub>, Pb, PM, CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O. Venting may release VOC/HAP, H<sub>2</sub>S, and CH<sub>4</sub>. Mobile source emissions are likely to include fugitive particulate matter from dust or inordinate idling. Additional particulate matter could be associated with the use and storage of frac sand used in the completion process. The amount of increased emissions cannot be quantified at this time since it is unknown how many wells might be installed, the types of equipment needed if a well were to be put into production (e.g., compressor, separator, dehydrator), or what technologies may be employed by a given company for installing any new wells. The degree of impact will also vary according to the characteristics of the geologic formations from which production occurs.

During the completion phase, most emissions of criteria pollutants emitted in general are VOCs, particulate matter and NO<sub>2</sub>. VOCs and NO<sub>x</sub> contribute to the formation of ozone. Data provided to EPA's Natural Gas STAR Program show that some of the largest air emissions in the natural gas industry occur as natural gas wells that have been fractured are being prepared for production. During well completion, injected fracturing fluids, formation fluids and reservoir gas are flowed back to the surface. The flowback of formation fluids and reservoir gas will include additional VOCs and methane, along with air toxins such as benzene, ethylbenzene, and n-hexane. The typical flowback process lasts from three to 10 days. Pollution also may be emitted from other processes and equipment during production and transportation of oil and gas from the well to a processing facility. Qualitative analysis in the associated RMPs does not

project a violation of Federal and/or State air quality emissions. Appendix E, Hydraulic Fracturing White Paper, Section II, Operational Issues/Gas emissions (page 2) is incorporated by reference.

The Reasonably Foreseeable Development (RFD) in the Rawlins RMP assumes that 3,711 federal wells would be put into production over a 20-year life of project assumption (LOP), which equates to approximately 186 wells per year. The RFD was derived for analysis purposes on a field office-wide basis and is not intended to be a development cap. The RFD document for the Kemmerer RMP estimated that approximately 120 wells would be drilled/completed annually for Federal minerals. The RFD for Pinedale RMP is 9,150 wells (457/year) and the Green River RMP is 2,400 (120/year). Development density (i.e., wells per square mile) and number of wells installed annually depend on a number of variables including market trends, technology available (vertical, directional, or horizontal), and the geology of the hydrocarbon-bearing zone. As a result, the number of wells that could potentially be put into production under a full field development scenario as a result of offering the leases is unknown. Current APD permitting trends within the field offices confirm that these assumptions are still accurate.

Subsequent development of any leases issued would contribute a small incremental increase in overall emissions, including GHGs and fine particulate matter from all phases of development. When compared to total national or global emissions, the amount released as a result of potential production from the proposed lease parcels would not have a measurable effect.

Coal-bed natural gas (CBNG) development currently exists within the RFO. Approximately 8.5 percent of the active wells in the RFO are CBNG wells. The RFD grouped CBNG wells and conventional wells together in the scenario. RSFO also has existing CBNG development and has a coal-bed natural gas RFD of approximately 15 wells per year. Based on the existing development and the RFD for the Rawlins and Rock Springs field offices, CBNG-related emissions can be expected. Although the RFD for the Kemmerer RMP assumes a CBNG development rate of up to 15 wells per year, there currently is no active or proposed CBNG development in the Field Office; therefore, there are no expected emissions. Several CBNG wells exist in the Pinedale Field Office, but have proven unproductive; therefore, there are no expected emissions from this source.

There is a *de minimis* emission threshold for the UGRB ozone nonattainment area, below which a conformity determination is not required. The threshold is 100 tons/year of NO<sub>x</sub> or VOCs. In accordance with 40 CFR 93.153, the conformity requirement does not apply to actions where the emissions are not reasonably foreseeable such as lease sales made on a broad scale and are followed by exploration and development plans.

#### 40 CFR 93.153 Applicability

(c) The requirements of the subpart shall not apply to the following Federal actions:

(3) Actions where the emissions are not reasonably foreseeable, such as the following:

(i) Initial Outer Continental Shelf lease sales which are made on a broad scale and are followed by exploration and development plans on a project level. (Note: this also applies to onshore lease sales that meet these parameters)

(4) Actions which implement a decision to conduct or carry out a conforming program such as prescribed burning actions which are consistent with a conforming land management plan.

This lease sale meets this requirement, in that, the proposed lease parcels are scattered across southern Wyoming from near the Nebraska border to near the Utah border and from South Pass to the Colorado border. Additionally post lease exploration and/or development would require project level plans and NEPA analysis before implementation.

#### ***4.2.1.2 Visibility***

Wyoming DEQ-AQD has developed two Regional Haze State Implementation Plans (SIP), identifying strategies, measures, and milestones to bring the area back into attainment. The 309 SIP optional measures, under the Regional Haze Rule (40 CFR 51.309), allows State-established milestones for voluntary sulfur dioxide (SO<sub>2</sub>) reductions to improve visibility. The 309(g) SIP focuses primarily on nitrogen oxides (NO<sub>x</sub>) and particulate matter (PM) emissions which are not covered by the 309 program. Emissions are addressed through controls known as Best Available Retrofit Technology (BART), for large emitters targeted by the 309(g) program. The State is conducting public meetings and awaiting final EPA review and approval of the Regional Haze SIPs. BLM projects proposed prior to the SIP being implemented will undergo Conformity reviews.

#### ***4.2.1.3 Greenhouse Gas Emissions and Climate Change***

The administrative act of leasing all or part of 90 parcels covering 114,304.700 acres would not result in any direct GHG emissions. However, in regard to future development, the assessment of GHG emissions and climate change is in its formative phase. While it is not possible to accurately quantify potential GHG emissions in the affected areas as a result of making the proposed tracts available for leasing, some general assumptions can be made: offering the proposed parcels may contribute to the installation and production of new wells.

Wyoming's gross GHG emissions are expected to continue to grow to 69 MMtCO<sub>2</sub>e by 2020, 56% above 1990 levels. As shown in Figure 6 of the inventory report, demand for electricity is projected to be the largest contributor to future emissions growth, followed by emissions associated with transportation. Although GHG emissions from fossil fuel production had the greatest increase by sector in the period 1990 to 2005, the growth from this sector is projected to decline due to the assumption of decreased carbon dioxide emissions from venting at processing plants.

The Petroleum Association of Wyoming's website (<http://www.pawyo.org/facts.html>) reports that in 2012, there were 38,079 active gas and oil wells in the state, 42 operational gas processing plants, 5 oil refineries, and over 27,300 miles of crude oil, gas, and petroleum product pipelines located across all land ownership patterns in the state. There are significant uncertainties associated with estimates of Wyoming's GHG emissions from this sector. This is compounded by the fact that there are no regulatory requirements to track CO<sub>2</sub> or CH<sub>4</sub> emissions. Therefore, estimates based on GHG emissions measurements in Wyoming are not possible at this time (Wyoming GHG Inventory and Reference Case Projection CCS, Spring 2007).

However, as reported by the same CCS inventory report, emissions from this (fossil fuel production) sector grew 101% from 1990 to 2005 and are projected to increase by a further 10% between 2005 and 2020. The natural gas industry is the major contributor to both GHG emissions and emissions growth, with CH<sub>4</sub> emissions from coal mining second. That said, it is worth noting that a significant portion of the emissions attributed to the natural gas industry are due to vented gas from processing plants, many of which are used for injection in enhanced oil recovery operations. Additionally, many technological advances in emission control technology have been implemented by the oil and gas industry to reduce emission levels.

#### **4.2.1.4 Climate**

Some information and projections of impacts beyond the project scale are becoming increasingly available. Chapter 3 of the Climate Change Supplementary Information Report for Montana, North Dakota, and South Dakota (Climate Change SIR 2010) describes impacts of climate change in detail at various scales, including the state scale when appropriate. The following bullet points summarize potential changes identified by the EPA that are expected to occur at the regional scale, where the proposed action and its alternatives are to take place. The EPA identifies this area as part of the Mountain West and Great Plains region

(<http://www.epa.gov/Region8/climatechange/pdf/ClimateChange101FINAL.pdf>):

- The region is expected to experience warmer temperatures with less snowfall.
- Temperatures are expected to increase more in winter than in summer, more at night than in the day, and more in the mountains than at lower elevations.
- Earlier snowmelt means that peak stream flow would be earlier, weeks before the peak needs of ranchers, farmers, recreationalist, and others. In late summer, rivers, lakes, and reservoirs would be drier.
- More frequent, more severe, and possibly longer-lasting droughts are expected to occur.
- Crop and livestock production patters could shift northward; less soil moisture due to increased evaporation may increase irrigation needs. Drier conditions would reduce the range and health of ponderosa and lodgepole pine forests, and increase the susceptibility to fire. Grasslands and rangelands could expand into previously forested areas.
- Ecosystems would be stressed and wildlife such as the mountain line, black bear, long-nose sucker, marten, and bald eagle could be further stressed.

Other impacts could include:


- Increased particulate matter in the air as drier, less vegetated soils experience wind erosion.
- Shifts in vegetative communities which could threaten plant and wildlife species.
- Changes in the timing and quantity of snowmelt which could affect both aquatic species and agricultural needs. Projected and documented broad-scale changes within ecosystems of the U.S. are summarized in the Climate Change SIR (2010). Some key aspects include:
  - Large-scale shifts have already occurred in the ranges of species and the timing of the seasons and animal migrations. These shifts are likely to continue (Climate Change SIR 2010). Climate changes include warming temperatures throughout the year and the

- arrival of spring an average of 10 days to 2 weeks earlier through much of the U.S. compared to 20 years ago. Multiple bird species now migrate north earlier in the year.
- Fires, insect epidemics, disease pathogens, and invasive weed species have increased and these trends are likely to continue. Changes in timing of precipitation and earlier runoff increase fire risks.
  - Insect epidemics and the amount of damage that they may inflict have also been on the rise. The combination of higher temperatures and dry conditions have increases insect populations such as pine beetles, which have killed trees on millions of acres in western U.S. and Canada. Warmer winters allow beetles to survive the cold season, which would normally limit populations; while concurrently, drought weakens trees, making them more susceptible to mortality due to insect attack.

While long-range regional changes might occur within this project area, it is impossible to predict precisely when they could occur. The following example summarizing climate data for the West North Central Region (MT, ND, SD, and WY) illustrates this point at the regional scale.

A potential regional effect of climate change is earlier snowmelt and associated runoff. This is directly related to spring-time temperatures. Over a 112-year period, overall warming is clearly evident with temperatures increasing 0.21 degrees Fahrenheit per decade (Figure 5). This would suggest that runoff may be occurring earlier than in the past. However, data from 1991-2005 indicate a 0.45 degrees Fahrenheit per decade cooling trend (Figure 5). This example is not an anomaly, as several other 15-year windows can be selected to show either warming or cooling trends. Some of these year-to-year fluctuations in temperature are due to natural processes, such as the effects of El Niños, La Niñas, and the eruption of large volcanoes (summarized in the Climate Change SIR 2010). This information illustrates the difficulty of predicting actual regional or site specific changes or conditions which may be due to climate change during any specific time frame.

Figure 6. Methane and Fossil Fuel Emissions



The assessment of GHG emissions and climate change is in its formative phase. It is currently not feasible to know with certainty the net impacts from the proposed action on climate. The inconsistency in results of scientific models used to predict climate change at the global scale coupled with the lack of scientific models designed to predict climate change on regional or local scales, limits the ability to quantify potential future impacts of decisions made at this level. When further information on the impacts to climate change is known, such information would be incorporated into the BLM planning and NEPA documents as appropriate.

#### 4.2.1.5 Mitigation

The BLM holds regulatory jurisdiction over portions of natural gas and petroleum systems, identified in the EPA Inventory of U.S. Greenhouse Gas Emissions and Sinks document. Exercise of this regulatory jurisdiction has led to development of “Best Management Practices (BMPs)” designed to reduce emissions from field production and operations. Analysis and approval of future development on the

lease parcels may include applicable BMPs as Conditions of Approval (COAs) in order to reduce or mitigate GHG emissions, if necessary and within the authority of the BLM to administer. Additional measures developed at the project development stage may be incorporated as applicant-committed measures by the project proponent, added to necessary State of Wyoming air quality permits, or as COAs in the approved APD or with a programmatic EIS.

Such mitigation measures may include, but are not limited to:

- Flare hydrocarbon and gases at high temperatures in order to reduce emissions of incomplete combustion through the use of multi-chamber combustors;
- Water dirt roads during periods of high use in order to reduce fugitive dust emissions;
- Require that vapor recovery systems be maintained and functional in areas where petroleum liquids are stored;
- Installation of liquids gathering facilities or central production facilities to reduce the total number of sources and minimize truck traffic;
- Use of natural gas fired or electric drill rig engines;
- The use of selective catalytic reducers and low-sulfur fuel for diesel-fired drill rig engines; and,
- Adherence to BLM's Notice to Lessees' (NTL) 4a concerning the venting and flaring of gas on Federal leases for natural gas emissions that cannot be economically recovered,
- Flaring of hydrocarbon gases at high temperatures in order to reduce emissions of incomplete combustion;
- Protecting frac sand from wind erosion
- Implementation of directional and horizontal drilling technologies whereby one well provides access to petroleum resources that would normally require the drilling of several vertical wellbores;
- Performing interim reclamation to reclaim areas of the pad not required for production facilities and to reduce the amount of dust from the pads.

Additionally, the BLM encourages oil and gas natural gas companies to adopt proven cost-effective technologies and practices that improve operation efficiency and reduce natural gas emissions.

In October 2012, the EPA promulgated air quality regulations for completion of hydraulically fractured gas wells. These rules require air pollution mitigation measures that reduce the emissions of VOCs during gas completions. Mitigation includes a process known as "Green Completion" in which the recovered products are sent through a series of aboveground, closed, separators which then negates the need for flowing back into surface pits as the product is then immediate sent to gas lines and the fluids are transferred to onsite tanks. Green completions have been required by the WDEQ for many years in the Upper Green River Basin and will be required throughout the state of WY by 2015.

EPA Inventory data show that adoption by industry of the BMPs proposed by the EPA Natural Gas Energy Star program has reduced emissions from oil and gas exploration and development. The four field offices will continue to work with industry to facilitate the use of the relevant BMPs for operations proposed on federal mineral leases where such mitigation is consistent with agency policy and determined necessary through the NEPA process.

## **4.2.2 Wildlife and Special Status Species (Plants and Animals)**

As previously stated, it is not possible to predict whether or not a parcel would be sold and if it is sold, whether or not it would developed. Should a lease be developed and surface disturbing and/or disruptive activities occur on the parcels containing crucial big game winter range during the crucial wintering period, it could cause impacts to wintering moose, mule deer, pronghorn, and elk, such as causing animals to move to less suitable winter habitat and conceivably causing fetal abortion by pregnant females. Well pad, road, and pipeline development into areas currently void of surface disturbing or disruptive activities could result in habitat fragmentation, which, depending on the intensity of the development, vegetative cover and terrain, may affect short-term and long-term habitat viability. Activities associated with development of oil and gas resources, are highly likely to result in displacement of wildlife. As stated in Section 1.3, it is not possible at the lease offering stage to accurately predict whether a parcel would actually be leased; if it is leased, whether or not a given parcel would be explored or developed; and if explored or developed, what the development intensity (down-hole and surface well pad spacing) will be. Surface disturbing or disruptive activities within big game migration routes during the migration period could result in animals altering their travel routes and expending energy needed during the winter season to avoid the activity.

### ***4.2.2.1 Special Status Species***

There are many sources of habitat fragmentation, all of which may affect the Greater Sage-Grouse. Industrial development, livestock grazing, mining, gravel pit operations, oil and gas activity, land exchanges and disposal, vegetation manipulation, fuel reduction projects, and other activities may disturb and fragment natural habitat conditions. Structures such as power lines, towers, and industrial disruptive activities may cause avoidance and abandonment of habitat. Livestock grazing, fuels treatments, and weed infestations are factors which may cause habitat degradation depending upon severity, intensity, and design.

West Nile virus (WNV), which recently has had lethal effects on Greater Sage-Grouse in parts of Wyoming, could cause increased mortality and reduce Greater Sage-Grouse survival. A discussion of WNV is contained in the attached Addendum and is incorporated by reference.

Based on site-specific environmental analysis, the BLM may require additional avoidance and/or impact minimization measures in order to manage Greater Sage-Grouse habitat in support of management objectives at the time of development should these parcels be sold. These measures may include, but are not limited to, disturbance density limitations or surface use and timing restrictions in proximity to certain habitats (e.g., severe winter concentration areas, Greater Sage-Grouse leks, etc.). Restrictions and prohibitions may be more restrictive than current RMP stipulation guidance if supported by site-specific NEPA analysis of a development proposal, the measures are in conformance with the RMP, and are consistent with the existing lease rights granted.

In the event post-lease development without appropriate stipulations were to occur on leases in Greater Sage-Grouse habitat, it could potentially result in surface disturbing and/or disruptive activities within 2 miles or greater of a grouse lek or other known nesting habitats during the nesting period, within winter concentration areas, and/or within ¼ mile or greater of leks during the breeding season and/ or direct

mortality. Direct and or indirect impacts could result in habitat fragmentation, reduced breeding success and/or nest abandonment as well as cause Greater Sage-Grouse to move to less suitable winter habitat. Stipulations for the protection of leks, nesting habitat, and winter concentration areas have been added to specific parcels, as identified in Table 12.

All other impacts are the same as those described in the Kemmerer, Rawlins, Pinedale, and Green River RMPs as they relate to Greater Sage-Grouse.

Parcels 032 and 038 are in the Chain Lakes Wildlife Habitat Management Area. A management objective is to implement the Chain Lakes Memorandum of Understanding (MOU) with Wyoming Game and Fish Department (WGFD). Surface disturbing activities within the unique alkaline desert wetland communities will be intensively managed.

Yellow-billed cuckoo habitat may be impacted as a result of disturbance to woody riparian areas. Additional impacts may result from increased habitat fragmentation and human presence and noise.

Impacts to the Idaho and Wyoming pocket gopher may result in direct mortalities of individuals, as a result of crushing from construction activities, vehicles, and equipment. Additional impacts may result from increased habitat fragmentation and human presence and noise. Habitat disturbance may encourage future colonization in the short term, based on the availability of disturbed soils that could occur.

Conservation recommendations under the required biological opinion written by the USFWS on behalf of the endangered and sensitive Bear River, Platte River, and Colorado River fishes shall be adhered to by all BLM in consideration of all future authorized post-lease actions.

Surface disturbing and/or disruptive activities from February 1 to July 31, or up to September 15<sup>th</sup> in the case of burrowing owls, may cause impacts to nesting raptors, including burrowing owls and several species of migratory birds if they are present in the proposed disturbance area. The primary impact would be from nesting disturbance which could result in nest destruction, nest abandonment, and/or increased egg and chick mortality. Seasonal timing stipulations would be applied for specific species (raptors, mountain plover,) identified in RMPs. For migratory birds, specific timing restrictions would be considered as Conditions of Approval (COAs) based on NEPA analysis at the implementation stage and of information from site-specific surveys and of potential species and habitats occurring in areas proposed for development. Site-specific surveys for special status plants and wildlife would be considered at the APD stage to determine the presence/absence of important plant and wildlife resources, including special status species such as nesting birds, sensitive plants, sensitive mammals, amphibians and reptiles and the potential need for additionally protective Conditions of Approval.

Well-pad, road, and pipeline development into areas currently void of surface disturbance could result in habitat fragmentation and possible direct mortality, which depending on the intensity of the development, vegetative cover, and terrain could affect a variety of wildlife species, including but not limited to, Greater Sage-Grouse, Wyoming pocket gopher, migratory birds, raptors, white-tailed prairie dog, mule deer, pronghorn, elk, reptilian and amphibian species. Should post-lease development actually occur on any of the parcels, the related surface disturbance could result in short- and long-term losses of wildlife

habitat and site specific loss of vegetation communities. Short-term habitat loss would include all initial surface disturbance associated with the project. This short-term disturbance typically would be ongoing until those portions of a well pad not needed for production operations, road disturbance outside the shoulders, and the pipeline disturbance are reclaimed. Long-term habitat loss would include those portions of the pad needed for production operations for the life of the well and travel path and shoulders of the access roads. Vegetation communities which require long term recovery (Sagebrush types, rare and sensitive plants, etc.) would be lost until reclamation and recovery is successful and complete. Impacts from surface disturbing activities may also include behavioral changes from increased human activity, associated noise and fragmentation, and direct mortality from associated crushing or uprooting due to vehicular movements, construction activities and vegetation removal.

Water depletions for well pad and road construction, well drilling, well completion operations, pipeline hydrostatic testing, and dust abatement could potentially reduce stream flows in the Colorado and Platte River systems, potentially affecting threatened or endangered fish, wildlife and plant species that depend on habitats associated with those river systems. The depletion quantities would vary depending on the number of wells being drilled and completed and whether or not non-contributing sources of water could be utilized. Information contained in Appendix E, Hydraulic Fracturing White Paper, Section II, Operational Issues/Water Availability and Consumption (page 4 and Attachment 1), is incorporated by reference which shows that adequate water sources are available for projected oil and gas development needs. All depletions in these river systems are subject the USFWS mitigation requirements (including potential depletion fund payments); specific project proposals resulting in a “may affect, likely to adversely affect” determination are required to undergo formal consultation with the USFWS before any project approval.

#### ***4.2.2.2 Other wildlife (Avian, Aquatic, and Terrestrial) and Plants***

Post-lease actions (construction, drilling/completion, production, and maintenance) during the migratory bird breeding and nesting periods in the vicinity of suitable nesting habitats with active nests may cause impacts to nesting birds, such as crushing of nests, including eggs or hatchlings, and/or egg or hatchling abandonment. Operations during the breeding season could result in take under the Migratory Bird Treaty Act (MBTA) including the resulting reduction in breeding success. Site specific NEPA analysis for development proposals would address impacts minimization and mitigation measures needed based on habitats and species potentially affected.

#### ***4.2.2.3 Mitigation***

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

As prescribed by the Kemmerer, Pinedale, Rawlins, and Green River RMPs, wildlife impacts at the leasing stage would be mitigated through seasonal restrictions and controlled surface use where applicable. See Table 12 for a reference to the stipulations to be applied and to Appendix B for the

specific wildlife stipulations applied to each parcel. Based on these stipulations, the impacts to wildlife identified in the final EISs for the governing RMPs were determined not to be significant. This EA identifies similar impacts; implementation and adherence to these stipulations as stated in this EA is expected to achieve analogous results. In the event lease development is proposed, BMPs such as directional and/or horizontal drilling, installation of multiple wells per pad, well pad siting criteria, etc. could be implemented to mitigate site-specific direct/ indirect or cumulative impacts to wildlife and their habitats, including but not limited to partuition and crucial winter habitat, migratory bird nesting habitat, and wildlife migration routes. Additionally, the BLM would consider the guidelines in Wyoming Game and Fish Department (WGFD) “Recommendations for Development of Oil and Gas Resources within Crucial and Important Habitat” (2010) to the extent practicable.

Water depletion impacts to downstream fish and wildlife habitat in the Colorado River system would be mitigated through adherence to the recovery program with the USFWS at the time of extraction. Water depletion impacts to the North Platte River system would be mitigated in accordance with the Platte River Recovery and Implementation Program. Impacts to streams, fisheries, riparian habitat, and aquatic species would be mitigated through application of the requirements in Lease Notice No. 1 or special lease stipulations; such as the restriction on surface disturbing activities within 500’ of perennial water sources and/or riparian habitat. Spills would be handled in accordance with NTL-3A. A controlled surface use stipulation is applied to all offered parcels and provides protection for current and future threatened, endangered, and special status species. Operators are encouraged to recycle and reuse produced water in their operators to minimize dependence on freshwater sources. At a minimum the surface casing portion of the well bore must be drilled using freshwater to minimize contamination of usable groundwater that could discharge to surface waters.

Management practices identified on a case-by-case basis will be applied to surface disturbing activities to prevent destruction or loss and to maintain, or enhance Special Status plant and animal Species and their habitats.

Habitat containing threatened, endangered, proposed, and candidate plant species, as well as those plants listed on the Wyoming BLM sensitive list, would potentially limit the location of utility/transportation facilities, wind energy, and/or communication sites. The sensitive species habitat would be avoided where possible, and, in situations where these areas would not be avoided, additional BMPs would minimize disturbance to the habitat.

#### **4.2.3 Lands with Wilderness Characteristics**

Parcels or portions of parcels 56, 57, 58, 71, and 76 have been determined to have lands with wilderness character (Appendix D). Parcels or portions of parcels 56, 57, 58, 71, 76, 87, and 88 are located within the RFO Adobe Town Dispersed Recreation Use Area (DRUA) which is subject to management decisions in the Rawlins RMP. The Rawlins RMP approved in December 2008 determined these “lands to be unmanageable for wilderness character because of preexisting oil and gas leases, the BLM elected to manage lands with wilderness character for multiple use and not for protection of wilderness character.”

In 2012, the RFO undertook efforts to maintain their inventories as required by WO IM 2011-154 and confirmed the presence of wilderness character in the Rotten Springs area which contains parcels 56, 57 and 58. The decision of the Rawlins RMP to continue to manage these lands for multiple use, and available for oil and gas development and other resource use, is unchanged by the Rotten Springs inventory information.

Parcels 59, 71, 76, 77, 78, and 90 are either entirely or partially inside the Adobe Town Citizens' Proposed Wilderness Area. Parcels 87, 88, and 123 are either entirely or partially inside the Kinney Rim South Citizens' Proposed Wilderness Area. Parcel 124 is partially inside the Kinney Rim North Citizens' Proposed Wilderness Area. Parcels 111 and 112 are partially inside the East Sand Dunes Citizens' Proposed Wilderness Area.

Parcels or portions of parcels 59, 71, 76, 77, 78, and 90 fall within the Adobe Town area lands designated by the State of Wyoming as a "very rare or uncommon" area. The designation of the Adobe Town Rare and Uncommon Area by the Wyoming Environmental Quality Council applies State of Wyoming protection only as related to non-coal mining operations and does not limit the development of oil and gas resources. BLM management of the Adobe Town area, including the Adobe Town WSA and Adobe Town DRUA, meets or exceeds the management protections of the State of Wyoming "very rare or uncommon" designation (Rawlins RMP, 2008).

No other parcels were identified as having lands with wilderness characteristics. Offering parcels that have been determined to not contain wilderness characteristics would not impact wilderness characteristics or preclude the BLM's ability to determine manageability for lands with wilderness characteristics during a land use planning process. Impacts to lands identified as having wilderness characteristics as result of future lease development would be consistent with those identified in the Rawlins RMP and may include both short-term and long-term direct and indirect impacts resulting in the temporary loss of one or more of the individual wilderness components.

#### ***4.2.3.1 Mitigation***

Through the site specific NEPA process, mitigation would be applied to minimize or avoid these impacts and adequate and timely reclamation would be a priority.

#### **4.2.4 Cultural and Paleontological Resources**

Once the decision is made by the lessee to develop a lease, area specific cultural records review would be completed to determine if there is a need for a detailed cultural inventory of those areas that could be affected by the subsequent surface disturbing activities. Generally, a cultural inventory will be required and all identified historic and archaeological sites that are eligible for listing in the National Register of Historic Places or potentially eligible to be listed would be either avoided by the undertaking or have the information in the sites extracted through archaeological data recovery before surface disturbance. Offering lease parcels for sale would not, in and of itself, impact historic or prehistoric resources. Development within the viewshed of contributing segments of National Historic Trails could impact the trail setting; however, the extent of potential impacts cannot be determined absent a specific surface use or occupancy proposal.

A site and resource inventory and mitigation process similar to that described for cultural resources also applies to paleontological resources.

#### ***4.2.4.1 Mitigation***

Lease Notice No. 2 is applied to all parcels offered for leasing. Avoidance measures, including no surface occupancy and controlled surface use stipulations, would be imposed wherever eligible cultural and/or paleontological resources, including National Historic Trails, are potentially impacted (refer to Table 12 and Appendix B for the parcels with cultural and historic stipulations).

#### **4.2.5 Soils**

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to soils. Subsequent development of the lease could physically disturb the topsoil and could expose the substratum soil on subsequent project areas. Direct impacts resulting from the oil and gas construction of well pads, access roads, and reserve pits include removal of vegetation, exposure of the soil, mixing of horizons, compaction, loss of top soil productivity and susceptibility to wind and water erosion where construction of these facilities are necessary. Wind erosion could be a moderate contributor to soil erosion given the average wind speeds in the area. Indirect impacts such as runoff, erosion and off-site sedimentation could result from construction and operation of well sites, access roads, gas pipelines and facilities.

Contamination of soil from drilling/completion and production wastes mixed into soil or spilled on the soil surfaces could cause a long-term reduction in site productivity if not adequately identified and addressed. Some of these direct impacts can be reduced or avoided through proper design, construction and maintenance, and implementation of best management practices.

Based on the Kemmerer, Pinedale, Rawlins, and Green River RMPs, surface disturbance is restricted or prohibited on slopes over 25 percent and also within floodplains; consequently impacts to these resources/landforms are not anticipated from post-leasing development. The requirements in the BLM Wyoming Reclamation Policy would be implemented for all surface disturbing activities. In accordance with the policy, additional pre-disturbance and pre-reclamation data may be required when soils with a low potential for reclamation are impacted.

#### ***4.2.5.1 Mitigation***

Leaseholders/operators would be required to adhere to the BLM Wyoming Reclamation Policy (BLM 2012b) which includes preparing and submitting for BLM approval a detailed reclamation plan. In accordance with the BLM Wyoming Reclamation Policy, the operator would stockpile the topsoil from the surface of well pads which would be used for surface reclamation of the well pads. The impact to the soil would be remedied upon reclamation of well pads when the stockpiled soil that was specifically conserved to establish a seed-bed is spread over well pads and vegetation re-establishes.

Reserve pits where allowed would be closed, re-contoured and reseeded as described in COAs attached to APDs and in accordance with Onshore Order #1. Upon abandonment of wells and/or when access roads are no longer in service the Authorized Officer would issue instructions and/or orders for surface reclamation/restoration of the disturbed areas.

Lease Notice No.1 restricts surface disturbance on slopes greater than 25 percent and is applied to all parcels.

All development operations on Federal leases are required to have adequate spill prevention and countermeasure plans in place.

#### **4.2.6 Vegetation**

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to vegetation. Impacts to vegetation, both direct and indirect, would occur when the lease is developed in the future. The potential impacts would be analyzed on a site specific basis before oil and gas development.

Should post-lease development actually occur on any of the parcels, the related surface disturbance would result in short- and long-term losses of vegetation. Short-term vegetation loss would include all initial surface disturbance associated with the project until those portions of a well pad not needed for production operations, road disturbance outside the shoulders, and the pipeline disturbance are reclaimed. Long-term habitat loss would include those portions of the pad needed for production operations for the life of the well and travel path and shoulders of the access roads. Both short- and long-term losses of vegetation would result in a commensurate reduction in foraging habitat available for wildlife and livestock. Vegetation loss could also potentially correlate to a reduction in nesting habitat for ground or shrub nesting avian species, as well as a loss of hiding cover for certain avian and mammalian species.

##### ***4.2.6.1 Mitigation***

Leaseholders/operators would be required to adhere to the BLM Wyoming Reclamation Policy (BLM 2012b) which includes preparing and submitting for BLM approval a detailed reclamation plan. Lease Stipulation # 2 is applied for protection of sensitive plants and sensitive species wildlife habitats that could include seasonal timing restrictions, avoidance of specialized habitat features, and restrictions on structure types to minimize impacts to vegetation and special status species habitats from any future development activities. BMP's to address noise, dust, and visual impacts could also be required.

#### **4.2.7 Invasive, Non-native Species**

The act of offering, selling, and issuing federal oil and gas leases does not produce invasive/non-native species impacts. Subsequent development produces impacts in the form of surface disturbance. The construction of an access road and well pad may unintentionally contribute to the establishment and spread of noxious weeds. Noxious weed seed could be carried to and from the project areas by numerous methods, including construction equipment, the drilling rig and transport vehicles. The main mechanism for seed dispersion on the road and well pad is by equipment and vehicles that were previously used and or driven across or through noxious weed infested areas. The potential for the dissemination of invasive and noxious weed seed may be elevated by the use of construction equipment typically contracted out to companies that may be from other areas.

#### ***4.2.7.1 Mitigation***

In the event noxious weeds are discovered during construction of any access roads and well pads, measures will be taken to mitigate those impacts. Washing and decontaminating the equipment entering and exiting the construction areas would minimize this impact. Additionally, seed mixes used for reclamation are required to be certified weed-free and all Operators must have an approved Weed Management Plan.

#### **4.2.8 Wastes, Hazardous or Solid**

The lease parcels fall under environmental regulations that impact exploration and production waste management and disposal practices and impose responsibility and liability for protection of human health and the environment from harmful waste management practices or discharges.

Any potential for waste impact would not occur until post-lease development activities are initiated. Impacts could be in the form of drilling or completion fluid spills, formation fluid spills, dry material or chemical spills, fuel spills, trash scatter on and off the well pads, and hydrocarbon or gas releases.

#### ***4.2.8.1 Mitigation***

Future development activities on these lease sale parcels would be regulated under the Resource Conservation and Recovery Act (RCRA), Subtitle C regulations. Additionally, waste management requirements are included in the 12 point surface use plan and the 9 point drilling plan required for all APDs (see also BLM-Wyoming Instruction Memorandum 2012-007, “Management of Oil and Gas Exploration and Production Pits”) . Leaseholders proposing development would be required to have approved Spill Prevention Control and Countermeasure Plans, if the applicable requirements of 40 CFR 112 are met, and comply with all requirements for reporting of undesirable events. Lease bonds would not be released until all facilities have been removed, wells are plugged, and satisfactory reclamation has occurred.

#### **4.2.9 Water Resources: Surface and Groundwater**

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to water quality. Subsequent development of the lease can lead to surface disturbance from the construction of well pads, access roads, pipelines, and powerlines, which can result in degradation of surface water quality and groundwater quality from point source pollution, nonpoint source pollution, increased surface water runoff and increased erosion. Alteration of natural drainage paths and channel morphology can also occur as a result of surface disturbance associated with the installation of oil and/or gas wells. Natural drainage paths are often re-routed around well pads; channel morphology is altered at road and pipeline crossings. Removal of vegetation and subsequent erosion can also cause rill and gully erosion leading to a loss of channel stability as well as an increase in sedimentation within drainages.

The magnitude of these impacts to water resources would depend on the proximity of the disturbance to the drainage channel, slope aspect and gradient, the degree and extent of soil disturbance, soil characteristics, duration and time within which construction activity would occur, and the timely implementation and success or failure of mitigation measures.

Direct impacts to surface water would likely be greatest shortly after the start of construction activities and would likely decrease in time due to natural stabilization, and reclamation efforts. Impacts to groundwater would be less evident and occur on a longer time scale. Construction activities would occur over a relatively short period (commonly less than a month); however, natural stabilization of the soil can sometimes take years to establish to the degree that will adequately prevent accelerated erosion caused by compaction and removal of vegetation. Spills of materials used to drill/complete the wells and/or produced formation fluids could result in contamination of the soil onsite, or offsite, and may potentially impact surface and groundwater resources in the long term if not detected and addressed.

Petroleum products and other chemicals used in the drilling and/or completion process could result in groundwater contamination through a variety of operational sources including but not limited to pipeline and well casing failure, well (gas and water) construction, and spills. Similarly, improper construction and management of reserve and evaporation pits could degrade ground water quality through leakage and leaching.

Oil and gas contained in geologic formations is often not under sufficient hydraulic pressure to flow freely to a production well. The formation may have low permeability or the area immediately surrounding the well may become packed with cuttings. A number of techniques are used to increase or enhance the flow. They include hydraulic fracturing and acid introduction to dissolve the formation matrix and create larger void space(s). The use of these flow enhancement techniques and secondary recovery methods result in physical changes to the geologic formation that will affect the hydraulic properties of the formation. Typically, the effects of these techniques and methods are localized to the area immediately surrounding the individual well, are limited to the specific oil and gas reservoir, and do not impact adjacent aquifers.

The potential for negative impacts to groundwater caused from completion activities such as hydraulic fracturing, a common practice used in the HDD, have not been confirmed but based on its history of use are not likely. A recent study completed on the Pinedale Anticline did not find a direct link to known detections of petroleum hydrocarbons to the hydraulic fracturing process. Authorization of the proposed projects would require full compliance with local, state, and federal directives and stipulations that relate to surface and groundwater protection and the BLM would deny any APD who proposed drilling and/or completion process was deemed to not be protective of usable water zones as required by 43 CFR 3162.5-2(d). The EPA and State agencies regulate the disposal of wastes generated by the development and production of oil and gas. Underground waste disposal is regulated under the UIC program, which was authorized under the SDWA. RCRA conditionally exempted wastes associated with exploration, development, and production of oil and gas from regulation as a hazardous waste. Exempted wastes include well completion, treatment and stimulation fluids, workover wastes, packing fluids, and constituents removed from produced water before disposal.

As stated, groundwater could be affected by multiple factors, including industrial, domestic, or agricultural activities through withdrawal, injection (including chemical injection), or mixing of materials from different geologic layers or the surface. Withdrawal of groundwater could affect local groundwater flow patterns and create changes in the quality or quantity of the remaining groundwater. Based on an evaluation of statewide groundwater availability, and the total projected number of wells to be drilled/completed on BLM lands, adequate water supplies are available and would not result in significant impacts on a regional basis even during drought conditions. Loss of a permitted source of groundwater

supply due to drawdown would be considered a significant impact if it were to occur. This potential would be assessed at the development stage should a parcel be sold and subsequent development proposed. The drilling of horizontal wells, versus directional and vertical wells may initially appear to require a greater volume of water for drilling/completion purposes. However, a horizontal well develops a much larger area of the reservoir than a directional and/or vertical well and actually results in a lesser volume of fluids being required.<sup>1</sup>

Information contained in Appendix E, Hydraulic Fracturing White Paper, Section III, Potential Impacts to Usable Water zones (pages 6-10 and Attachment 1), is incorporated by reference. The information being incorporated by reference is generally summarized below. Impacts to the quality of groundwater, should they occur, would likely be limited to a near well bore location due to inferred groundwater flow conditions in the area of the parcels and based on studies completed in the Pinedale Anticline. Impacts to near well groundwater could occur from poor casing and/or cementing practices and the use of potentially hazardous materials within those formations containing freshwater and/or usable water zones. The materials proposed for use in the drilling program within freshwater and/or usable water zones are typically water based and would be protective of usable zones, both water quality and formation integrity. If an operator proposed to use oil based mud in their drilling program, their use be limited to the production formation and formations containing waters deemed to not be usable.

Exploration, development, and production of traditional oil and gas resources typically do not significantly deplete ground water. Oil and gas resources are often developed from geological reservoirs that do not contain significant amounts of freshwater with the exception of CBM; however, the development and production of oil and gas can affect adjacent or nearby aquifers. Potential impacts result from the creation of artificial pathways between oil and gas reservoirs and adjacent aquifers. Modification of ground water flow paths may cause fresh ground water to come in contact with oil or gas. In addition, improper disposal of waste waters (brine, storm runoff), drilling/completion fluids, and other wastes can impact the quality of underlying ground water (U.S EPA 1987).

A high risk of fluid migration exists along the vertical pathways created by inadequately constructed wells and unplugged inactive wells. Brine or hydrocarbons can migrate to overlying or underlying aquifers in such wells. This problem is well known in the oil fields around Midland, TX. Since the 1930s, most States have required that multiple barriers be included in well construction and abandonment to prevent migration of injected water, formation fluids, and produced fluids. These barriers include (1) setting surface casing below all known aquifers and cementing the casing to the surface, and (2) extending the casing from the surface to the production or injection interval and cementing the interval. Barriers that can be used to prevent fluid migration in abandoned wells include cement or mechanical plugs. They should be installed (1) at points where the casing has been cut, (2) at the base of the lowermost aquifer, (3) across the surface casing shoe, and (4) at the surface. Individual states, including WY, and the BLM have casing programs for oil and gas wells to limit cross contamination of aquifers.

There are plugged wells located on several of the parcels proposed for lease at the November 2014 sale. The integrity of these wells, and the potential for new well bores to intersect them will be evaluated at the APD stage. Should an issue be identified, this would be corrected prior to the new well being

---

<sup>1</sup> Vertical and directional wells can easily require one well per 10 acres resulting in 64 wells per section. This is in contrast to one horizontal well per 640 acres or one per 320 acres which results in a net decrease in total fluid volumes needed and in surface disturbance acreages.

drilled/completed. There are unplugged wells on one parcel in this sale; this parcel is being deferred until the BLM can resolve the liability issues associated with them.

Any proposed drilling/completion activities would have to be in compliance with Onshore Order #2, 43 CFR 3160 regulations, and not result in a violation of a Federal and/or State law. If these conditions were not met, the proposal would be denied. As such, no significant impacts to groundwater from the proposed action are expected.

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to watersheds. Subsequent development of a lease may result in long- and short term alterations to the hydrologic regime depending upon the intensity and context of a specific proposal. Flows of perennial streams, ephemeral, intermittent rivers and streams and their associate could be directly affected in the short term by an increase in impervious surfaces resulting from the construction of the well pad and road. An increase in impervious surfaces provides for reduced infiltration which can then cause overland to move more quickly causing peak flow to potentially occur earlier, have a higher flow velocity and/or a larger volume than the channels are equipped for. Increased velocity and volume of peak flow can cause bank erosion, channel widening, downward incision, and disconnection from the floodplain. The potential hydrologic effect to low flow is reduced surface storage and groundwater recharge, which can then result in reduced base flow to perennial rivers and/or streams and potentially causing intermittent channels to become ephemeral. The direct impact would be that hydrologic processes may be altered where the perennial, ephemeral, and intermittent river and stream system responds by changing physical parameters, such as channel configuration. These changes may in turn impact water quality and ultimately the aquatic ecosystem through eutrophication, changes in water temperature, and/ or a change in the food structure.

Minor long-term direct and indirect impacts to the watershed and hydrology could continue for the life of surface disturbance from water discharge from roads, road ditches, and well pads, but would decrease once all well pads and road surfacing material has been removed and reclamation of well pads, access roads, pipelines, and powerlines have taken place. Interim reclamation of the portion of the well pad not needed for production operation, as well as re-vegetating the portion of the pad that is needed for production operations, as well as re-vegetating road ditches would reduce this long-term impact. Short-term direct and indirect impacts to the watershed and hydrology from access roads that are not surfaced with impervious materials would occur and would likely decrease in time due to reclamation efforts.

#### ***4.2.9.1 Mitigation***

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

Lease Notice No. 1 is applied to all lease parcels and restricts surface disturbing activities within 500 feet of surface water and/or riparian areas to protect the water and riparian resources and within ¼ mile of occupied residences.

All depletions potentially affecting Threatened and Endangered aquatic species would require consultation with USFWS and all water discharged would require State permits under the National Pollution Discharge Elimination System (NPDES) and approval by the BLM at the APD stage; potential impacts would be mitigated at that time. The EPA and State agencies regulate the disposal of wastes generated by the development and production of oil and gas. Underground waste disposal is regulated under the UIC program, which was authorized under the Safe Water Drinking Act. Additionally, if a operator proposed the use of diesel in its completion proposal, they would also have to obtain permission from EPA under the UIC program. If a drilling/completion proposal is found to not be protective of usable water zones, as required by 43 CFR 3162.5-2(d) and Onshore Order #2, the proposal would be denied regardless of any stipulations attached to the lease. For example, if a proposal included the use of hazardous and/or toxic materials within a formation containing usable waters, it would be denied. Requirements for groundwater monitoring both pre and post oil and gas development have recently been instituted throughout WY by the Wyoming Oil and Gas Conservation Commission. This monitoring will add a level of certainty regarding the impacts of oil and gas drilling/completion activities on groundwater in WY.

The use of practices such as but not limited to closed-loop mud systems or lined reserve pits would reduce or eliminate seepage of waste fluids into the soil and eventually reaching groundwater. The casing and cementing requirements imposed on proposed wells would reduce or eliminate the potential for groundwater contamination from drilling/completion/production fluids and other surface sources. Additional mitigation could include, but would not be limited to: the use of recycled water for drilling and completion fluids below the surface casing zone, installation of backflow preventers, installation of oil and gas related water wells to aquifers below those providing residential and/or municipal water supplies and then cementing from the nearest shale/clay zone below the deepest culinary/livestock water well in the vicinity back to the surface, and insuring that access to water wells is only provided to authorized users. Using the lowest quality water necessary and cementing any water supply wells to surface will reduce the potential for mixing of lower quality waters with potable sources. Additionally, drilling with oil-base mud or requiring the use of closed loop or semi-closed loop drilling mud systems in areas where shallow groundwater may be encountered, the use of closed-loop or semi-closed loop drilling systems may be required (see also BLM-Wyoming Instruction Memorandum 2012-007, "Management of Oil and Gas Exploration and Production Pits"). The use of materials that are not protective of usable water zones is prohibited by regulation. Floodplains would be managed in accordance with Executive Order 11988.

#### ***4.2.9.2 Mitigation***

Stormwater Pollution Prevention and Control Plans are required by the State of Wyoming before any surface disturbance associated with construction actions greater than 1 acre in size. On a case-by-case basis, the Authorized Officer may require additional erosion control measures to reduce the volume of surface runoff and subsequent sediment transport. The operator would stockpile the topsoil from the surface of well pads which would be used for surface reclamation of the well pads. Reserve pits, where authorized, would be re-contoured and reseeded as described in the APD COA. Upon abandonment of the wells and/or when access roads are no longer in service the Authorized Officer would issue instructions and/or orders for surface reclamation/restoration of the disturbed areas as described in the APD COA. Implement interim reclamation BMP measures.

#### **4.2.10 Livestock Grazing**

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to livestock grazing. Subsequent development of a lease may generate impacts to livestock but would be addressed on a site specific basis once the extent of development is known.

Post-lease development could result in short-term and long-term losses of vegetation, which correlates to short-term and long-term losses of livestock forage. Short-term losses would occur until the portions of a well pad not needed for production operations, road disturbance outside the shoulders, and the pipeline disturbance, are reclaimed with established vegetation. Long-term losses would be the portions of the pad needed for production operations for the life of the well, as well as the maintained portions of the access roads. Increased traffic associated with well-field development increases the possibility of animals being injured or killed in collisions with vehicles. All range improvements would be avoided by development to the extent practical.

##### ***4.2.10.1 Mitigation***

Reclaim and re-vegetate all disturbed areas not needed for well production operations. Avoid range improvements by 500 feet (Standard Lease Notice No. 1). Avoid livestock trailing routes. Securing reserve pits and production facilities against livestock entry with cattleguards, fences and gates would reduce adverse effects to livestock. All development proposals would be coordinated with the applicable grazing lessee.

#### **4.2.11 Recreation**

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to the recreational use of public land. Subsequent development of a lease may generate impacts to recreation activities. For public land areas that are small or land-locked by private or state land, recreation opportunities would be limited or non-existent due to land ownership or access restrictions. Recreational use on larger blocks of public land and on smaller blocks of public land where there is public access, including areas with citizen proposed wilderness could be impacted by post-lease oil and gas development. The quality of the recreational experience would likely be diminished by oil and gas development operations by noise and changes in scenic quality. Recreation on split estate lands would be at the discretion of the private landowner.

Construction and drilling operations would potentially cause game animals and birds to move away from the activity. Studies have shown that animals have moved 2 miles or more from logging operations and other similar activities. Studies also show that elk avoid areas within 1-2 miles of roads (Powell 2003). If post-lease development operations coincide with hunting season, it is expected that hunters would experience reduced success rates within a 2-mile area of the activity. It is also likely that some hunters would experience a diminished quality in their hunting adventure. In addition to facilitating mineral extraction, new oil and gas roads could provide better access to the lease areas for recreational opportunities but can also result in increased poaching activities or wildlife harassment. However, the presence of oil and gas facilities would likely diminish the recreational experience and a decline in recreational use of an area due to oil and gas development would potentially affect local, state, and

regional revenues generated through recreation. The level of economic decline would depend on type and level of use and the level of decline.

#### ***4.2.11.1 Mitigation***

Parcels or portions of parcels 56, 57, 58, 71, 76, 87, and 88 are located within the RFO Adobe Town Dispersed Recreation Use Area (DRUA) which is subject to management decisions in the Rawlins RMP. The Rawlins RMP approved in December 2008 determined these “lands to be unmanageable for wilderness character because of preexisting oil and gas leases, the BLM elected to manage lands with wilderness character for multiple use and not for protection of wilderness character. Surface occupancy or use will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to protect recreational opportunity class setting within the Adobe Town Dispersed Recreation Use Area.

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

Additional mitigation and/or COAs, such as seasonal restrictions or BMPs such as directional drilling, liquids gathering systems, pad drilling, etc. could be identified at the development stage to further reduce impacts associated with oil and gas development.

#### **4.2.12 Visual Resources**

Since well locations cannot be accurately determined at the leasing stage, it is not possible to accurately predict the visual impacts. Development intensity, terrain, and proximity to visual receptors (e.g., main travel corridors, towns, recreation facilities, etc.) will greatly influence the VRM impacts. For example, a single well pad screened by terrain at an area absent of visual receptors would have low to negligible impacts in Class III or IV areas; whereas well pads developed next to a major travel route on in the viewshed of a town or recreation facility may have substantial impact. It is possible that post-lease industrial development could result in portions or all of a VRM area to be re-evaluated and potentially downgraded to a lower classification.

As previously stated, parcels or portions of parcels 56, 57, 58, 71, 76, 87, and 88 are within the Adobe Town DRUA which was designated VRM Class III in the December 2008 Rawlins RMP. RFO issued the results of a new VRI inventory in 2011. The VRM classification through the pending RMP amendment to the 2008 Rawlins RMP may or may not correspond to the VRI classifications and will not be determined until the Decision Record for the RMP amendment is approved. Management objectives for other resource values can result in a VRM classification that varies from the VRI classification.

Offering parcels at the November 2014 lease sale would not compromise BLM’s ability to select any of the alternatives being analyzed in the pending RMP Amendment. The authority the BLM has to condition approval of lease development actions with reasonable measures to protect natural resources

and environmental quality will ensure that by offering these lease parcels the BLM will not limit the choice of reasonable alternatives in the ongoing VRM amendment to the Rawlins RMP.

#### ***4.2.12.1 Mitigation***

Parcels located within the RFO Adobe Town Dispersed Recreation Use Area (DRUA) are subject to management decisions in the Rawlins RMP. The Rawlins RMP approved in December 2008 determined these “lands to be unmanageable for wilderness character because of preexisting oil and gas leases, the BLM elected to manage lands with wilderness character for multiple use and not for protection of wilderness character. Surface occupancy or use will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to protect recreational opportunity class setting within the Adobe Town Dispersed Recreation Use Area.

Parcels and portions of parcels 59, 77, 78, and 90 are located in the Monument Valley Management Area. According to the 1997 Record of Decision and Green River Resource Management Plan, the entire Monument Valley Management Area will be managed consistent with the Class II visual resource management classification.

Parcels 93, 94, 95, 96, 97, 100, 101, 102, 103, 104, 111, 112, 113, 114, 115, 116, 117, 118, 119, and 120 are in the Red Desert Watershed Management Area. Surface occupancy or use within the Red Desert Watershed Area will be restricted or prohibited unless the operator and surface managing agency arrive at an acceptable plan for mitigation of anticipated impacts to steep slopes, visual resources, recreational, watershed, cultural, and wildlife values.

The flat colors Shale Green, Covert Green, or Shadow Gray from the Standard Environmental Colors Chart would be used on all facilities to closely approximate the vegetation within the setting. All facilities, including the meter buildings, would be painted one of these colors as determined during a site-specific review, unless other colors more closely match the surrounding landscape. Facility painting schemes also may include camouflage patterns or other management practices to reduce facility visibility or visual contrast in particularly sensitive areas. If the proposed area is in a scenic corridor use of landscape features for screening, use of low profile tanks, and/or offsite production may be recommended. A CSU stipulation would be applied to all parcels in areas currently containing lands with a VRM Class II designation unless otherwise called for in the RMP; see Tables 1, 12, and Appendix B.

#### **4.2.13 Public Health and Safety**

The act of offering, selling, and issuing federal oil and gas leases does not produce impacts to public health and safety. Subsequent development of a lease may generate impacts. An explanation of the processes used to develop shale and conventional onshore oil and gas, using horizontal drilling and hydraulic fracturing as well as environmental and health risks are discussed in Appendix E, Hydraulic Fracturing White Paper, Section VI, Public Health and Safety, page 12. Vehicle and equipment operations associated with the subsequent construction, drilling, and production operations could affect members of the public using the same roads and general areas and/or the employees of the oil and gas drilling, completion or services companies. Releases of gas from the well bore, production facilities and spills could potentially adversely affect members of the public in the vicinity as well as members of the

workforce. The level of affect would depend on the product released or spilled, level of activity, density of development, technological and safety controls/regulations, and the receptors susceptibility.

Parcels containing lands with private surface overlying federal minerals (i.e., split-estate) are identified in Table 1. No existing residences are located on lands offered in the November 2014 Lease Sale. The private surface lands have or have the potential for future development of private residences and associate facilities such as domestic water supply wells. Residences along routes to, or in the vicinity of, active drilling and completion operations would likely experience increased traffic and noise, as well as night lighting. Traffic and drilling operations in close proximity to residences would increase the potential for collisions with the residents, pets, and livestock, as well as an increased potential for fire, hydrocarbon release, and explosion from well blow-out during drilling operations. None of the parcels overly lands associated with municipalities or municipal water supplies.

#### ***4.2.13.1 Mitigation***

Prepare and implement safety contingency plans and comply with Onshore Order No. 6, 43 CFR 3162.5-1, and all requirements for reporting undesirable events under NTL 3A.

Lease Notice No. 1 restricts or prohibits surface disturbance within ¼ mile of occupied dwellings and is applied to all parcels to mitigate impacts to private residences. The State of WY also imposes a minimum 350' offset from all sources of drinking water including private water wells.

#### **4.2.14 Socioeconomics**

Under this alternative, 90 parcels and/or portions of parcels (114,304.700 acres) would be offered for sale. It is assumed that development of the offered leases would proceed at about the same rate of development that the Kemmerer, Pinedale, Rawlins, and Rock Springs field offices have experienced over the last ten years, (i.e., about 545 wells spudded per year). Specific economic impacts would be identified in the NEPA document supporting the APD, when a more accurate analysis is possible based on the speculative nature of leasing in relation to development. Based on the minimum bid rate of \$2.00 per acres, the acreage withheld from leasing under Alternative A would potentially result in at least \$228,609.00 fewer dollars in lease sale revenues than would potentially be attained through implementation of Alternative B. Based on the average sale rate of \$58.48 per acre from the last four HDD lease sales, Alternative B would yield \$6,684,538.00 more than Alternative A.

#### ***4.2.14.1 Mitigation***

None identified.

#### **4.2.15 Environmental Justice**

No minority or low income populations in this area of the lease parcels proposed for sale meet the criteria of needing environmental justice consideration so therefore no disproportionate impacts to environmental justice populations would occur.

#### ***4.2.15.1 Mitigation***

None identified.

#### **4.2.16 Solid Leasables (Coal and Sodium)**

There are no conflicts with coal or trona development from the offering and issuance of the lease parcels in the Proposed Action.

##### ***4.2.16.1 Mitigation***

See Tables 1 and 12 and Appendix B. If a parcel had been identified as being within a Sodium or Coal leasing area, a stipulation would have been applied.

#### **4.2.17 Other Considerations in accordance with IM 2010-117**

*A. There is a risk of drainage to Federal mineral resources due to development of nearby non-Federal parcels if the parcel is not leased.*

None has been determined.

*B. In undeveloped areas, are non-mineral resource values greater than potential mineral development values?*

All of parcels addressed in this EA have multiple surface resource values (see the affected environment discussions above). Whether the surface resource values for a given parcel are greater or less than the potential oil and gas development potential is subjective. Persons interested in preserving the surface resources would very likely say those values are greater than the potential mineral development value; whereas somebody interested in securing and developing one of the leases would likely say that the mineral value is greater. The Kemmerer, Pinedale, Rawlins, and Green River RMPs have addressed values of the lands containing the parcels in this EA and have made resource allocations. All parcels fall within areas that are available for oil and gas leasing as determined by the RMPs. All of the parcels have stipulations intended to mitigate impacts to the surface resource values.

*C. Stipulation constraints in existing or proposed leases make access to and/or development of the parcel or adjacent parcels operationally infeasible, such as an NSO parcel blocking access to parcels beyond it or consecutive and overlapping timing restrictions that do not allow sufficient time to drill or produce the lease without harm to affected wildlife resources.*

Most parcels have one or more timing limitation stipulations. The vast majority of the parcels have multiple timing limitation stipulations that restrict activity from November 15 through July 31. Oil and gas operators have successfully conducted operations within the portion of the year falling outside these restrictions for the past 2 to 3 decades.

*D. Parcel configurations would lead to unacceptable impacts to resources on the parcels or on surrounding lands and cannot be remedied by reconfiguring.*

While there are a number of parcels that have one or more disconnected components, accessing and developing would not result in any impacts beyond those addressed in this EA. The EA has not identified any unacceptable/unmitigatable impacts from the configuration of those parcels with disconnected components, nor has it identified that there would be unacceptable/unmitigatable from all or portions of a parcel.

*E. The topographic, soils, and hydrologic properties of the surface will not allow successful final landform restoration and revegetation in conformance with the standards found in Chapter 6 of the Gold Book, as revised.*

A number of the parcels have areas with slopes greater than 25 percent. Construction on such slopes would increase the difficulty of achieving successful reclamation and landform restoration; however, standard lease stipulations restrict or prohibit occupation on these slopes. Additionally, parcels with these slopes also have areas with lesser slopes that are suitable for construction where there would be a high potential for successful reclamation. Many of the parcels fall within the 7- to 9-inch annual precipitation range. These drier sites also hamper successful reclamation, but there are procedures, such as strategic irrigation, hydro-mulching, etc. available to assist with achieving the Gold Book reclamation standards. Lease Notice No. 1 restricts surface use or occupancy on slopes greater than 25 percent.

*F. Construction and use of new access roads or upgrading existing access roads to an isolated parcel would have unacceptable impacts to important resource values.*

As previously stated, at the leasing stage the BLM does not have proposals for development; consequently, it is not possible to predict where or if oil or gas development would occur. Likewise the BLM cannot predict where or if access roads for oil and gas development would be proposed. Without a concrete development access road proposal, the BLM cannot determine whether or not road development to or within a given parcels would or would not have unacceptable impacts.

The majority of the parcels are located within areas of existing oil and gas development, with existing roads and infrastructure.

*G. Leasing would result in unacceptable impacts to the resources or values of any unit of the National Park System or national wildlife refuge.*

None of the parcels are within the proximity of a National Park or national wildlife refuge.

*H. Leasing would result in unacceptable impacts to specially designated areas (whether Federal or non-Federal) and would be incompatible with the purpose of the designation.*

Table 1 (Affected Environment) provides a listing of the parcels that contain ACECs, SMAs, and SRMAs. The Kemmerer, Pinedale, Rawlins, and Green River RMPs provide for oil and gas leasing in these areas with the appropriate stipulations and additional mitigation as required at the APD stage.

### **4.3 Cumulative Impacts**

Offering the subject parcels for lease, and the subsequent issuance of leases, in and of itself, would not result in any cumulative impacts. The referenced RMPs/EISs provide cumulative affects analysis for oil and gas development based on the reasonable, foreseeable oil and gas development scenario. The offering of the proposed lease parcels is consistent with that analysis. As discussed in Section 1.3, it is assumed that any development on those leases would occur within the RFD level analyzed in the EISs for the governing RMPs and that the impacts would also be within the thresholds of identified in the EISs.

And as stated in Section 1.1, “The mitigation measures developed through those EISs reduced/minimized the anticipated impacts associated with the projected development to acceptable levels below the significance threshold”; therefore, since the proposed parcels are within areas designated by the RMPs as available for oil and gas leasing and development and as such are a subset of the RMP, it is anticipated that this will also hold evident for the parcels. Again, it is important to emphasize that at the leasing stage is not possible to predict if a parcel would be leased; if it is leased whether or not it would be developed; and if it is developed at what intensity/spacing, which is why additional NEPA is required when a definitive development proposal is received.

Subsequent to the issuance of the RMPs, additional projects, such as the Gateway West, TransWest, and Gateway South transmission lines, as well as the Chokecherry-Sierra Madre, Sand Hills Ranch, and White Mountain Wind Energy Development Projects, Bird Canyon Field Natural Gas Development , Hiawatha Field Project, and the Normally Pressured Lance Oil and Gas Development Project have been submitted to the BLM. The EISs/EAs prepared or being prepared for those projects address the cumulative effects of those individual projects in conjunction with each other and other ongoing projects. As stated Section 1.3, additional site-specific NEPA analysis will be conducted in the event a development proposal is submitted for one or more of the parcels addressed in this EA. This site-specific analysis will address the cumulative effects of that development in conjunction with other project within the cumulative affects area.

The following provides cumulative impacts information related to Air Quality/Green House Gases/Climate Change: There are approximately 10,400 federal producing wells in the High Desert District (2,100 in Rawlins FO, 1,500 in Kemmerer FO, 1,400 in Rock Springs FO, and 5,400 in Pinedale FO). Of this number, approximately 300 wells (2.9%) are coal-bed methane wells. Analysis of cumulative impacts for RFD of oil and gas wells on public lands is included in the Kemmerer, Pinedale, Rawlins, and Green River RMPs. Potential development of all available federal minerals in the field offices, including those in the proposed lease parcels, were included as part of the RMP analysis.

As described in the analysis of environmental consequences, the proposed action and/or the alternative may contribute to the effects of climate change through GHG emissions. However, it is not currently possible to associate any of these particular actions with the creation of any specific climate-related environmental effects. The lack of scientific tools designed to predict climate change at regional or local scales limits the ability to quantify potential future impacts.

The assessment of greenhouse gas emissions and climate change is still in its formative phase; therefore, it is not yet possible to know with confidence the net impact on climate. However, the Intergovernmental Panel on Climate Change (IPCC 2007) recently concluded that “warming of the climate system is unequivocal” and “most of the observed increase in globally average temperatures since the mid-20th century is very likely due to the observed increase in anthropogenic [man-made] GHG concentrations.” As the temperatures of the land and sea change, environmental factors such as weather patterns, sea levels, precipitation rates, the timing of the seasons, desert distribution, forest cover, and ocean salinity will also change. These changes influence the world’s climate systems and will have different impacts to different areas. Some agricultural regions may become more arid while others become wetter; some mountainous areas will experience greater summer precipitation, yet experience disappearing snowpack.


Wildlife responses to such environmental changes, such as alteration of migration routes or timing, expansion or contraction of suitable habitat, changes in predatory or foraging habits, or changes in reproductive habits or fecundity may occur but cannot be predicted.

The average number of oil and gas wells drilled annually in the HDD and probable GHG emission levels, when compared to the total GHG emission estimates from the total number of federal oil and gas wells in the state, represent an incremental contribution to the total regional and global GHG emission levels. This incremental contribution to global GHG gases cannot be translated into incremental effects on climate change globally or in the area of these site-specific actions. As oil and gas and natural gas production technology continues to improve in the future, one assumption is that it may be feasible to further reduce GHG emissions. Information contained in Appendix E, Hydraulic Fracturing White Paper, Section II Operational Issues/Gas emissions (page 2) is incorporated by reference.

Based on research compiled for the International Panel on Climate Change Fourth Assessment Report, 2007, potential effects of climate change on resources in the affected environment are likely to be varied. Figure 7 below, taken from the Fourth Assessment Report, indicates varying responses of the natural world to increasing temperatures as a result of increasing global temperatures.

Figure 7. Examples of Impacts Associated with Global Average Temperature Change

(Impacts will vary by extent of adaptation, rate of temperature change and socio-economic pathway).



Within North America, the report specifically forecasts that: Warming in western mountains is projected to cause decreased snowpack, more winter flooding and reduced summer flows, exacerbating competition for over-allocated water resources; in the early decades of the century, moderate climate change is projected to increase aggregate yields of rain-fed agriculture by 5 to 20%, but with important variability among regions; major challenges are projected for crops that are near the warm end of their suitable range or which depend on highly utilized water resources; cities that currently experience heat waves are expected to be further challenged by an increased number, intensity and duration of heat waves during the course of the century, with potential for adverse health impacts and coastal communities and habitats will be increasingly stressed by climate change impacts interacting with development and pollution. Specific modeling and/or assessments of the potential effects for the HDD and for the State of Wyoming currently do not exist.

In 2001, the Intergovernmental Panel on Climate Change (IPCC) pointed out that by the year 2100, global average surface temperatures would increase 2.5 to 10.4° F. above 1990 levels (IPCC 2007). The National Academy of Sciences (2006) has confirmed these findings, but also indicated that there are uncertainties regarding how climate change may affect different regions. Computer model forecasts indicate that increases in temperature will not be evenly or equally distributed, but are likely to be accentuated at higher latitudes. Warming during the winter months is expected to be greater than during the summer, and increases in daily minimum temperatures is more likely than increases in daily maximum temperatures.

Regarding the linkage between climate change related warming and associated impacts, an assessment of the IPCC states that difficulties remain in attributing observed temperature changes at smaller than continental scales. Therefore, it is currently beyond the scope of existing science to predict climate change on regional or local scales resulting from specific sources of GHG emissions. Emissions of all regulated pollutants (including GHGs) and their impacts will be quantified and evaluated at the time that a specific development project is proposed.

IPCC also discloses that significant uncertainties remain with respect to the estimates of the current level of emissions and projections of future production of fossil fuels as the oil and gas industry is difficult to forecast with the mix of drivers: economics, resource supply, demand, and regulatory procedures. The assumptions used for the projections, based on recent trends or State production trends in the near-term, and AEO 2006 growth rates through 2020, do not include any significant changes in energy prices, relative to today's prices. Large price swings, resource limitations, or changes in regulations could significantly change future production and the associated GHG emissions. Other uncertainties include the volume of GHGs vented from gas processing facilities in the future, any commercial oil shale or coal-to-liquids production, and potential emissions-reducing improvements in oil and gas production, processing, and pipeline technologies.

The cumulative impacts related to ozone are the same as described in Section 4.2.1.1. This lease sale complies with 40 CFR 93.153 concerning ozone.

#### **4.4 Irreversible and Irretrievable Commitments of Resources**

An irreversible commitment of a resource is one that cannot be reversed (e.g., the extinction of a species, disturbance to protected cultural resources, or extraction of fossil fuels); irreversible commitments of resources are actions which disturb or remove either a non-renewable resource or a renewable resource to the point that it can only be renewed over a long period of time (centuries); a resource is irreversibly committed when a decision or action alters the resource so that it cannot be restored or returned to its original or predisturbance condition; and, the resource or its productivity or its utility would be consumed, committed, or lost forever. Definitions of an irretrievable commitment of resources include: An irretrievable commitment of a resource caused by a management action or land use decision is one that directly removes the resource from availability or that renders its productivity or utility lost for a period of time (e.g., closure of an area to resource extraction); an irretrievable commitment is the loss of opportunities for production or use of a renewable resource for a short to medium period of time (years); or, a resource is irretrievably committed when a decision results in the loss of production or future use of the resource.

The administrative action of offering and issuing an oil and gas lease does not, in and of itself, directly result in an irreversible or irretrievable commitment of resources but without an NSO it does guarantee the right of access. However, until an Operator is able to submit an APD that complies with all BLM regulations found at 43 CFR 3160 and in Onshore Orders and NTL's, access will not be granted regardless of the stipulations on the lease.

Irreversible and/or irretrievable commitment of resources that could potentially result from post-lease oil and gas development on the November 2014 lease parcels would be within the irreversible and irretrievable commitment of resources analyzed and disclosed in the EISs for the Pinedale, Rawlins, Kemmerer, and Green River RMPs.

#### **5.0 Description of Mitigating Measures and Residual Impacts**

The lease sale will be mitigated by attaching appropriate conditions of approval to any subsequent requests for lease development either on a case-by-case basis or upon receipt of a project proposal (see Table 12 and Appendix B). The KFO, PFO, RFO, and RSFO Surface Use and Occupancy Requirements, Conditions of Approval, and the Special Leasing Stipulations as specified in the respective RMPs provide adequate mitigation for issuance of all lease parcels under the Proposed Action.

Direct, indirect, cumulative and residual impacts of leasing and lease development are generally described in the Kemmerer, Pinedale, Rawlins, and Green River RMP FEISs for the respective RMPs. An environmental analysis will be prepared on a case-by-case basis upon receipt of future subsequent actions.

## 6.0 Consultation/Coordination

### WYOMING GAME AND FISH DEPARTMENT (WGFD)

Tony Mong, Mark Zornes, Mary Flanderka, and Rick Huber; WY Game and Fish Dept. Additional WGFD review of the November 2014 Lease parcels was conducted through a list sent by the BLM Wyoming State Office to the WGFD headquarters in Cheyenne.

### 6.1 List of Preparers/Reviewers

#### KEMMERER FIELD OFFICE

Gary McNaughton	Geologist
Erik Norelius	Wildlife Biologist
Lynn Harrell	Archeologist
Wally Mierzejewski	Recreation/Wilderness

#### PINEDALE FIELD OFFICE

Josh Hemenway	Wildlife Biologist
Travis Ames	Range Management Specialist
J.D. "Sam" Drucker	Archeologist
Jim Collis	Archeologist
Tracy Hoover	Realty Specialist
Kyle Schumacher	Natural Resource Specialist
Martin Hudson	Outdoor Recreation Planner
Jim Glennon	Botanist
John Henderson	Fisheries Biologist

#### ROCK SPRINGS FIELD OFFICE

Doug Linn	Supervisory Natural Resource Specialist
Ted Inman	Natural Resource Specialist
Brandon Teppo	Natural Resource Specialist
Spencer Allred	Natural Resource Specialist
Patrick Lionberger	Wildlife Biologist
Shawn James	Wildlife Biologist
Scott Stadler	Supervisory Archaeologist
Leanna Flaherty	Archaeologist
Jo Foster	Recreation Planner
Jim Glennon	Botanist
John Henderson	Fisheries Biologist

Kirk Rentmeister          Geologist

RAWLINS FIELD OFFICE

John Sjogren	Natural Resource Specialists
Patrick Walker	Archeologist
Frank Blomquist	Wildlife Biologist
Sandra Taylor	Wildlife Biologist
Ben Smith	Wild Horse Specialists
Susan Foley	Soil Scientists
Mark Newman	Geologist
Lynn McCarthy	GIS Specialist
Kelly Owens	Hydrologist
David Hullum	Outdoor Recreation Planner
Joel Humphries	Wildlife Biologist
Lucas Carrington	Archeologist
Brad Tribby	Fishery Biologists
Garth Ross	Wildlife Biologist
Robert Epp	Range Management Specialist

HIGH DESERT DISTRICT OFFICE

Thomas Foertsch                  Resource Advisor

BLM WYOMING STATE OFFICE

Chris Hite	Supervisory Mineral Leasing Specialist
Michael Madrid	Supervisory Petroleum Engineer
Merry Gamper	Physical Scientist
Dennis Saville	Wildlife and Riparian Program Lead
Pam Murdock	Planning & Environmental Coordinator
Jenny Morton	Wildlife Biologist
Chris Keefe	Wildlife Biologist
Sherry Lahti	Outdoor Recreation Planner
Jessica Montag	Socio Economist

## 7.0 References

BEA (Bureau of Economic Analysis). 2012. Table CA25N\_WY. November 26, 2012 revised data (most current). <http://www.bea.gov/regional/histdata/releases/1112lapi/index.cfm>, Downloaded 4-4-2014.

Berger, Dr. Joel, et al. 2008. "Wildlife and Energy Development, Pronghorn of the Upper Green River Basin-Year 3 Summary," Wildlife Conservation Society, July 2008.

Climate Change SIR. 2010. Climate Change Supplementary Information Report for Montana, North Dakota, and South Dakota, Bureau of Land Management. Report on Greenhouse Gas Emissions and Climate Change for Montana, North Dakota, and South Dakota. Technical report prepared for the Montana/Dakotas Bureau of Land Management by URS Corporation. URS Project 22241790.

Colorado Environmental Coalition, et al., IBLA 96-243, decided June 10, 1999.

CRCT Conservation Team. 2006. Conservation agreement for Colorado River cutthroat trout (*Oncorhynchus clarkii pleuriticus*) in the States of Colorado, Utah, and Wyoming. Colorado Division of Wildlife, Fort Collins. 10pp.

EPA. 2006. Natural Gas Star Program (2006 data) at: <http://www.epa.gov/gasstar/accomplish.htm>. Environmental Protection Agency, Washington, D.C.

Executive Order 11988--Floodplain management. 1977. Source: The provisions of Executive Order 11988 of May 24, 1977, appear at 42 FR 26951, 3 CFR, 1977 Comp., p. 117, unless otherwise noted.

Feeney et al. 2004. "Big Game Migration Corridors in Wyoming,." Figure 1. University of Wyoming.

Goddard Institute for Space Studies. 2007. Annual Mean Temperature Change for Three Latitude Bands. Datasets and Images. GISS Surface Temperature Analysis, Analysis Graphs and Plots. New York, New York. (Available on the Internet: <http://data.giss.nasa.gov/gistemp/graphs/fig.B.lrg.gif>).

Holloran, M. J. 2005. "Greater Sage-Grouse (*Centrocercus urophasianus*) population response to natural gas field development in western Wyoming." PhD Dissertation. University of Wyoming. Laramie, Wyoming. 211pp.

Intergovernmental Panel on Climate Change (IPCC). 2007. "Climate Change 2007: The Physical Basis (Summary for Policymakers)." Cambridge University Press. Cambridge, England and New York, New York. (Available on the Internet: <http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-spm.pdf>).

IPCC. 2007. "Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change" [Core Writing Team, Pachauri, R.K and Reisinger, A. (eds.)]. Intergovernmental Panel on Climate Change, Geneva, Switzerland, 104 pp.

N.M ex rel. Richardson v. BLM, 565 F.3d 683, 718-19 (10th Cir. 2009).

National Academy of Sciences. 2006. Understanding and Responding to Climate Change: Highlights of National Academies Reports. Division on Earth and Life Studies. National Academy of Sciences. Washington, D.C. (Available on the Internet: <http://dels.nas.edu/basc/Climate-HIGH.pdf>).

- Outdoor Industry Foundation. 2006. "The Active Outdoor Recreation Economy."  
www.outdoorindustryfoundation.org
- Park County Resource Council, Inc. v. U.S. Department of Agriculture, 10th Cir., April 17, 1987.
- Powell, Jacob. 2003. "Distribution, Habitat Use Patterns, and Elk Response to Human Disturbance in the Jack Morrow Hills, Wyoming." May 2003. M.S., Department of Zoology and Physiology, University of Wyoming).
- Ramanathan V. and G. Carmichael. 2008. Global and regional climate changes due to black carbon. *Nature Geoscience*. 1, pp. 221-227.
- Sawyer, Hall, et al. 2004. 2004 SUBLETTE MULE DEER STUDY (PHASE II): Long-term monitoring plan to assess potential impacts of energy development on mule deer in the Pinedale Anticline Project Area.
- Sawyer, Hall, et al. 2010. September 2010, Mule Deer Monitoring in the Pinedale Anticline Project Area: 2010 Annual Report.
- Sawyer, Hall, et al. 2011. Final report for Atlantic Rim Mule Deer Study; Phase 2. Western Ecosystem Technology, Inc. Cheyenne, Wyoming.
- Semlitsch, Raymond D. and Bodie, J. Russell. 2003. "Biological Criteria for Buffer Zones around Wetlands and Riparian Habitats for Amphibians and Reptiles," IN Conservation Biology Volume 17, No. 5, October 2003.
- Thaeler, C. S., Jr. 1972. Taxonomic status of the pocket gophers, *Thomomys idahoensis* and *Thyomomys pygmaeus* (Rodentia-Geomyidae). *Journal of Mammalogy* 53:417-428.
- U.S. Department of the Interior. 2011. "Department of the Interior's Economic Contributions." June 2011.
- U.S. Department of the Interior, Bureau of Land Management. 1996. Green River Proposed Resource Management Plan and Final Environmental Impact Statement.
- U.S. Department of the Interior, Bureau of Land Management. 1997. "Green River Approved Resource Management Plan and Record of Decision." Rock Springs, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2008. "Kemmerer Proposed Resource Management Plan and Final Environmental Impact Statement." Kemmerer, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2008. "Pinedale Proposed Resource Management Plan and Final Environmental Impact Statement." Pinedale, Wyoming.

- U.S. Department of the Interior, Bureau of Land Management. 2008. "Pinedale Approved Resource Management Plan and Record of Decision." Pinedale, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2008. "Rawlins Proposed Resource Management Plan and Final Environmental Impact Statement." Rawlins, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2008. "Rawlins Approved Resource Management Plan Record of Decision." Rawlins, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2009a. Instruction Memorandum WY-2010-012, dated December 29, 2009, "Greater Sage-Grouse Habitat Management Policy on Wyoming Bureau of Land Management (BLM) Administered Public Lands including the Federal Mineral Estate." Cheyenne, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2009b. Instruction Memorandum WY-2010-013, dated December 29, 2009, "Oil and Gas Leasing Screen for Greater Sage-Grouse." Cheyenne, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2010a. Instruction Memorandum 2010-071, dated March 5, 2010. "Gunnison and Greater Sage-Grouse Management Considerations for Energy Development (Supplement to *National Sage-Grouse Habitat Conservation Strategy*)." Washington, D.C.
- U.S. Department of the Interior, Bureau of Land Management. 2010b. Kemmerer Approved Resource Management Plan and Record of Decision. Kemmerer, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2011. Instruction Memorandum 2012-044, dated December 27, 2011. "BLM National Greater Sage-Grouse Land Use Planning Strategy." Washington, D.C.
- U.S. Department of the Interior, Bureau of Land Management. 2012a. Instruction Memorandum WY-2012-019, dated February 12, 2012, "Greater Sage-Grouse Habitat Management Policy on Wyoming BLM Administered Public Lands Including the Federal Mineral Estate." Cheyenne, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2012b. Instruction Memorandum WY-2012-032, dated March 27, 2012, "Wyoming Bureau of Land Management (BLM) Reclamation Policy." Cheyenne, Wyoming.
- U.S. Department of the Interior, Bureau of Land Management. 2014. BLM Sensitive Species. Cheyenne, Wyoming. <http://www.blm.gov/wy/st/en/programs/pcp/species/sensitive.html>

U.S. Fish and Wildlife Service. 2006. *Trout Fishing in 2006: A Demographic Description and Economic Analysis*. Addendum to the 2006 National Survey of Fishing, Hunting, and Wildlife Associated Recreation. Report 2006-6.

United States Government Accountability Office. 2012. "OIL AND GAS, Information on Shale Resources, Development, and Environmental and Public Health Risks", GAO-12-732.

University of Wyoming. School of Energy Resources and Haub School & Ruckelshaus Institute. 2012 *Hydraulic Fracturing: A Wyoming Energy Forum Summary Report*.

Wyoming Game and Fish Department. 2010. "Recommendations for Development of Oil and Gas Resources within Crucial and Important Habitat." Cheyenne, Wyoming.

## **7.1 Authorities**

40 CFR All Parts and Sections inclusive - Protection of Environment, Revised as of July 1, 2001.

43 CFR All Parts and Sections inclusive - Public Lands: Interior, Revised as of October 1, 2000.

U.S. Department of the Interior, Bureau of Land Management and Office of the Solicitor (editors). 2001. *The Federal Land Policy and Management Act, as amended*. Public Law 94-579.