


Boechera pusilla (Rollins) Dorn

Known Distribution in Wyoming



Numbers of Points for Modeling

	Model	Validation	Total
Known Present	1	0	1
Known Absent	963	134	1097
Total	964	134	1098

Data Source (Points)

Wyoming Heritage Program (1)

Modeling Notes

Factor used to expand ranges: 0.05

Biome used for validation: IDGRS

Ranges of Continuous Variables

	MIN	MAX	UNITS
ELEV	2312	2556	m
RELIEF	56	114	m
PT01	3.88	4.28	cm
PT04	5.68	6.28	cm
PT07	2.83	3.13	cm
PT10	3.13	3.45	cm
RT01	7.05	7.79	MJ/m ² /day
RT07	24.13	26.67	MJ/m ² /day
TA01	-9.54	-7.54	°C
TA04	0.50	2.50	°C
TA07	14.10	16.10	°C
TA10	2.50	4.50	°C

Values of Categorical Variables


BEDGEOL: PCf

LANDCOV: WySge


SOIL: WY08C

SURFGEOL: ui

Detailed View of Predicted Distribution



Predicted Distribution in Wyoming



Classification Rates

Model-Building Points

	Model Present	Model Absent		
Known Present	1 / 1	0 / 1	Total	964 / 964
	100.0%	0.0%	Correct	100.0%
Known Absent	0 / 963	963 / 963	Total	0 / 964
	0.0%	100.0%	Incorrect	0.0%

Validation Points

	Model Present	Model Absent		
Known Present	0 / 0	0 / 0	Total	134 / 134
			Correct	100.0%
Known Absent	0 / 134	134 / 134	Total	0 / 134
	0.0%	100.0%	Incorrect	0.0%

Area of Predicted Distribution: 8.0 km² (0.00% of WY)