CONTENTS

Executive Summary

Acronyms and Abbreviations

1.0 INTRODUCTION 1-1

1.1 Objectives 1-2

1.2 Key Issues 1-2

1.3 Agency Outreach, Coordination, and Review 1-10

2.0 TECHNICAL APPROACH 2-1

2.1 Overview of Assessment Approach 2-1

2.2 Air Quality Modeling Protocol 2-1

2.3 Model Input Data 2-6
2.3.1 Emissions Inventory Data Overview 2-6
2.3.2 Construction-related Emissions 2-6
2.3.3 Operational Emissions 2-7
2.3.4 Meteorological Data 2-7
2.3.5 Ambient Air Quality and AQRV Data 2-8
2.3.6 Chemical Species 2-12
2.3.7 Visibility 2-13
2.3.8 Lake Chemistry 2-13

2.4 Air Quality Modeling and Post-processing 2-13

3.0 DESCRIPTION OF CURRENT CONDITIONS 3-1

3.1 Air Quality Standards 3-1

3.2 Meteorological Conditions 3-1

3.3 Air Quality Conditions 3-3

3.4 Visibility 3-6

4.0 MODELED BASE YEAR IMPACTS 4-1

4.1 Emission Inventories 4-1

4.2 Receptors 4-1

4.3 Summary of Impacts....4-3

4.4 Impacts on Ambient Air Quality....4-3

4.5 Impacts on Visibility....4-4

4.6 Impacts on Acid Deposition....4-14
4.6.1 Acid Deposition....4-14
4.6.2 Impact on Sensitive Lake Acid Neutralizing Capacity....4-15

4.7 Analysis of Hazardous Air Pollutants....4-15

5.0 REVIEW OF PREVIOUS STUDIES....5-1

6.0 REFERENCES....6-1

LIST OF TABLES

1-1 Ambient Monitoring Sites and Data Summary 1-6
1-2 IMPROVE Monitoring Sites within the Modeling Domain 1-9
2-1 CALMET User-defined Fields not Specified in IWAQM Appendix A 2-11
2-2 Air Pollutant Background Concentration 2-11
2-3 IMPROVE Protocol Aerosol Monitoring Sites to be Used in Determining Background Monthly Average Particulate Matter Speciation Profiles 2-12
2-4 Estimated Natural Background Visibility Reference Levels 2-14
3-1 Applicable Ambient Air Quality Standards 3-1
4-1 Summary of Modeled Air Quality Impacts 4-3
4-2 Modeled Concentrations of NO_2, PM_{10}, and SO_2 4-5
4-3 Modeled Impacts on Visibility at Indicated Receptors 4-12
4-4 Modeled Deposition for Nitrogen and Sulfur 4-17
4-5 Impacts on ANC of Sensitive Lakes 4-19
4-6 Evaluation of Acute Concentrations of HAPs 4-20
4-7 Evaluation of Annual Concentrations of HAPs 4-21

LIST OF FIGURES

1-1 Study Area....1-3
2-1 Modeling Domain, Project Areas, Population Centers, and Sensitive Areas....2-2
2-2 Receptor Locations for Sensitive Areas....2-5
2-3 Weather Stations with Surface Data Considered in CALMET Modeling for PRB Air Quality Impact Assessment....2-9
2-4 Weather Stations with Precipitation Data Used in CALMET Modeling....2-10
3-1 Annual Wind Roses at 10-meter Level at Selected Cities in 1996....3-2
3-2 Topography of the Modeling Domain, Population Centers, and Sensitive Receptors....3-4
3-3 Mean Annual NO_2 Concentration in the Wyoming PRB....3-5
3-4 PM_{10} 24-hour Concentrations for Select Black Thunder and North Rochelle Sites....3-8
3-5 PM_{10} 24-hour Concentrations at Select Black Thunder and Antelope Sites....3-9
3-6 PM_{10} Annual Concentrations at Select North Rochelle Sites....3-10
3-7 3-hour SO_2 Concentrations....3-11
3-8 Deciview Trend Analysis of Percentile Distribution for Bridger WA....3-12
3-9 Deciview Trend Analysis of Percentile Distribution for Badlands National Park....3-13
4-1 Near-field and Far-field Receptor Locations Used in CALPUFF Modeling....4-2