
Appendix S

Lek Buffer Distances

APPENDIX S

LEK BUFFER DISTANCES

APPLYING LEK BUFFER DISTANCES WHEN APPROVING ACTIONS

Buffer Distances and Evaluation of Impacts to Leaks

Evaluate impacts to leaks from actions requiring NEPA analysis. In addition to any other relevant information determined to be appropriate (e.g. State wildlife agency plans), the BLM will assess and address impacts from the following activities using the lek buffer-distances as identified in the USGS Report *Conservation Buffer Distance Estimates for Greater Sage-Grouse – A Review* ([Open File Report 2014-1239](#)). The BLM will apply the lek buffer-distances specified as the lower end of the interpreted range in the report unless justifiable departures are determined to be appropriate (see below). The lower end of the interpreted range of the lek buffer-distances is as follows:

- Linear features (roads) within 3.1 miles of leaks.
- Infrastructure related to energy development within 3.1 miles of leaks.
- Tall structures (e.g., communication or transmission towers, transmission lines) within 2 miles of leaks.
- Low structures (e.g., fences, rangeland structures) within 1.2 miles of leaks.
- Surface disturbance (continuing human activities that alter or remove the natural vegetation) within 3.1 miles of leaks.
- Noise and related disruptive activities including those that do not result in habitat loss (e.g., motorized recreational events) at least 0.25 miles from leaks.

Justifiable departures to decrease or increase from these distances, based on local data, best available science, landscape features, and other existing

protections (e.g., land use allocations, state regulations) may be appropriate for determining activity impacts. The USGS report recognized “that because of variation in populations, habitats, development patterns, social context, and other factors, for a particular disturbance type, there is no single distance that is an appropriate buffer for all populations and habitats across the sage-grouse range”. The USGS report also states that “various protection measures have been developed and implemented... [which have] the ability (alone or in concert with others) to protect important habitats, sustain populations, and support multiple-use demands for public lands”. All variations in lek buffer-distances will require appropriate analysis and disclosure as part of activity authorization.

In determining lek locations, the BLM will use the most recent active or occupied lek data available from the state wildlife agency.

For Actions in GHMA

The BLM will apply the lek buffer-distances identified above as required conservation measures to fully address the impacts to leks as identified in the NEPA analysis. Impacts should first be avoided by locating the action outside of the applicable lek buffer-distance(s) identified above.

If it is not possible to relocate the project outside of the applicable lek buffer-distance(s) identified above, the BLM may approve actions in GHMA that are within the applicable lek buffer-distance identified above only if:

- Based on best available science, landscape features, and other existing protections, (e.g., land use allocations, state regulations), the BLM determines that a lek buffer-distance other than the applicable distance identified above offers the same or a greater level of protection to GRSG and its habitat, including conservation of seasonal habitat outside of the analyzed buffer area; or
- The BLM determines that impacts to GRSG and its habitat are minimized such that the project will cause minor or no new disturbance (ex. co-location with existing authorizations); and
- Any residual impacts within the lek buffer-distances are addressed through compensatory mitigation measures sufficient to ensure a net conservation gain, as outlined in the Mitigation Strategy (Appendix E).

For Actions in PHMA

The BLM will apply the lek buffer-distances identified above as required conservation measures to fully address the impacts to leks as identified in the NEPA analysis. Impacts should be avoided by locating the action outside of the applicable lek buffer-distance(s) identified above.

The BLM may approve actions in PHMA that are within the applicable lek buffer-distance identified above only if:

- The BLM, with input from the state fish and wildlife agency, determines, based on best available science, landscape features, and other existing protections, that a buffer distance other than the distance identified above offers the same or greater level of protection to GRSG and its habitat, including conservation of seasonal habitat outside of the analyzed buffer area.

Range improvements which do not impact GRSG, or, range improvements which provide a conservation benefit to GRSG such as fences for protecting important seasonal habitats, meet the lek buffer requirement.

The BLM will explain its justification for determining the approved buffer distances meet these conditions in its project decision.

This page intentionally left blank.